

R[®] |  Gollinucci
Daniele

REXSITT

Prislista för arbets- & konferensstolar oktober 2023 i SEK exkl. moms

SENAB

Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

REXSITT



ELIKA

REXSITT

5
YEARS OF
WARRANTY



SEAT STRUCTURE Ergonomic inner in fiberglass polypropylene reinforced with internal bars. Covering in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support reinforced with fiberglass.

SEAT PADDING In cold injected polyurethane foam, CFC-free, density 40 ELAST kg/m³, 50 mm thick.

SEAT UPHOLSTERY Leatherette/ Fabric stitched and fixed to the support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic mesh

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced nylon support

MECHANISM SYNCRODYNAMIC SYNCRON B-REX synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.

SEAT HEIGHT ADJUSTMENT Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT (optional) 65 mm stroke, manually lockable in all positions.

HEADREST (optional) Polypropylene fixed structure, upholstered in fabric or leatherette.

ARMRESTS (optional)

BASE 5-star base in nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star polished aluminium base (chromed effect) Ø 700 mm

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 50 mm.

OPTIONAL CASTORS Grey rubber coated black nylon soft castors Ø 50 mm for hard and wooden floors.

ELIKA ELKA15



Model	Seat sliding	Armrests	Optional	Base	Castors	Seat Colour	Backrest Colour
ELKA15			SLR	SN	1		

SEAT UPHOLSTERY

Gabriel Atlantic

OPTIONAL

Seat sliding mechanism

Y

ARMRESTS

No armrests

Height adjustable black nylon armrests 1D

BR1E

Height adjustable nylon armrests polyurethane PAD 1D

BR1R

Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D

BR2R

Height/forward/backward/right/left adjustable nylon armrests supplied with polyurethane PAD 3D

BR14

Height adjustable nylon armrests 2D, with translating top in soft black PU

BR2P

OPTIONAL

Adjustable lumbar support

SLR

Fixed headrest in fabric

AT

BASE

Black base

SN

Polished aluminium base

SC

CASTORS

Nylon castors Ø 50

1

Soft castors Ø 50

2

BACKREST


Gabriel Runner

AT



DIMENSIONS

		Min	Max
A	Seat height	420 mm	550 mm
B	Total height	1010 mm	1140 mm
C	Seat width	495 mm	
D	Max total width	700 mm	
E	Seat depth	455 mm	
F	Total depth	700 mm	
G	Backrest height	600 mm	
G1	Backrest height adjustment	65 mm	
H	Backrest width	480 mm	
I1	Seat depth adjustment	50 mm	
M	Armrest height adjustment	Min 600 mm	Max 660 mm



WEIGHT

Without armrests

12,50

Kg

With armrests

14,70

Kg

Quantity per pallet 10

VOLUME

Without armrests

0,19 m³

With armrests

0,24 m³

För priser + info om färger, tyg m.m. se i slutet av dokumentet

REXSITT

5
YEARS OF
WARRANTY



SEAT STRUCTURE Ergonomic inner in fiberglass polypropylene reinforced with internal bars. Covering in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support reinforced with fiberglass.

SEAT PADDING In cold injected polyurethane foam, CFC-free, density 40 ELAST kg/m³, 50 mm thick.

SEAT UPHOLSTERY Leatherette/ Fabric stitched and fixed to the support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic mesh

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced nylon support

MECHANISM DYNAMIC SYNCHRON E-REX synchron mechanism, lockable in 5 positions, with anti-shock system and body weight tension adjustment.

SEAT HEIGHT ADJUSTMENT Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT (optional) 65 mm stroke, manually lockable in all positions.

HEADREST (optional) Polypropylene fixed structure, upholstered in fabric or leatherette.

ARMRESTS (optional)

BASE 5-star base in nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star polished aluminium base (chromed effect) Ø 700 mm

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 50 mm.

OPTIONAL CASTORS Grey rubber coated black nylon soft castors Ø 50 mm for hard and wooden floors.

ELIKA ELKA19



Model	Seat sliding	Armrests	Optional	Base	Castors	Seat Colour	Backrest Colour
ELKA19			SLR	SN	1		

SEAT UPHOLSTERY

Gabriel Atlantic

OPTIONAL

Seat sliding mechanism

Y

ARMRESTS

No armrests

Height adjustable black nylon armrests 1D

BR1E

Height adjustable nylon armrests polyurethane PAD 1D

BR1R

Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D

BR2R

Height/forward/backward/right/left adjustable nylon armrests supplied with polyurethane PAD 3D

BR14

Height adjustable nylon armrests 2D, with translating top in soft black PU

BR2P

OPTIONAL

Adjustable lumbar support

SLR

Fixed headrest in fabric

AT

BASE

Black base

SN

Polished aluminium base

SC

CASTORS

Nylon castors Ø 50

1

Soft castors Ø 50

2

BACKREST


Gabriel Runner

AT



DIMENSIONS

A	Seat height	Min	420 mm
		Max	550 mm
B	Total height	Min	995 mm
		Max	1125 mm
C	Seat width		495 mm
D	Max total width		700 mm
E	Seat depth		455 mm
F	Total depth		700 mm
G	Backrest height		600 mm
G1	Backrest height adjustment		65 mm
H	Backrest width		480 mm
I1	Seat depth adjustment		50 mm
M	Armrest height adjustment	Min	620 mm
		Max	680 mm



WEIGHT

Without armrests

13,70

Kg

With armrests

15,50

Kg

Quantity per Box N°1

VOLUME

Without armrests

0,19 m³

With armrests

0,24 m³

För priser + info om färger, tyg m.m. se i slutet av dokumentet

 Gollinucci
Daniele

LEVANTE



10
ANNI DI
GARANZIA



SEAT STRUCTURE Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support in fiberglass reinforced black nylon.

SEAT PADDING In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m³, thickness 70 mm.

SEAT UPHOLSTERY Simil-leather / Fabric stitched and mounted to the load-bearing support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic net.

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced black nylon support

MECHANISM SYNCRO DYNAMIC SYNCRON B-REX synchron mechanism, lockable in 4 positions, with anti-shock system and body weight tension adjustment.

SEAT HEIGHT ADJUSTMENT Through a class 4 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT Manually 65 mm stroke lockable in all positions.

HEADREST (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or simil-leather.

ARMRESTS (optional)


BASE 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

OPTIONAL CASTORS Black soft castors with grey rubber Ø 65 mm for hard floor and wooden.

ATLEN



WEIGHT

Without armrests 12,00 Kg
With armrests 14,20 Kg

VOLUME

Without armrests 0,19 m³
With armrests 0,24 m³

Quantity per Box N°1

LEVANTE LEVA 15N SLRN PSN



Collezione	Modello	Meccanismo	Braccioli	Optional	Base	Ruote	Rivestimento
LEVA	15N			SLRN	PSN	1	

SEAT UPHOLSTERY

Gabriel Atlantic

ARMRESTS

No armrests

Height adjustable white nylon 2D armrests, with translating top in soft black PU **BR2R**

Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D **BR3N**

Height adjustable white nylon 2D armrests, with translating top in soft black PU **BR2P**

Height adjustable white nylon 4D armrests, with pivoting and translating top in soft black PU **BR4P**

Height adjustable brushed aluminium 3D armrests with soft sliding PU pad **BR3C**

OPTIONAL

Black adjustable lumbar support **SLRN**

Seat sliding mechanism **Y**

Height adjustable pivoting headrest in leather or fabric **ATLEN**

BASE

Black base **PSN**

Polished aluminium base **SC**

CASTORS

Nylon castors Ø 65 **1**

Soft castors Ø 65 **2**

Black nylon design castors Ø 65 **8**

Soft design castors with chrome insert Ø 65 **4**

BACKREST

Gabriel Runner

A	Seat height	Min	420 mm
		Max	540 mm
B	Total height	Min	1050 mm
		Max	1170 mm
C	Seat width		510 mm
D	Max total width		700 mm
E	Seat depth		460 mm
F	Total depth		700 mm
G	Backrest height		650 mm
G1	Backrest height adjustment		65 mm
H	Backrest width		485 mm
I1	Seat depth adjustment		70 mm
M	Armrest height adjustment	Min	600 mm
		Max	700 mm

För priser + info om färger, tyg m.m. se i slutet av dokumentet

10
ANNI DI
GARANZIA



SEAT STRUCTURE Support interior in thick wood. 10mm with nylon edge. Covering shell in injected polypropylene (30/10 thickness) hooked to the support by means of clips and screws.

BACKREST STRUCTURE Support in fiberglass reinforced black nylon.

SEAT PADDING In moulded polyurethane foam, cold injected, CFC-free, density 55 kg/m³, thickness 70 mm.

SEAT UPHOLSTERY Symil-leather / Fabric stiched and mounted to the load-bearing support.

BACKREST UPHOLSTERY High resistance 100% polyester elastic net.

SEAT/BACK SUPPORT 7 mm thick glass fiber reinforced black nylon support

MECHNISM SYNCRON SYNCRO RV-REX synchron mechanism, lockable in 5 positions, with anti-shock system and body weight tension adjustment, with knob easy-to-use.

SEAT HEIGHT ADJUSTMENT Through a class 3 gas lift with 120 mm stroke, complying with DIN 4550/4551 standards.

SEAT DEPTH ADJUSTMENT (optional) Through push button with forward movement, stroke 70 mm.

LUMBAR SUPPORT ADJUSTMENT Manually 65 mm stroke lockable in all positions.

HEADREST (optional) Height and width adjustable, reclining black polypropylene structure. Upholstered in fabric or symil-leather.

ARMRESTS (optional)


BASE 5-star base in black nylon (fiberglass reinforced), Ø 700 mm.

OPTIONAL BASE 5-star base in brushed aluminium (with chromium plated effect) Ø 700 mm.

CASTORS Polypropylene self-braking double castors, complying with EN1335-2 standard, preventing any accidental movement of the chair, Ø 65 mm.

OPTIONAL CASTORS Black soft castors with grey rubber Ø 65 mm for hard floor and wooden.

ATLEN



WEIGHT
Without armrests 13,20 Kg
With armrests 15,40 Kg

VOLUME
Without armrests 0,19 m³
With armrests 0,24 m³

Quantity per Box N°1

LEVANTE LEVA 20N SLRN PSN



Collezione	Modello	Meccanismo	Braccioli	Optional	Base	Ruote	Rivestimento
LEVA	20N			SLRN	PSN	1	

SEAT UPHOLSTERY

Gabriel Atlantic

ARMRESTS

No armrests

Height adjustable white nylon 2D armrests, with translating top in soft black PU **BR2R**

Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D **BR3N**

Height adjustable white nylon 2D armrests, with translating top in soft black PU **BR2P**

Height adjustable white nylon 4D armrests, with pivoting and translating top in soft black PU **BR4P**

Height adjustable brushed aluminium 3D armrests with soft sliding PU pad **BR3C**

OPTIONAL

Black adjustable lumbar support **SLRN**

Seat sliding mechanism **Y**

Height adjustable pivoting headrest in leather or fabric **ATLEN**

BASE

Black base **PSN**

Polished aluminium base **SC**

CASTORS

Nylon castors Ø 65 **1**

Soft castors Ø 65 **2**

Black nylon design castors Ø 65 **8**

Soft design castors with chrome insert Ø 65 **4**

BACKREST


Gabriel Runner

A	Seat height	Min	420 mm
		Max	540 mm
B	Total height	Min	1050 mm
		Max	1170 mm
C	Seat width		510 mm
D	Max total width		700 mm
E	Seat depth		460 mm
F	Total depth		700 mm
G	Backrest height		650 mm
G1	Backrest height adjustment		65 mm
H	Backrest width		485 mm
I1	Seat depth adjustment		70 mm
M	Armrest height adjustment	Min	600 mm
		Max	700 mm

För priser + info om färger, tyg m.m. se i slutet av dokumentet


FUNCTION & COMFORT: ARMRESTS

1D




width adjustment

2D




width adjustment




height adjustment

3D



width adjustment




height adjustment




depth adjustment +
rotatable PU pad by
30° to each side (in
steps of 15° each)


4D




width adjustment



height adjustment



applicable for NPR chairs



- depth adjustment
- rotation of the PU pad by
360° + additional width
adjustment inwards

Armrests

Castors



BR1R



BR2R



BR14



BR2P



BR1E



BR4P



8 (Ø 65)



4 (Ø 65)



1 (Ø 65)



2 (Ø 65)

- BR1E** Height adjustable black nylon armrests 1D
- BR1R** Height adjustable nylon armrests polyurethane PAD 1D
- BR2R** Height adjustable nylon armrests forward/backward movement with polyurethane PAD 2D
- BR14** Height/forward/backward/right/left adjustable nylon armrests supplied with polyurethane PAD 3D
- BR2P** Height adjustable nylon armrests 2D, with translating top in soft black PU
- BR3N** Height/forward/backward/right/left adjustable metal armrests supplied with black nylon PAD 3D
- BR4P** Height adjustable white nylon 4D armrests, with pivoting and translating top in soft black PU
- BR3C** Height adjustable brushed aluminium 3D armrests with soft sliding PU pad

Mesh – till rygg

RUNNER™

by Gabriel



Composizione - Composition
100% Polyester
Peso (g/ml) - Weight (g/lm) 510
Resistenza all'abrasione (cicli)
Abrasion résistance (rubs)
EN ISO 12947 :2000

70.000 cycles Martindale
Reazione al fuoco - Flammability
Solidità colori alla luce
Colour fastness to light (Xenotest)
Blue scale UNI EN 105-B02 5/7



Tyg – till sits


ATLANTIC

by Gabriel



Standard färg är svart men övriga färger kan fås beroende på volym.

Atlantic is available in 57 colours.



60999

Bruttopriser i SEK exkl. moms

		Elika 15 SEK	Elika 19 SEK	Levante 15 SEK	Levante 20 SEK
Grundpris för stol utan armstöd		3515	3515	4443	4779
Tillägg för sitsdjupsjustering		325	325	348	348
Tillägg för armstöd					
	Utan armstöd	standard	standard	standard	standard
	Justerbara 1D	BR1E	394	394	
	Justerbara 1D med mjuk pad	BR1R	406	406	
	Justerbara 2D	BR2R	441	441	441
	Justerbara 3D	BR14	905	905	
	Justerbara 2D med mjuk pad	BR2P	812	812	812
	Justerbara 3D	BR3N		870	870
	Justerbara 4D med mjuk pad	BR4P		974	974
	Justerbara 3D i borstad alu + mjuk pad	BR3C		1578	1578
Justerbart svankstöd		standard	standard	standard	standard
Tillägg för nackstöd					
	Nackstöd - fast	302	302		
	Nackstöd - justerbart			1056	1056
Kryss					
	Svart glasfiberförstärkt nylon	standard	standard	standard	standard
	Tillägg för polerad aluminium	708	708	708	708
Hjul					
	För mjuka golv	standard	standard	standard	standard
	Tillägg hjul för hårda golv	81	81	104	104
Mesh i ryggstöd	Runner / Gabriel				
Tyg i stis	Atlantic / Gabriel				