

## Individual Price List **2023** SEK



# SENAB

## Färgmarkeringar och/eller symboler för hållbara alternativ i prislistan:

### Mörkgrön markering eller symbol

Miljömärkt produkt – Möbler där hela den sammansatta varan har en typ 1 miljömärkning enligt ISO 14024 med Svanen, Möbelfakta, EU Ecolabel eller annan likvärdig märkning.

### Ljusgrön markering eller symbol

Hållbarhetsmärkt produkt eller beståndsdel – Möbler där hela eller delar av den sammansatta varan är hållbarhetsmärkt, exempelvis med FSC, EU Ecolabel eller OEKO-TEX®. Leverantören ska kunna ge mer detaljerad information om vilka delar eller variationer som är hållbarhetsmärka vid begäran.

### Orange markering eller symbol

Klimatberäknad produkt – Produkt med dokumenterad miljövarudeklaration (EPD) enligt ISO 14025.

### Lila markering eller symbol

Produkt med återvunnet eller förnybart material (enligt definitionerna i ISO 14021). Leverantören ska kunna ge information om andel (%) återvunnet och/eller förnybart (biobaserat) vid begäran. Märkning av återvinningsbart material utgår.

### Blå markering eller symbol

Demonterbar produkt – Produkt som är demonterbar till olika komponenter och beståndsdelar som i första hand möjliggör återbruk och i andra hand materialåtervinning när produkten nått sin fulla livslängd. Produkten ska vara designad för renovering, det vill säga att det ska vara enkelt att reparera och byta ut moduler, komponenter och beståndsdelar som slits över tid. Exempelvis ska ytskikt, som bordsskivor, textil och stoppning kunna tas isär, avlägsnas och ersättas med hjälp av vanligt förekommande manuella verktyg, ej specialverktyg. Enklare reparationer och utbytesarbeten ska kunna utföras av en lekman. Om det krävs fackmanakunskap för mer avancerade arbeten ska det framgå av anvisningarna som leverantören ska kunna ge vid begäran. Anvisningarna ska innehålla en sprängskiss, steg för steg beskrivning inklusive vilka verktyg som krävs samt hur möbelns ingående delar bör källsorteras.

## Whole range

### General information

Sales prices for dealers.

Valid from January 1, 2023.

Recommended retail prices.

Without VAT.

You can find the terms and conditions at [wilkhahn.com](http://wilkhahn.com).

Subject to change.

Wilkhahn's quality management system is certified to DIN EN ISO 9001 and its environmental management system to DIN EN ISO 14001 FF.

We reserve the right to make changes to models shown or described. Changes resulting from product improvements or technical advances are not considered justified grounds for complaint.

In addition to standard versions of the table ranges, a variety of customized options are available. Forms, dimensions, surfaces and prices on request.

Additional elements: Left or right always refers to the direction sat in.

### Surfaces

Veneered table tops and wood frames on seating are always protected with clear varnish.

Colored metal surfaces are coated with powder varnishes that are free of heavy metals.

### Upholstery


All foam used is CFC-free.


### Symbols


 Total height

 Total width


 Total depth

 Seating height

 Seat width

 Seat depth

 Veneer direction

 Decor direction

 Sitting direction

The seating height is established under load with DIN testing equipment. The total height, width and depth are the minimum dimensions.

Some of the accessories are shown slightly larger to make them clearer.

## Important information / typical product characteristics

### Shine

Shine refers to impressions on the cover which can occur due to pressure, body heat and moisture. The form in which it manifests itself depends on the model, materials and upholstery technique and it is one of the characteristics of the design concerned. Therefore it is not a sign of poor quality.

### Leather production

Leather is a natural product. Each leather hide is unique. Insect bites, chafed areas or scars are part of the hide's history. They indicate the natural origin and high quality of the material and are therefore not recognized as a justified cause for complaint.

### Wood

Wood is a natural product. We only use carefully selected and high-quality wood and genuine wood veneers for our product ranges. Typical characteristics like small knots are signs of natural growth. Because each tree trunk is unique, differences in the structure and color are also possible. The unique surface characteristic of wood is natural and therefore not accepted as justified grounds for a complaint.

### Indoor and outdoor furniture

The models are suitable for outdoor use. Nevertheless, we recommend not over-exposing this furniture to the effects of sun, rain, dust and wind and to keep it in a dry and well-aired place when not using.

### Differences in color / structure

The combination of different materials, such as chrome plating, or varnishing of aluminum, steel or plastic can lead to differences in the color and structure when the surfaces are compared. These differences do not constitute grounds for complaint.

**The RAL/Pantone color info is approximate. Any differences in color do not constitute grounds for complaint.**

**As regards our upholstery materials and laminates, despite selecting them carefully, there can be slight differences in color which are due to the batch they are produced in. When textiles are made from recycled materials, the colors and textures may be fluctuate more for production reasons. This is a result of our pre-suppliers' manufacturing processes and therefore not recognized as a justified reason for complaint.**

## Upholstery material

### 34 / Vivid

**Description**  
80% post-consumer recycled polyester  
20% elastomer  
320 g/lin. m  
width 140 cm

**Test results**  
Abrasion resistance:  
100,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
6-8, BS EN ISO 105-B02 method 2

Pilling:  
5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
CA TB 117-2013  
BS EN 1021-1  
BS EN 1021-2  
BS 5852 Part 1

**Cleaning**  
Permanent covers:  
Vacuum regularly,  
have dry cleaned  
Replaceable covers:

### 35 / Fiberflex

**Description**  
100% polyester  
510 g/lin. m,  
width 160 cm

**Test results**  
Abrasion resistance:  
70,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5-7, BS EN ISO 105-B02 method 2

Pilling:  
5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
CAL 117 E  
EN 1021-1 if mounted on CMHR  
foam 35 kg/m³ min.,  
EN 1021-2 if mounted on CMHR  
foam 50 kg/m³ min.

**Cleaning**  
Vacuum regularly, have dry  
cleaned.

### 37 / Racer

**Description**  
100% polyester  
440 g/lin. m,  
width 170 cm

**Test results**  
Abrasion resistance:  
90,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
BS EN 14465

Lightfastness:  
5-7, BS EN ISO 105-B02 method 2

Pilling:  
4-5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
CAL 117 E  
BS 476 Part 7, ASTM E 84,  
EN ISO 1021 1+2,  
EN 1021-1 if mounted on CMHR  
foam 35 kg/m³ min.,  
EN 1021-2 if mounted on CMHR  
foam 50 kg/m³ min.

**Cleaning**  
Vacuum regularly, have dry  
cleaned

### 38 / Era

**Description**  
100% polyester  
448 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance:  
100,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5, BS EN ISO 105-B02 method 2

Pilling:  
4-5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4, wet 4  
EN ISO 105-X12

Flame resistance:  
EN 1021 1&2 (CMHR)  
BS 7176 LH  
EN 13501-1 B s1, d0 (adhered)  
EN 13501-1 C, s1, d0 (unadhered)

**Cleaning**  
Permanent covers:  
Vacuum regularly,  
have dry cleaned  
Replaceable covers:

### 41 / Formstrick

**Description**  
100% polyamide hybrid  
750 g/m²

**Test results**  
Abrasion resistance:  
200,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
6, BS EN ISO 105-B02 method 2

Pilling:  
5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 5, wet 5  
EN ISO 105-X12

Flame resistance:  
DIN EN 1021 1+2

**Cleaning**  
Vacuum regularly, have dry  
cleaned.  
If it's very damp, the elasticity of  
the Formstrick can slightly slacken,  
but will regain its original  
shape when it dries.

### 47 / Nova

**Description**  
100% polyester  
560 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance:  
50,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5-7, BS EN ISO 105-B02 method 2

Pilling:  
5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
CAL 117 E,  
EN 1021-1 if mounted on PUR foam  
22 kg/m³ min.,  
EN 1021-2 if mounted on CMHR  
foam, 36 kg/m³ min.

**Cleaning**  
Permanent covers:  
Vacuum regularly, have dry  
cleaned  
Replaceable covers:

### 51 / Oceanic

**Description**  
100% recycled, post-consumer  
polyester with 50% SEAQUAL  
yarn.  
497 g/m²  
width 140 cm

**Test results**  
Abrasion resistance:  
100,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5, BS EN ISO 105-B02

Fastness to rubbing:  
Dry 4, wet 4  
EN ISO 105-X12

Flame resistance:  
EN 1021 1&2 (CMHR)  
BS 7176 LH (CMHR)  
BS 7176 MH (CMHR+treatment)

**Cleaning**  
Vacuum regularly, have dry  
cleaned

### 54 / Pitch

**Description**  
100% Trevira CS  
470 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance:  
100,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5-7, BS EN ISO 105-B02 method 2

Pilling:  
4-5, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:  
CAL 117 E,  
DIN 4102-1 B1,  
NF P 92-503-507 M1,  
ÖNORM A 3800-1,  
B1/Q1/TR1,  
BS 5852 if mounted on CMHR  
foam,  
EN 1021-1/-2 if mounted on PUR  
foam min. 30 kg/m³,  
UNI VF 9175 1IM if mounted on  
CMHR foam.

### Cleaning

Permanent covers:  
Vacuum regularly, have dry  
cleaned  
Replaceable covers:

### 58 / Evida

**Description**  
More than 80% of the compo-  
nents used are made of natural  
and renewable materials (approx.  
50% renewable, approx. 30% nat-  
ural and approx. 20% other mate-  
rials).  
Weight: 750 +/- 50 g/m²  
thickness: 1.3 +/- 0.2 mm  
width 137 cm

**Test results**  
Abrasion resistance:  
> 50,000 rubs,  
DIN EN ISO 54702 (Martindale)

Flame resistance:  
flame retardant,  
EN10211+ 2,  
BS 5852 ISO+ 1

Complies with the OekoTex®  
Standard 100,  
complies with the German Medi-  
cal Product Act  
DIN EN ISO 109935+ 10,  
durable,  
complies with the toy safety  
standard, DIN EN 713,  
can withstand disinfectants

**Cleaning**  
Please remove any soiling imme-  
diately (use a warm, mild soapy  
water, a microfiber cloth and soft  
brush). Please don't use solvents.

### 60 / Blend

**Description**  
100% virgin wool  
645 g/lin. m,  
width 140 cm

**Test results**  
Abrasion resistance:  
50,000 rubs,  
BS EN ISO 12947-2 (Martindale)

Lightfastness:  
5, BS EN ISO 105-B02

Pilling:  
3-4, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4, wet 4  
EN ISO 105-X12

Flame resistance:  
EN 1021-1,  
EN 1021-2  
BS 7176 Low Hazard  
NF D 60-013  
ÖNORM B 3825 & A 3800-1 (58kg/  
m³ CMHR Foam)  
UNI 9175 Class 1 IM  
BS 476 Part 7 Class 1  
EN 13501-1 Adhered Class D, s1,  
d0  
Please state when ordering:  
BS 5852 Ignition Source 5 if treat-  
ed with flame retardants;  
BS 7176 Medium Hazard if treated  
with flame retardants;

BS 476 Part 6 Class 0 if treated with flame retardants;  
EN 13501-1 Adhered Class B, s1, d0 wenn mit FR ausgerüstet;  
EN 13501-1 Unadhered Class D, s2, d0 if treated with flame retardants;  
BS 5867-2: Type B Curtains & Drapes if treated with flame retardants  
**Cleaning**  
Permanent covers:  
Vacuum regularly, have dry cleaned  
Replaceable covers:

#### 64 / Morph Description

85% New Zealand wool  
15% polyamide  
475 g/lin. m,  
width 140 cm  
**Test results**  
Abrasion resistance:  
200,000 rubs,  
BS EN ISO 12947-2 (Martindale)  
Lightfastness:  
5-6, BS EN ISO 105-B02  
Pilling:  
4, BS EN ISO 12945-2

Fastness to rubbing:  
Dry 4-5, wet 4-5  
EN ISO 105-X12

Flame resistance:

EN 1021 1&2

BS 5852 Part 1

BS 5852 Crib 5 (CMHR)

CA TB 117-2013

Flame retardancy depends on the foam used.

#### Cleaning

Vacuum regularly, have dry cleaned

☒ ☒ ☒ ☒ ☒ ☒

#### 65 / Re-wool

##### Description

5% recycled wool, 45% virgin wool, worsted, 10% nylon  
540 g/lin. m,  
width 140 cm

##### Test results

Abrasion resistance:  
approx. 100,000 rubs,  
BS EN ISO 12947 (Martindale)

Lightfastness:

5-7, BS EN ISO 105-B02

Fastness to rubbing:

Dry 5-7, wet 4-5

EN ISO 105-X12

Flame resistance:

EN 1021 1&2

BS 5852 Part 1

BS 5852 ignition source 3 (CMHR)

BS 5852 Crib 5 (CMHR+treatment)

NF D 60-013 (CMHR)

UNI 9175 Class 1 | M (CMHR)

ÖNORM A 3800-1 B1, Q1

CA TB 117-2013

#### Cleaning

Vacuum regularly, have dry cleaned

☒ ☒ ☒ ☒ ☒ ☒

#### 66 / Lona

##### Description

85% virgin wool, 15% polyamide  
520 lin. m  
width 140 cm

##### Test results

Abrasion resistance:

150,000 rubs,

BS EN ISO 12947-2 (Martindale)

Lightfastness:

5-7, BS EN ISO 105-B02 method 2

Pilling:

4, BS EN ISO 12945-2

Fastness to rubbing:

Dry 4-5, wet 4-5

EN ISO 105-X12

Flame resistance:

CAL 117 E,

ÖNORM A 3800-1 Q1,

ÖNORM B 3852 flame retardant if

mounted on PUR foam B2,

BS 7176 medium hazard if mounted

on CMHR foam 35kg/m³ min.,

EN 1021-1/-2 if mounted on PUR

foam, 22 kg/m³ min.

#### Cleaning

Permanent covers:

Vacuum regularly, have dry

cleaned.

Because of pilling, the Lona fabric

might require more cleaning.

Replaceable covers:

☒ ☒ ☒ ☒ ☒ ☒

#### 68 / Kvadrat Remix

##### Description

90% virgin wool, worsted 10% nylon,

415 g/lin. m,

width approx. 138 cm

##### Test results

Abrasion resistance:

approx. 100,000 rubs,

BS EN ISO 12947-2 (Martindale)

Lightfastness:

5-7, BS EN ISO 105-B02 method 2

Pilling:

4, BS EN ISO 12945-2

Fastness to rubbing:

Dry 4-5, wet 4

EN ISO 105-X12

Flame resistance:

B2 and Crib 5 with flame retardant

finish,

IMO FTP Code 2010:Part 8,

US Cal. Bull. 117-2013 AS/NZS

1530.3: AS/NZS 3837 Class 2,

NF D 60 013. UNI 9175 11M,

ÖNORM B1/ Q1,

EN 1021-1/2 ignition source 0-1.

BS 5852 part 1.

#### Cleaning

Cleaning permanent covers:

Vacuum regularly, have dry

cleaned.

Replaceable covers:

☒ ☒ ☒ ☒ ☒ ☒

#### 600 / Hush Stripe 40

##### Description

80% polyester, 20% viscose

290 g/lin. m

width 170 cm

#### Test results

Lightfastness:

5-7, BS EN ISO 105-B02

Fastness to rubbing:

Dry 4-5, wet 4-5

EN ISO 105-X12

Flame resistance:

BS 476 Part 7, class

ASTM E 84 class 1+2

#### Cleaning

Vacuum regularly

#### 91 / Kvadrat Steelcut Trio

##### Description

90% virgin wool,

worsted 10% nylon,

770 g/lin. m,

width approx. 140 cm

##### Test results

Abrasion resistance:

approx. 100,000 rubs,

BS EN ISO 12947-2 (Martindale)

Lightfastness:

5-7, BS EN ISO 105-B02 method 2

Pilling:

4, BS EN ISO 12945-2

Fastness to rubbing:

Dry 4-5, wet 3-5

EN ISO 105-X12

Flame resistance:

when ordering, please state

EN 1021-1/2

BS 5852 part 1 DIN 4102 B2

Önorm B1/Q1

NF D 60 013

UNI 9175 11M

US Cal. Bull. 117, – 2013

NFPA 260 AS/NZS 3837

IMO FTP Code 2010:

Part 8

B2 and Crib 5 and SN

198 898 5.3 for flame retardant

finishes.

#### Cleaning

Permanent covers:

vacuum regularly, have dry

cleaned.

Replaceable covers:

☒ ☒ ☒ ☒ ☒ ☒

#### 92 / Credo

##### Description

95% virgin wool

5% polyamide

870 g/lin. m

width 140 cm

##### Test results

Abrasion resistance:

100,000 rubs,

BS EN ISO 12947-2 (Martindale)

Lightfastness:

min. 5-8, BS EN ISO 105-B02

method 2

Pilling:

min. 4-5, BS EN ISO 12945-2

Fastness to rubbing:

dry 5, wet 4-5

EN ISO 105-X12

Flame resistance:

please state when ordering,

FAR 25.853 (12 seconds vertical)

CAL TB 117-2013

DIN 4102-1 B2

EN 13501-1

EN 1021-1 and -2

BS 5852:1979 (part 1)

BS 5852:2006 (part 2) Crib5

BKZ: 5.3 SN 198898

UNI 9175 (1 IM)

NF P92 503-507 M2

IMO: 2014/90/EU marine equip-

ment directive

#### Cleaning

Permanent covers:

Vacuum regularly, have dry

cleaned

Replaceable covers:

☒ ☒ ☒

#### 74 / Leather

##### Description

Cowhide for furniture with toler-

ances in terms of color and tex-

ture, compliant with DGM, RAL

GZ 430.

##### Test results

Lightfastness:

6-7, BS EN ISO 105-B02 method 2

Flame resistance:

California TB 117 E BS 5852-3

when mounted on PUR foam 22

kg/m³ min.,

EN 1021-1/-2 when mounted on

PUR foam 22 kg/m³ min.

#### Cleaning

Remove any soiling with a damp,

absorbent cloth and rub over the

whole area with a dry woolen

cloth immediately.

#### 87 / Leather

##### Description

Particularly high-quality, pure an-

iline-dyed cowhide leather, which

reveals natural irregularities or

subsequent shine.

##### Test results

Lightfastness:

(WBS level) >3 compliant with

DIN EN ISO 105-B02

Flame resistance:

DIN 75200 and DIN EN 1021 part

1+2,

CE 117 E

#### Cleaning

Carefully remove any soiling with

a slightly damp, absorbent cloth

and immediately rub all over with

a dry woolen cloth.

#### Information

Wilkhahn provides no guarantee

for fabrics and leathers submit-

ted that come from fabric manu-

facturers whom it has no supplier

agreement with. Please note that

we require a cover material sam-

ple of at least DIN A4 in size to

check whether we can use it.





**Wilkhahn and sustainability**

In over 100 years of its corporate history, Wilkhahn can look back on a sustainability philosophy that has grown over decades. Aspects such as durability, social fairness, environmental responsibility and cultural orientation have been evolving as corporate principles since the 1950s. Wilkhahn today is regarded internationally as a model of excellence, not only on account of its products but also because of its modern corporate philosophy. This is because the company realized early on that sustainable design should embrace environmental aspects, improve social relationships and define the cultural role of a company. This approach to the way we do business creates a bond between us and our customers throughout the world. There is surely no more rewarding task than working together for a successful future that is worth living in.

**Corporate principles**

**We believe in the power of good design.**

Which is why we're passionate about sustainable office furnishings worldwide that boost health, foster well-being and creativity and empower people to do their jobs well.

**Good communication is the key to encouraging creativity and productivity.**

We develop, produce and market pioneering, superbly designed, high-quality office chairs and tables.

**Form and function on an equal footing.**

The Wilkhahn brand stands for first-class product quality, highly innovative ergonomics, and pioneering design.

**We set ground-breaking trends.**

Which is why innovations at Wilkhahn start by thinking outside the box. A product development isn't about a new chair per se, but better dynamic sitting, not about a new table, but nurturing communication, not about a new sofa, but coming together with other people and relaxing.

**We pass knowledge on.**

Because knowledge is the future's most important commodity. As a company, our competitive edge is underpinned by our workforce's expertise. Which is why we see learning as a personal develop-

ment opportunity. And we share that expertise in the company and with business partners to build on our joint success.

**We provide products and service in impressive quality.**

The whole is more than the sum of its parts – but it's the quality of all the details that governs the quality of the finished product or service. Which is why providing excellence that covers the whole spectrum of issuing quotes, producing and shipping our products is one of the core brand values and is evident in every product and process and every encounter with the brand.

**We understand the changes in workplaces and offer our customers solution-driven support.**

Wilkhahn customers buy the added value and benefits associated with our products and services. To spot new trends and requirements, we keep our finger on the pulse. We examine our customers' needs in detail to provide impressive solutions.

**Simply the best.**

**We take responsibility and help shape the future.**

We operate a policy of fairness towards each other and our suppliers, customers, and the environment. The combination of business success, socio-ecological responsibility and involvement in cultural activities makes us an exemplary company worldwide that we continue to develop sensitively.

**Sustainability policy**

**UN Global Compact**

Wilkhahn joined the United Nations Global Compact initiative in 2007. The company commits itself to the ten principles of Global Compact regarding the protection of international human rights, adherence to labor standards and rights for employees,

the protection of the environment and anti-corruption, all of which are specified as binding corporate policy.



WE SUPPORT

**ISO 9001:2015 quality management system**

In order to safeguard and continually optimize the high quality of products and processes at Wilkhahn, a comprehensive quality management system was set up as early as 1996. Since then it has been certified for compliance with the ISO 9001 Quality Management Standard of the International Standardization Organization. Quality management is all about customer focus, management responsibility, the participation of all employees involved, ensuring and improving process safety and supplier relations.



**ISO 14001:2015 environmental management system**

Wilkhahn is also certified to the ISO 14001 international environmental management standard, which defines globally recognized requirements for environmental management systems, such as environmental performance indicators and environmental performance assessments.

**EMAS**

EMAS is the acronym for EcoManagement and Audit Scheme, developed by the European Union. As a combined environmental management and auditing system, its purpose is to verify companies are improving their environmental performance. At the north German headquarters in Bad Münden, Wilkhahn has been regularly certified based on the latest version of EMAS since 2001. In the environmental statement, confirmed by annual audits, Wilkhahn gives a public account of the company's environmental performance. The printed version of the environmental statement can

be ordered at [www.wilkhahn.com/service](http://www.wilkhahn.com/service). Detailed ecological product information on each of the products is also available to download.



**FSC**

The Forest Stewardship Council® (FSC) quality label indicates compliance with stringent socio-ecological requirements in terms of forest management and trading wood products. Wilkhahn's Bad Münden headquarters meet the criteria of the Forest Stewardship Council (FSC) and are entitled to process and sell FSC®-certified products (license code C118389, certificate no. TUEV-COC-000462).



Das Zeichen für verantwortungsvolle Waldwirtschaft

**Product certification**

Wilkhahn office furniture ranges are not only certified according to international testing and inspection standards regarding product safety and functional integrity. They also meet all key international reference systems for highly health-compatible and environmentally friendly products.

**GREENGUARD™**

Virtually all Wilkhahn ranges undergo GREENGUARD testing and certification. The Greenguard Environmental Institute is an independent institution in the US that primarily certifies products with regard to their suitability for interiors. Besides environmental



aspects, special focus is placed on ensuring that products do not emit any pollutants that might be harmful to health.




### LEED

Leadership in Energy and Environmental Design (LEED) is a rating system used by the US Green Building Council to evaluate the environmental and social compatibility of buildings. LEED certification awards extra credit points if Wilkhahn office chair and table ranges are used.



### Green Star

Green Star is an extensive, voluntary rating system developed by the Australian Green Building Council. The system assesses how ecological a building's design is. The system uses various categories to rate any potential ecological impact resulting from a location chosen for a project, the way the project is carried out, managed or its design.



### FISP

The UK Furniture Industry Sustainability Program (or FISP for short) wants to foster effective environmental protection, social progress, careful usage of natural resources, economic growth and employment. FISP was developed by the British Furniture Industry Environment Committee (FIEC) whose members include key trade associations and furniture manu-

facturers. Since 2006, FISP has developed into an international network of over 60 members, one of whom is Wilkhahn.



### Responsibility from the very start

In the design and development process, ecological impact is also taken into consideration in addition to design, functional and business-related aspects. Because these factors play a pivotal role in the materials chosen, manufacturing processes, options regarding assembly, logistics and transport and how easy products are to repair or recycle. This overview shows the key aspects for the entire product life cycle that currently apply at Wilkhahn.

### Materials

The materials used are subject to stringent controls. Prohibited chemicals are not used in our products at all. All feedstock is listed in a register of hazardous substances. This helps to minimise the use of or substitute any potentially harmful materials. With the goal being to achieve maximum durability and quality, some recycled materials are used in the production of Wilkhahn ranges. This applies in particular to metals like steel and aluminum.

### Production

#### Water conservation, waste management and sustainable energy production

Water is becoming an increasingly important resource. Wilkhahn spares no effort in minimizing water consumption in all areas. By treating process water, recycling and using state-of-the-art varnishing machinery, no waste water is produced that requires monitoring. The Wilkhahn waste management concept includes sorting waste selectively, as well as recycling and disposing of all waste fractions resulting from the production and management departments. The continual decrease of energy consumption is an important goal of the environmental management system. A combined heat and power plant and connection to a biogas plant at the Bad Münders site have more than dou-

bled energy efficiency. As a result, heating at the headquarters and production facilities is CO<sub>2</sub> neutral.

### Wilkhahn production sites

Wilkhahn products are produced or assembled at the Bad Münders (Germany) and Sydney (Australia) sites. The branch facilities and the international subsidiaries are not only subject to quality management requirements, but also to guidelines for the socio-ecological focus of corporate policy which apply through the entire company.

### Product utility

#### Aesthetics and design

Sustainable products must be practical. The Wilkhahn ranges are timeless, with useful, intuitive-to-use functions and come in durable materials. A standard that is reflected in every single detail. The Wilkhahn design approach therefore results in an increase in the utility value of a product that is destined to last.

### Durability and guarantee

The ranges set standards for product design that is sustainable in the best possible sense of the word. The durability of the high-quality materials, the innovative functionality and the traditional, understated design guarantee our furniture will last for decades. We give a five-year manufacturers' guarantee, allowing customers to plan reliably (refer to the relevant guarantee policy for details). An issue we feel responsible for, regardless of our products' long useful lives. We consider guarantees way beyond these periods as selling the future short. Our services to extend the ecological life of the furniture include maintenance as well as an overhaul of older ranges. Wilkhahn guarantees it will carry out repairs on discontinued furniture for at least two years after production has ceased.

### End of the product life cycle

#### Product take-back and recycling

Even after the product has reached the end of its life, we still feel responsible and offer our customers extensive take-back and recycling services. We guarantee to take back all products that are no longer in use. Wilkhahn products are dismantled in the factory, all parts are selectively sorted in terms of their inherent materials and then recycled. By labeling the materials, ensuring

they're non-toxic and easy to dismantle, we're already making sure today that the components in Wilkhahn products can be incorporated into local material and production cycles and be properly recycled and disposed of.

### Disassembly and recycling

Most of Wilkhahn's product components are suitable for non-destructive disassembly. To ensure that materials can be sorted according to type, all components weighing more than 150 g come with a label that is valid across the world. No agents to protect materials or organic halogen compounds are used which would prevent subsequent recycling.



## Quickship

Sometimes short lead times are sometimes very important to the customer. Which is why Wilkhahn created an express delivery pro-

gramme called Quickship so that it can deliver chairs within eight working days and tables with ten working days after receipt of

order to its customers. The Quickship models are pre-produced and therefore only available in the

designs and quantity specified. The Quickship option offers chair models of up to 20 max and table models of up to 5 max.

### ON® task chair

■ 97/109 ■ 69 ■ 66  
■ 40/52 ■ 50 ■ 43



### 55174/7

with seat cushioning,  
with 3D armrests,  
backrest covered in Fiberflex fabric,  
upholstery material 35/99 Fiberflex,  
precision-adjustable height,  
adjustable backrest height (up to 60 mm),  
Trimension, tension control  
plastic star base, black coated aluminum swivel arms

**SEK**

10437

### ON® task chair

■ 97/109 ■ 69 ■ 66  
■ 40/52 ■ 50 ■ 43



### 55174/8


similar to 174/7, with seat-depth extension (approx. 400 to 450 mm)  
seat cushioning, with 3D armrests,  
backrest covered with Fiberflex fabric,  
upholstery material 35/99 Fiberflex,  
precision-adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension, tension control  
Plastic star base, aluminum swivel arms coated black

**SEK**

11487

### ON® cantilever chair

■ 92 ■ 61 ■ 60  
■ 43



### 55178/7

with seat cushioning,  
up to 5 stackable free-standing,  
backrest covered with Fiberflex fabric,  
upholstery material 35/99 Fiberflex,  
polypropylene armrests  
bright chrome-plated frame

**SEK**

6489





**Neos task chair**

■ 92/104 ■ 66 ■ 64  
■ 40/52 ■ 46 ■ 43



**55181/71**

with 3D armrests,  
adjustable backrest height and seat-depth extension,  
precision-adjustable height,  
synchro-adjustment, tension control,  
lockable backrest,  
plastic frame,  
hard or soft casters,  
fabric 47/10

**SEK**

7812

**IN task chair**

■ 101/113 ■ 69 ■ 66  
■ 40/52 ■ 46 ■ 43



**55184/7**

with seat cushioning,  
upholstery material Racer 37/99 black,  
with 1D armrests, PP armrest pads  
back covered with single-ply Formstrick 41/99 black,  
precision-adjustable height,  
height-adjustable lumbar support,  
Trimension, tension control,  
optionally with a 3D forward tilt of 5° (please state when ordering),  
black plastic star base, black matte-coated swivel arms

**SEK**

8421

**IN task chair**

■ 101/113 ■ 69 ■ 66  
■ 40/52 ■ 46 ■ 43



**55184/8**

similar to 184/7, with seat-depth extension (approx. 400 to 450 mm)  
with seat cushioning,  
upholstery material Racer 37/99 black,  
with 3D armrests, PP armrest pads,  
backrest covered with single ply Formstrick 41/99 black,  
precision-adjustable height,  
height-adjustable lumbar support,  
Trimension, tension control,  
optionally with a 3D forward tilt of 5° (please state when ordering),  
black plastic star base, black, matte black coated swivel arms

**SEK**

9870



**AT task chair**

98/110 H 67 H 64  
40/52 H 50 H 43



**55187/7**

with seat and backrest upholstery,  
Racer 37/99 black upholstery material,  
seat and backrest shell, synchro-adjustment mechanism in black  
height-adjustable lumbar support  
with 1D armrests and PP armrest pads  
precision-adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
plastic star base

**SEK**

7098

like 187/7, with seat-depth extension (approx. 390 bis 450 mm)  
with seat and backrest upholstery  
upholstery material Racer 37/99 black,  
seat and backrest shell, synchro-adjustment mechanism in black  
height-adjustable lumbar support  
with 3D armrests, armrest pads made of PP,  
precision-adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
plastic star base

8138

**AT Mesh task chair**

101/113 H 67 H 64  
40/52 H 50 H 43



**55187/71**

with with seat cushioning,  
Racer 37/99 black upholstery material, mesh-covered, black metal backrest  
seat shell, backrest frame and synchro-adjustment mechanism in black,  
height-adjustable lumbar support,  
with 1D armrests, armrest pads made of PP  
precision-adjustable height,  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
Plastic star base

**SEK**

7224

with seat cushioning  
Racer 37/99 black upholstery material, mesh-covered black metal backrest,  
seat shell, backrest frame and synchro-adjustment mechanism in black  
with seat-depth extension (approx. 390 bis 450 mm)  
height-adjustable lumbar support  
with 3D armrests, armrest pads made of PP  
precision-adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
plastic star base


8264

**Quickship**

Lead time for up to 20 within 8 working days ex works



**Stitz**  
E63/88 H31




**55201/2**

Embossed leather 74/99 seat,  
black frame

**SEK**

7413

**Stand-up**  
E67 H32




**202/0101**

covered in Fiberflex fabric 35/99: black  
incl. carry-strap  
black base

**SEK**

3497

**Stand-up**  
E67 H32



**202/0102**

covered in Fiberflex fabric 35/89: red  
incl. carry-strap  
black base

**SEK**

3497

# 170 Range ON®

Design: wiege



## Technical details

### Function

Task chairs with Trimension®, synchronous, three-dimensional kinematics to encourage three-dimensional dynamic sitting. The perfect interaction of the synchro-adjustment mechanism, seat and backrest automatically adapts to any posture the user adopts. The supporting counter pressure is quickly and precisely adjustable in any direction (4.5 rotations max.) for people weighing from 45 to 120 kg. The backrest height is adjustable by up to 60 mm in six lockable positions. The backrest and seat can be locked in the front sitting position. The seating height is precision adjustable between 400 mm and 520 mm at the touch of a button with a DIN 4550-compliant gas lift. All models are optionally available with seat-depth extension of 400 to 450 mm. (The height of the counter chairs is precision adjustable between 680 mm and 810 mm). Meeting/visitor chairs with Trimension, on request, available with swivel-mounted column, not height adjustable, alternatively as a four-leg variant or cantilever chair, optionally stackable.

### Frame

#### Task chairs and counter stool

Five-star base, optionally made of black through-dyed plastic or die-cast aluminum, coated (black, black with a textured matte finish, or in a silver satin finish), polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors. The casters are optionally electrically conductive. Swivel arms made of die-cast aluminum, coated (black or black with a textured matte finish or silver satin finish), polished or bright chrome-plated. Mechanism shell made of die-cast, shot-blasted aluminum, optionally coated in black or with a silver satin finish, with top cover made of black, through-dyed polypropylene. The gas lift is covered by a telescopic protective tube made of black, through-dyed polypropylene.

Counter stool with extra height-adjustable foot ring, bright chrome-plated, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

### 24-hour chairs

All have a die-cast aluminum star base with extra swivel arm supports, with a modified synchro-adjustment mechanism and exceptionally hard-wearing covers from Wilkhahn's fabric and leather collection. Designed for people weighing up to 120 kg, the models consequently comply with the DIN EN 1335 standard requirements for 24-hour use.

### Visitor/conference chairs

Four-star base made of die-cast aluminum, coated (black, black with a textured matte finish or silver satin finish), polished or bright chrome-plated. Black, multipurpose glides made of plastic for all types of flooring. Swivel arms made of die-cast aluminum, coated (black or black with a textured matte finish or silver satin finish), polished or bright chrome-plated. Mechanism shell made of die-cast, shot-blasted aluminum, optionally coated in black or with a silver satin finish, with top cover made of black, through-dyed polypropylene. The gas lift is covered by a telescopic protective tube made of black, through-dyed polypropylene.

### Cantilever chair

Frame made of bright chrome-plated tubular steel, 22 mm in diameter, with anti-tilt stopper made of black polyamide as the standard version for carpets, with extra glides for hard flooring, with felt inserts on request.

### Four-leg visitor chair

Frame made of bright chrome-plated tubular steel, legs 22 mm in diameter. Models 176/7 and 176/71 with multipurpose, POM (polyoxymethylene) glides in black for soft and hard floorings.

### Seat

#### Task, visitor, and conference chairs

Highly elastic, flexibly suspended seat shell with seat upholstery panel made of black, through-dyed polypropylene, polyurethane seat cushioning covered in the same material as the backrest cover in Fiberflex, or fabric. The seat is replaceable. All models optionally have seats with soft padding (with extra cut foam and facings at the sides). In models with management grade upholstery (174/71, 175/71, 171/71), seat cushioning also with extra padding and side facings, optionally covered in leather too. Optionally with seat-depth extension from 400 to 450 mm (all types with upholstery). Model 175/73 with soft padding, as well as color-contrasting double seams and contour stitching. Seat cushioning with side facings. Task chair models 174/7, 174/72, 175/7, 175/72, 174/71, 175/71 optionally with a constant 6-degree tilt.


### Backrest

#### Task, visitor, and conference chairs

Elastic backrest frame, height adjustable by 60 mm in six lockable positions, made of through-dyed, fiberglass-reinforced polyamide, covered with Fiberflex, optionally also with fabric (and extra padding).

All models optionally with soft padding (with extra cushion thickness). For models with management grade upholstery, the backrest frame also optionally comes with back cushioning and the front of the backrest also with concealed, cut foam fleece sewn into the cover and with side facings, optionally with a leather cover.

All models optionally with soft padding (with extra cut foam). Medium-high and high backrest, high backrest optionally with headrest (height 16 cm), either in the same material as the backrest cover, or covered in leather on the front. The backrest is replaceable. Model 175/73 with soft padding, as well as color-contrasting double seams and contour-defining stitching.





## Seat and backrest

### Cantilever chair/four-leg visitor chair

Unitary, shell frame made of through-dyed, fiberglass-reinforced polypropylene. Seat cushioning made of polyurethane one-piece molded foam, in models with management grade upholstery (models 176/71, 178/71) with additional padding and side facings. All models optionally with soft padding (with extra cut foam). In models 176/7, 178/7 seat cushioning covered in the same material as the backrest cover in Fiberflex or fabric, in models 176/71 and 178/71 with management grade upholstery optionally also in leather. The seat is replaceable. The backrest frame is covered in Fiberflex, in models 176/7, 178/7 optionally with back covered in fabric (with additional padding). In models with management grade upholstery optionally with backrest upholstery in fabric or leather, with additional padding, as well as on the front of backrest also with concealed, cut foam fleece sewn into the cover and side facings, backrest cover can be replaced.

## Armrests

### Task chairs

3D armrests made of fiberglass-reinforced, black through-dyed polyamide. Armrest pads made of black, through-dyed polyurethane (TPU), optionally also made of polyurethane foam and covered in leather if desired. Upholstered, leather-covered armrests (optional) in model 175/73 with color-contrasting stitching. Armrest covers made of black, through-dyed polypropylene. Height of armrests adjustable by 100 mm (eight lockable positions), depth by 40 mm, can be swivelled 30° inwards and outwards in each case.

### Conference/visitor chairs

Fixed armrests made of fiberglass-reinforced, black, through-dyed polyamide. Armrest pads made of black, through-dyed polyurethane (TPU), optionally also made of polyurethane foam and covered in leather if desired. Armrest covers made of black, through-dyed polypropylene.

### Cantilever/four-leg visitor chair

Armrest pads made of black, through-dyed polypropylene. With chairs that are not stackable, optionally with upholstered armrests, when covered in fabric with black leather 74/99, when covered in leather to match the color of the leather.

## Standards

The ON task chairs and visitor/meeting chairs comply with the type A or B DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards. If required, NPR 1813 models are available.

The ON cantilever chairs and four-leg visitor chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X5 standards.



All visitor and conference chairs have glides for soft flooring (e.g. carpets). On request, available with swivel-mounted column, not height adjustable, (at no additional charge).

### Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request. Four-leg chairs: to the DIN EN 16139-L1 office-chair standard, up to 5 chairs can be stacked vertically. Cantilever chair: to the DIN EN 16139-L1 office-chair standard, up to 3 chairs can be stacked vertically.

## Accessories

Optionally for visitor chair model 176/7: Inline connector model 177 made of zinc-plated steel. Optionally for cantilever chair, model 178/7, four-wheeled trolley, model 178 for 8 cantilever chairs. Optionally, the ON task, visitor and conference chairs (without headrest) can also be shipped with dismantled backrests in boxes.


Task chairs	Star base	Swivel arms	Mechanism shell
	50 Plastic	Silver satin finish, coated black or black with textured matte finish	Shot-blasted aluminum
	51 Bright chrome-plated	Silver satin finish, coated black or black with textured matte finish or with bright chrome plating	Shot-blasted aluminum
	52 Polished aluminum	Polished aluminum	Shot-blasted aluminum
	53 Coated black (RAL 9011)	Coated black or black with textured matte finish	Shot-blasted aluminum
	60 Coated with a silver satin finish (RAL 9006)		Shot-blasted aluminum
	90 Coated with a black textured matte finish (RAL 9011)		Shot-blasted aluminum
Visitor chairs	Round steel tubing frame		
	51 Bright chrome-plated		
Cantilever chair	Round steel tubing frame		
	51 Bright chrome-plated		
Small components	Casters, glides, frame components, adjustment levers		
	41 Black		





**Medium-height backrest**

97/109 H 69 H 66  
40/52 H 50 H 43



**174/7**

with seat cushioning,  
optionally with soft padding (please state in  
order),  
with 3D armrests,  
backrest covered with Fiberflex fabric,  
precision-adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Covered backrest (not in the case of artificial  
leather 58)  
Backrest with soft padding  
Permanent comfort tilt (6°)

Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Seat-depth extension, approx. 40 to 45 cm  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver  
satin finish.  
Electrically conductive casters

Without armrests

	35	47	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
174/7	10437	11183	11351	11519	11771
Covered backrest (not in the case of artificial leather 58)		1082	1334	1502	1764
Backrest with soft padding	1019	1229	1460	1628	1943
Permanent comfort tilt (6°)	609	609	609	609	609
Coated aluminum star base	1103	1103	1103	1103	1103
Polished aluminum star base	1586	1586	1586	1586	1586
Aluminum bright chrome-plated star base	2205	2205	2205	2205	2205
Polished aluminum swivel arms	494	494	494	494	494
Aluminum bright chrome-plated swivel arms	2468	2468	2468	2468	2468
Seat-depth extension, approx. 40 to 45 cm	1050	1050	1050	1050	1050
Polyurethane foam armrest pad	683	683	683	683	683
Upholstered, leather-covered armrests	2447	2447	2447	2447	2447
Mechanism shell coated in black or with a silver satin finish.	494	494	494	494	494
Electrically conductive casters	515	515	515	515	515
Without armrests	-829	-829	-829	-829	-829

All task chairs are fitted with casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**High backrest**

□ 105/117 □ H70 □ H66  
□ 40/52 □ H50 □ H43



**175/7**

with seat cushioning,  
optionally with soft padding (please state in  
order),  
with 3D armrests,  
backrest covered with Fiberflex fabric,  
precision-adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**


Covered backrest (not in the case of artificial  
leather 58)  
Backrest with soft padding  
Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99,  
black  
Permanent comfort tilt (6°)  
  
Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms  
  
Seat-depth extension, approx. 40 to 45 cm  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver  
satin finish.  
Electrically conductive casters  
  
Without armrests

	35	47	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	13125	13871	14039	14207	14459
		1271	1544	1880	2321
	1218	1355	1691	2027	2583
	945	945	945	945	945
	1544	1544	1544	1544	1544
	609	609	609	609	609
	1103	1103	1103	1103	1103
	1586	1586	1586	1586	1586
	2205	2205	2205	2205	2205
	494	494	494	494	494
	2468	2468	2468	2468	2468
	1050	1050	1050	1050	1050
	683	683	683	683	683
	2447	2447	2447	2447	2447
	494	494	494	494	494
	515	515	515	515	515
	-829	-829	-829	-829	-829



**High backrest  
with contoured upholstery**

105/117 H 70 H 66  
40/52 H 50 H 43



**175/73**

with seat cushioning in soft padding,  
with 3D armrests,  
backrest covered, with contoured upholstery,  
precision-adjustable height,  
adjustable backrest height (up to 60 mm),  
Trimension, tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99,  
black  
Permanent comfort tilt (6°)

Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Seat-depth extension, approx. 40 to 45 cm  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver  
satin finish.  
Electrically conductive casters

Without armrests

60\*

SEK

17640

945

1544

609

1103

1586

2205

494

2468

1050

683

2447

494

515

-829



**24-hour chair**

105/117 H 69 H 66  
40/52 H 50 H 43



**175/8**

with seat cushioning,  
optionally with soft padding (please state in  
order),  
with 3D armrests,  
covered backrest,  
precision-adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension tension control  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Backrest with soft padding  
Headrest in same material as backrest cover  
Headrest covered in leather on the front, 74/99,  
black  
Permanent comfort tilt (6°)

Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Seat-depth extension, approx. 40 to 45 cm  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Electrically conductive casters

Without armrests

54 66 91  
68 92

SEK SEK SEK

20160 20654 22743

1691 2027 2583

945 945 945

1544 1544 1544

609 609 609

483 483 483

1103 1103 1103

494 494 494

2468 2468 2468

1050 1050 1050

683 683 683

2447 2447 2447


515 515 515

-829 -829 -829



**Counter stool**

□125/138 □69 □66  
□68/81 □50 □43



**174/1**

with seat cushioning,  
optionally with soft padding (please state in  
order),  
with 3D armrests,  
backrest covered with Fiberflex fabric,  
precision adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension tension control,  
with bright chrome-plated foot ring (with  
precision-adjustable height)  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Covered backrest (not in the case of artificial  
leather 58)  
Backrest with soft padding  
  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms


Seat-depth extension, approx. 40 to 45 cm  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver  
satin finish.

Without armrests

	35	47	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	14207	14952	15120	15288	15540
	1019	1082 1229	1334 1460	1502 1628	1764 1943
	483	483	483	483	483
	1103	1103	1103	1103	1103
	494	494	494	494	494
	2468	2468	2468	2468	2468
	1050	1050	1050	1050	1050
	683	683	683	683	683
	2447	2447	2447	2447	2447
	494	494	494	494	494
	-829	-829	-829	-829	-829

**Medium-height backrest**

□97/109 □69 □66  
□40/52 □50 □43



**171/7**

with seat cushioning,  
fixed armrests,  
backrest covered with Fiberflex fabric  
precision-adjustable height,  
adjustable backrest height (to 60 mm),  
Trimension tension control  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Covered backrest (not in the case of artificial  
leather 58)  
  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms

Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver  
satin finish.

Without armrests

	35	47	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	11750	12495	12663	12831	13083
		1082	1334	1502	1764
	483	483	483	483	483
	1103	1103	1103	1103	1103
	494	494	494	494	494
	2468	2468	2468	2468	2468
	683	683	683	683	683
	2447	2447	2447	2447	2447
	494	494	494	494	494
	-829	-829	-829	-829	-829


All counter chairs come with multipurpose casters.  
On request, all conference and visitor chairs are available with swivel-mounted column, not height adjustable, (at no extra charge).





Standard height backrest

90 64 64  
 43



176/7

with seat cushioning,  
 optionally with soft padding (please state in order),  
 up to 5 can be stacked free-standing,  
 backrest covered with Fiberflex fabric,  
 polypropylene armrests  
 Bright chrome-plated frame


**Additional charge/reduced prices**

Covered backrest (not in the case of artificial leather 58)  
 Backrest with soft padding  
 Upholstered, leather-covered armrests (not stackable)

			60 64 65 66 68	91 92
	35	47	51 54 58	
SEK	SEK	SEK	SEK	SEK
	6258	7014	7193	7361 7623
	1019	1082	1229 1334	1460 1502 1764
	2447	2447	2447	2447 2447

Standard height backrest

92 61 60  
 43



178/7

with seat cushioning,  
 optionally with soft padding (please state in order),  
 up to 5 can be stacked free-standing,  
 backrest covered with Fiberflex fabric,  
 polypropylene armrests  
 Bright chrome-plated frame

**Additional charge/reduced prices**


Covered backrest (not in the case of artificial leather 58)  
 Backrest with soft padding  
 Upholstered, leather-covered armrests (not stackable)

			60 64 65 66 68	91 92
	35	47	51 54 58	
SEK	SEK	SEK	SEK	SEK
	6489	7214	7382	7539 7791
	1019	1082	1229 1334	1460 1502 1764
	2447	2447	2447	2447 2447



**Medium-height backrest**

97/109 H 69 H 66  
40/52 H 50 H 43



**174/71**

Seat with management grade upholstery optionally with soft padding (please state in order), with 3D armrests, backrest covered with Fiberflex fabric, precision adjustable height, adjustable backrest height (to 60 mm), Trimension tension control  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Backrest with management grade upholstery  
Permanent comfort tilt (6°)

Coated aluminum star base  
Polished aluminum star base  
Aluminum bright chrome-plated star base  
Polished aluminum swivel arms  
Aluminum bright chrome-plated swivel arms


Seat-depth extension (approx. 400 to 450 mm)  
Polyurethane foam armrest pad  
Upholstered, leather-covered armrests  
Mechanism shell coated in black or with a silver satin finish.  
Electrically conductive casters


Without armrests

	51	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	11697	11876	12275	13619	16065
	3308	3654	4263	5051	6615
	462	462	462	462	462
	1103	1103	1103	1103	1103
	1586	1586	1586	1586	1586
	2205	2205	2205	2205	2205
	494	494	494	494	494
	2468	2468	2468	2468	2468
	1050	1050	1050	1050	1050
	683	683	683	683	683
	2447	2447	2447	2447	2783
	494	494	494	494	494
	515	515	515	515	515
	-829	-829	-829	-829	-829

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.





			60	64	65	66	68	91	92	74	87	
			51									
			SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	
<b>High backrest</b> □105/117 □70 □66 □40/52 □50 □43 	<b>175/71</b>	Seat with management grade upholstery optionally with soft padding (please state in order), with 3D armrests, backrest covered with Fiberflex fabric, precision adjustable height, adjustable backrest height (to 60 mm), Trimension tension control Plastic star base, aluminum-coated swivel arms	14144	14322	14721	17630	18512					
	<b>Additional charge/reduced prices</b>											
		Backrest with management grade upholstery	3581	3948	4610	5376	6972					
		Headrest in same material as backrest cover	945	945	945	1544	1607					
		Headrest covered in leather on the front, 74/99, black	1544	1544	1544	1544	1544					
		Permanent comfort tilt (6°)	462	462	462	462	462					
		Coated aluminum star base	1103	1103	1103	1103	1103					
		Polished aluminum star base	1586	1586	1586	1586	1586					
		Aluminum bright chrome-plated star base	2205	2205	2205	2205	2205					
		Polished aluminum swivel arms	494	494	494	494	494					
		Aluminum bright chrome-plated swivel arms	2468	2468	2468	2468	2468					
		Seat-depth extension (approx. 400 to 450 mm)	1050	1050	1050	1050	1050					
		Polyurethane foam armrest pad	683	683	683	683	683					
		Upholstered, leather-covered armrests	2447	2447	2447	2447	2783					
	Silver or black coated mechanism shell	494	494	494	494	494						
	Electrically conductive casters	515	515	515	515	515						
	Without armrests	-829	-829	-829	-829	-829						

			60	64	65	66	68	91	92	74	87	
			51									
			SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	
<b>Medium-height backrest</b> □97/109 □69 □66 □40/52 □50 □43 	<b>171/71</b>	Seat with management grade upholstery optionally with soft padding (please state in order), rigid 3D armrests, backrest covered with Fiberflex fabric, precision adjustable height, adjustable backrest height (to 60 mm), Trimension tension control Aluminum coated star base and swivel arms	12558	12737	13136	16044	16926					
	<b>Additional charge/reduced prices</b>											
		Backrest with management grade upholstery	3308	3654	4263	5051	6615					
		Polished aluminum star base	483	483	483	483	483					
		Aluminum bright chrome-plated star base	1103	1103	1103	1103	1103					
		Polished aluminum swivel arms	494	494	494	494	494					
		Aluminum bright chrome-plated swivel arms	2468	2468	2468	2468	2468					
		Polyurethane foam armrest pad	683	683	683	683	683					
		Upholstered, leather-covered armrests	2447	2447	2447	2447	2783					
		Mechanism shell coated in black or with a silver satin finish.	494	494	494	494	494					
		Without armrests	-829	-829	-829	-829	-829					

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet).  
 Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.  
 All visitor and conference chairs can be supplied with a swivel-mounted column which is not height-adjustable (at no extra charge).



			60	64	65	66	68	91	92	74	87
			51								
			SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
<b>Standard height backrest</b> H90 H64 H64 H43 	<b>176/71</b> Seat with management grade upholstery optionally with soft padding (please state in order), backrest covered with Fiberflex fabric, polypropylene armrests Bright chrome-plated frame  <b>Additional charge/reduced prices</b> Backrest with management grade upholstery Upholstered, leather-covered armrests		8337	8526	8988	11886	12789				
			3308 2447	3549 2447	4263 2447	5051 2447	6615 2783				

			60	64	65	66	68	91	92	74	87
			51								
			SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
<b>Standard height backrest</b> H92 H61 H60 H43 	<b>178/71</b> Seat with management grade upholstery optionally with soft padding (please state in order), backrest covered with Fiberflex fabric, polypropylene armrests Bright chrome-plated frame  <b>Additional charge/reduced prices</b> Backrest with management grade upholstery Upholstered, leather-covered armrests		8358	8537	8978	11739	12600				
			3308 2447	3549 2447	4263 2447	5051 2447	6615 2783				



---

**Inline connector**

**177**  
(for model 176/7)

**SEK**

473




---

**Four-wheeled trolley**

**178**  
for 8 cantilever chairs

**SEK**

8862





# 180 Range Neos

Design: wiege



## Technical details

### Function

Task chairs with automatic synchro-adjustment: The tilt of the seat and backrest automatically adapt to any postures users adopt. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely by turning a crank. The backrest is lockable in four positions at the touch of a button. In task chairs a DIN 4550-compliant gas lift for precision adjustment of the seating height. Adjustment of backrest height in seven positions within a range of 60 mm; models with mesh membrane backrests have lumbar support adjustable within a range of 60 mm instead of the adjustable backrest height. All models with seat-depth extension in 11 positions ranging from 385 – 435 mm. Models with a mesh membrane backrest as for task chair versions.

Cantilever chairs: stackable up to 5-high, for visitors, meetings, conferences and seminars to match the office task chairs; with flexible, unitary seat shell, integral stacking buffer and outer rail on the backrest. Models 183/3 with leather covers (74) and 183/5 are not stackable.

### Frame

#### Task chairs

Five-star base in fiberglass-reinforced polyamide, through-dyed in black-gray, or in die-cast aluminum, polished, high-luster polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking DIN-EN-12529-compliant as the standard version for carpeting; with gray polyurethane tire for hard flooring (please specify when ordering). Anti-static casters on request (when an aluminum frame is chosen). Mechanism shell in die-cast aluminum. Mechanism cover in black-gray through-dyed polypropylene. Seat bearer in fiberglass-reinforced polyamide, through-dyed in black-gray. See table below for frame types.

#### Counter stool

Star base from the ON 170 range, with additional height-adjustable, bright chrome-plated foot ring, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

#### Cantilever chair

Frame in round steel tubing, 22 mm in diameter, thickness 3 mm, bright chrome-plated, with anti-tilt stoppers in black-gray polyamide as the standard version for carpeted floors, optionally with glides in black-gray polyamide (for soft floors) or black-gray polyurethane (for hard floors), optionally with additional felt insert (please specify when ordering); outer rail in die-cast zinc, bright chrome plated. Optional outer rail made of very strong, fiberglass-reinforced plastic, color-matched with the shell.

### Seat

#### Task chairs

Seat shell in polypropylene, through-dyed in black-gray or white. Cushioning: covered, one-piece molded polyurethane foam with integral pelvic support, exchangeable. Seat depth can be custom-extended from 385 mm to 435 mm. The seat is designed in such a way that the angle of the pelvic support automatically adjusts to the position of the seat shell.

#### Backrest

#### Task chairs

Backrest shell made of polyamide with backrest shell cover made of polypropylene, black-gray or white through-dyed. Cushioning: covered polyurethane one-piece molded foam, replaceable. Model 181/6 with backrest frame in fiberglass-reinforced polyamide, black-gray, covered with transparent, black gray, light gray or white high-performance polyester fabric, lower back frame cover in polypropylene, black-gray, optional lumbar support in polyamide, through-dyed in black-gray, with integral foam on top.

#### Seat and backrest

#### Cantilever chair

Unitary seat- and backrest shell made of elastic polypropylene, through-dyed black-gray or white. Seat cushion: exchangeable, with concealed screw fittings; comprising seat upholstery panel and covered polyurethane one-piece molded foam. Type with optional, replaceable back cushioning the same as the seat cushion. Model 183/3 with leather cover not stackable. Model 183/5 (not stackable) With leather-covered seat and back cushions with wool-fleece overlay and side facings, optionally with seat and back shell covered with leather on seat and backrest shell.

### Armrests

#### Task chairs

3D armrests in fiberglass-reinforced polyamide, through-dyed in black-gray or white, with black-gray polyurethane pad, adjustable by 100 mm in height and 50 mm in depth; can be swiveled inwards and outwards by 15°.

#### Cantilever chair

PVC-free, sleeve-shaped armrest pad made of black-gray or white thermoplastic elastomer. In model 183/5, armrest pad, upholstered or covered in leather with top stitching, or optionally with solid wood pads, oak, maple or walnut with a natural finish.

### Standards

The Neos task chairs and visitor/meeting chairs comply with the type A or B DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards. If required, NPR 1813 models are available.

The cantilever chairs comply with DIN EN 16139-L1 and ANSI/BIFMA X5.1 standards.



Neos task chairs comply with the Ergonomics Approved label.



### Please note:



The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request. Cantilever chair: to the DIN EN 16139-L1 office-chair standard, up to 5 chairs can be stacked vertically.

### Task chairs

### Star base




- 50 Plastic
- 51 Bright chrome-plated
- 52 Polished aluminum
- 72 High-luster polished aluminum



		38	47	51 54 58	60 64 65 66 68	91 92	74
<p><b>Medium-height backrest</b>                      □98/110 □66 □64                      □40/52 □46 □43</p> 	<b>181/71</b> with seat and backrest upholstery with 3D armrests precision-adjustable height adjustable backrest height and seat-depth extension automatic synchro-adjustment, tension control Plastic frame	SEK	SEK	SEK	SEK	SEK	SEK
		7466	7812	8096	8715	9671	13115
	<b>Additional charge/reduced prices</b> Seat and backrest shell and 3D armrests white through-dyed (armrest pad always black-gray)	1523	1523	1523	1523	1523	1523
	Polished aluminum frame	977	977	977	977	977	977
	High-luster polished aluminum frame	1292	1292	1292	1292	1292	1292
	Bright chrome-plated aluminum frame	2027	2027	2027	2027	2027	2027
	Electrically conductive casters	515	515	515	515	515	515
	Without armrests	-871	-871	-871	-871	-871	-871
<p><b>Medium-height backrest</b>                      □98/110 □66 □64                      □40/52 □46 □43</p> 	<b>181/6</b> with seat cushioning and transparent backrest, with 3D armrests precision-adjustable height, seat-depth extension adjustment automatic synchro-adjustment, tension control Plastic frame	SEK	SEK	SEK	SEK	SEK	SEK
		7665	7823	8096	8715	9681	10773
	<b>Additional charge/reduced prices</b> Height-adjustable lumbar support Polyester fabric in light gray or white	536 95	536 95	536 95	536 95	536 95	536 95
	Polished aluminum frame	977	977	977	977	977	977
	High-luster polished aluminum frame	1292	1292	1292	1292	1292	1292
	Bright chrome-plated aluminum frame	2027	2027	2027	2027	2027	2027
	Electrically conductive casters	515	515	515	515	515	515
	Without armrests	-871	-871	-871	-871	-871	-871

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



				60 64 65 66 68	91 92	74
	38	47	51 54 58			
	SEK	SEK	SEK	SEK	SEK	SEK
<b>Counter stool</b> □125/138 □66 □64 □67/80 □46 □43						
						
<b>181/11</b> with seat and backrest upholstery with 3D armrests height is precision adjustable adjustable backrest height and seat-depth extension automatic synchro-adjustment, tension control, with bright chrome-plated foot ring (precision- adjustable height) Polished aluminum frame	11319	11666	11949	12569	13524	17147
<b>Additional charge/reduced prices</b> Seat and backrest shell and 3D armrests white through-dyed (armrest pad always black-gray)	1523	1523	1523	1523	1523	1523
Bright chrome-plated aluminum frame	1050	1050	1050	1050	1050	1050
Without armrests	-871	-871	-871	-871	-871	-871
				60 64 65 66 68	91 92	74
	38	47	51 54 58			
	SEK	SEK	SEK	SEK	SEK	SEK
<b>Standard height backrest</b> □80 □55 □60 □43						
						
<b>183/3</b> with seat cushioning and backrest without upholstery, bright chrome-plated outer rail up to 5 can be stacked free-standing and up to 8 on a four-wheeled trolley not stackable when covered in leather, plastic covered armrests Bright chrome-plated frame	5712	5859	5996	6290	6678	8285
<b>Additional charge/reduced prices</b> Seat/backrest shell and armrest pad white through-dyed Back cushioning Plastic outer rail, color-matched with the shell	420 735 -703	420 924 -703	420 956 -703	420 998 -703	420 1061 -703	420 2079 -703
						74
<b>Standard height backrest</b> □80 □55 □60 □43						
						
<b>183/5</b> with seat and with seat and backrest upholstery, not stackable, with wool fleece pad and side facings, upholstered armrest pads, covered in leather with top stitching Bright chrome-plated frame						16548
<b>Additional charge/reduced prices</b> Seat and backrest shell fully covered in leather at the rear Solid wood armrests						2867 -2205

All counter chairs come with multipurpose casters.  
All cantilever chairs are fitted with anti-tilt stoppers as the standard design for soft flooring (e. g. carpets). For hard floorings (e. g. stone) please order with soft glides, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case).




---

**Four-wheeled trolley**

**183**  
for 8 stackable cantilever chairs

**SEK**

6048




---

**Four-wheeled trolley**

**186**  
for 6 multipurpose chairs

**SEK**

4011



# 184 Range IN

Design: wiege



## Technical details

### Function

An office task chair with Trimension®, integrated synchronously supporting 3D kinematics which allows the right-hand and left-hand half of the chair to be tilted in any direction via two flexible swing swivel arms. The goal is to encourage the natural range of motion the pelvis is capable of which includes flexing, extending and moving it sideways to rotating it. The combination of the 3D synchronous adjustment mechanism with a highly elastic seat and back guarantees the chair adapts automatically to any movement made or posture adopted by the person sitting on it. As a result, the body is supported in any position and maintains its center of gravity.

The counter pressure, which provides support in any direction moved in, is precision adjustable for people weighing from 45 to 140 kg by changing the elasticity. The backrest has optional, height-adjustable lumbar support (in six lockable positions of up to 60 mm). The backrest and seat can be locked in a neutral sitting position, the 3D forward tilt of 5° can be activated at the touch of a button in order to harness the maximum range of motion.

The seating height can be precisely adjusted at the touch of a button between 400 mm and 520 mm with a DIN 4550-compliant gas lift. Seat depth: 430 mm, optionally with seat depth that can be adjusted while sitting down in 4 lockable positions of 400 to 450 mm. (The height of the elevated seating position (ESP) models is precision adjustable from between 460 mm and 640 mm and the counter chairs between 650 mm and 780 mm).

### Frame

#### Task chairs

Five-star base made of black through-dyed, fiberglass-reinforced polyamide, optionally of die-cast aluminum, coated, polished or high-luster polished. Twin-wheel swivel casters with load-dependent braking, made of black DIN EN 12529-compliant polypropylene as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring. Casters optionally electrically conductive.

Gas lift covered by telescopic protective tube made of black through-dyed polypropylene. Mechanism shell made of die-cast aluminum, coated matte black with black through-dyed polypropylene bellows and thermoplastic elastomer to accommodate the flexibly mounted central spring, knob to adjust the counter pressure made of polyamide (for people weighing from 45 to 140 kg). Each chair has two swivel arms which can move independently of one another, made of die-cast aluminum, coated, matte polished or high-luster polished, with protective caps made of polypropylene.

### Counter stool

Star base from the ON 170 range, with additional height-adjustable, bright chrome-plated foot ring, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

### 24-hour chairs

Always with die-cast aluminum star base, with extra swivel arm supports and high-performance covers. Designed for people weighing up to 150 kg, the models also comply with the British Standard.

### Seat-backrest element

Unitary, highly elastic, and flexibly suspended seat-backrest element made of high-performance polyamide.

Seat shell made of black or white through-dyed polyamide with polypropylene seat upholstery panel. Ergonomic polyurethane seat cushioning with CFC-free foam, covered in Racer, optionally also with Formstrick (form-fit knit) that offers different support zones, in the same material as the backrest cover. Or with fabric covers from the Wilkhahn fabric collection, then with facings sewn-in and deep top stitching lengthwise to create contours as well as side facings in the same material and color. When optional soft padding is chosen, more defini-

Task chairs	Star base	Swivel arms	Mechanism shell
50	Plastic	Coated black matte or with a silver satin finish	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
52	Polished aluminum	Coated black matte or with a silver satin finish, or polished	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
60	Coated with a silver satin finish (RAL9006)	Coated with a silver satin finish	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
72	High-luster polished aluminum	Coated black matte or with a silver satin finish, or high-luster polished	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
80	Coated black matte (RAL9005)	Coated black matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
81	Coated turquoise matte (RAL230 60 30)	Coated turquoise matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
82	Coated gray matte (RAL7040)	Coated gray matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
83	Coated orange matte (RAL2001)	Coated orange matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.
84	Coated red matte (RAL3003)	Coated red matte	Coated black matte, flexible mechanism shell cover and tension control knob made of black through-dyed plastic.





ned edges because of the higher quantity of foam and all fabric covers with upholstered facings at the side are in the same material and color. Form-fit knit is not available in combination with soft padding. Optional seat-depth extension, which can be adjusted while sitting in 4 lockable positions from 40 to 45 cm. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, in black (37/99) for all other fabrics.

Seat upholstery panel, cushioning and covers are replaceable.

The back section is the frame, optionally with Hytre!® lumbar support (which is retrofittable at any time), comes in black or white to match the seat shell and is adjustable in height by 60 mm in six lockable positions. The back is covered in Formstrick (form-fit knit) which includes different elasticity for flexible and supporting zones, optional two-ply cover made of Formstrick with integrated upholstery foam with different support zones. Colors from the Wilkhahn sample card.

Optional headrest made of through-dyed polyamide, in black or white to match the color of the frame, height can be adjusted by 60 mm in 6 lockable positions, with a 125-degree tilt function, which allows the depth to be adjusted by 50 mm. Upholstered, covered in 37 Racer or Evida 58 fabric, color-matched with the

backrest cover, or in black. Headrest not possible when the chair has a clothes hanger The headrest can be retrofitted on request.

#### Armrests

Armrests made of fiberglass-reinforced, black through-dyed polyamide.

1D armrests whose height is adjustable in 10 lockable positions by 100 mm, in the case of 3D armrests the armrest pads can also be swiveled 50 mm in depth and by 25 degrees inward and outward, in the case of 4D armrests, each can also be adjusted in width by 25 mm.

Armrest pads made of black through-dyed polypropylene, optionally of polyurethane foam. Also optionally without armrests.

#### Standards

The IN task chairs comply with the type A DIN EN 1335 office-chair, ANSI/BIFMA X5.1 and IGR standards.



www.tuv.com  
ID 1000000000




#### Information

If very damp, the elasticity of the Formstrick can slightly slacken, but will regain its original shape when it dries.



**Medium-height backrest**

101/113 H 69 H 66  
40/52 H 46 H 43



**184/7**

with seat cushioning,  
back covered with single-ply form-fit knit  
seat and backrest frame optionally in black or  
white,  
with 1D armrests, armrest pads made of PP  
precision-adjustable height,  
Trimension, tension control,  
optionally with a 3D forward tilt of 5° that can be  
activated (please state when ordering)  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Aluminum coated star base and swivel arms  
Polished aluminum star base, coated swivel arms  
High-luster polished aluminum star base, coated  
swivel arms  
Aluminum polished star base and swivel arms  
Aluminum high-luster polished star base and  
swivel arms

Soft padding  
Seat-depth extension, approx. 40 to 45 cm

Back covered in Formstrick knit, two-ply, with  
integrated upholstery foam with different  
support zones

Height-adjustable lumbar support  
Headrest (cover 37 / Racer, color-matched with  
the backrest cover or in black)  
Headrest (cover 58 / Evida)

3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests  
Electrically conductive casters  
Without armrests


	37 38	41	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	8232	8379	9156	9555	10164
Aluminum coated star base and swivel arms	609	609	609	609	609
Polished aluminum star base, coated swivel arms	609	609	609	609	609
High-luster polished aluminum star base, coated swivel arms	609	609	609	609	609
Aluminum polished star base and swivel arms	1344	1344	1344	1344	1344
Aluminum high-luster polished star base and swivel arms	1344	1344	1344	1344	1344
Soft padding	116	116	116	116	116
Seat-depth extension, approx. 40 to 45 cm	1155	1302	1302	1323	1355
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	609	609	609	609	609
Height-adjustable lumbar support	189	189	189	189	189
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1197	1197	1197	1197	1197
Headrest (cover 58 / Evida)	1197	1197	1197	1197	1197
3D armrests, armrest pads made of PP	294	294	294	294	294
4D armrests, armrest pads made of PP	557	557	557	557	557
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	126	126	126	126	126
Electrically conductive casters	515	515	515	515	515
Without armrests	-850	-850	-850	-850	-850

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest  
elevated sitting position (ESP)**

■ 105/119 ■ 69 ■ 66  
■ 44/58 ■ 46 ■ 43



**184/72**

with seat cushioning,  
back covered with single-ply form-fit knit  
seat and backrest frame optionally in black or  
white,  
with 1D armrests, armrest pads made of PP  
precision-adjustable height,  
Trimension, tension control,  
optionally with a 3D forward tilt of 5° that can be  
activated (please state when ordering)  
Plastic star base, aluminum-coated swivel arms

**Additional charge/reduced prices**

Aluminum coated star base and swivel arms  
Polished aluminum star base, coated swivel arms  
High-luster polished aluminum star base, coated  
swivel arms  
Aluminum polished star base and swivel arms  
Aluminum high-luster polished star base and  
swivel arms

Soft padding  
Seat-depth extension, approx. 40 to 45 cm

Back covered in Formstrick knit, two-ply, with  
integrated upholstery foam with different  
support zones

Height-adjustable lumbar support  
Headrest (cover 37 / Racer, color-matched with  
the backrest cover or in black)

Headrest (cover 58 / Evida)

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

Electrically conductive casters

Without armrests

	37 38	41	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	9114	9261	10038	10437	11046
Aluminum coated star base and swivel arms	609	609	609	609	609
Polished aluminum star base, coated swivel arms	609	609	609	609	609
High-luster polished aluminum star base, coated swivel arms	609	609	609	609	609
Aluminum polished star base and swivel arms	1344	1344	1344	1344	1344
Aluminum high-luster polished star base and swivel arms	1344	1344	1344	1344	1344
Soft padding	116	116	116	116	116
Seat-depth extension, approx. 40 to 45 cm	•	•	•	•	•
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	609	609	609	609	609
Height-adjustable lumbar support	189	189	189	189	189
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1197	1197	1197	1197	1197
Headrest (cover 58 / Evida)	1197	1197	1197	1197	1197
3D armrests, armrest pads made of PP	294	294	294	294	294
4D armrests, armrest pads made of PP	557	557	557	557	557
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	126	126	126	126	126
Electrically conductive casters	515	515	515	515	515
Without armrests	-850	-850	-850	-850	-850


• available

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**24-hour chair**

101/113 H 69 H 66  
40/52 H 46 H 43



**184/8**

with seat cushioning,  
back covered with single-ply form-fit knit  
seat and backrest frame optionally in black or  
white,  
with 1D armrests, armrest pads made of PP  
precision-adjustable height,  
Trimension, tension control,  
optionally with a 3D forward tilt of 5° that can be  
activated (please state when ordering)  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Polished aluminum star base, coated swivel arms  
(at no extra charge)  
High-luster polished aluminum star base, coated  
swivel arms (at no extra charge)  
Aluminum polished star base and swivel arms  
Aluminum high-luster polished star base and  
swivel arms  
  
Soft padding  
Seat-depth extension, approx. 40 to 45 cm  
Electrically conductive casters  
Without armrests

Back covered in Formstrick knit, two-ply, with  
integrated upholstery foam with different  
support zones  
Height-adjustable lumbar support  
Headrest (cover 37 / Racer, color-matched with  
the backrest cover or in black)  
Headrest (cover 58 / Evida)  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

	37	41	54	66 68	91 92
	SEK	SEK	SEK	SEK	SEK
	10920	11130	12107	12548	13241
	•	•	•	•	•
	•	•	•	•	•
	735	735	735	735	735
	756	756	756	756	756
	116	116	116	116	116
	1155	1302	1302	1323	1355
	515	515	515	515	515
	-850	-850	-850	-850	-850
	609	609	609	609	609
	189	189	189	189	189
	1197	1197	1197	1197	1197
	1197	1197	1197	1197	1197
	294	294	294	294	294
	557	557	557	557	557
	126	126	126	126	126

• available


All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



	37 38	41	51 54 58	60 64 65 66 68	91 92
	SEK	SEK	SEK	SEK	SEK
Aluminum coated star base and swivel arms	11592	11739	12516	12915	13524
Aluminum polished star base and swivel arms	735	735	735	735	735
Soft padding	116	116	116	116	116
Seat-depth extension (approx. 400 to 450 mm)	1155	1302	1302	1323	1355
Back covered in Formstrick knit, two-ply, with integrated upholstery foam with different support zones	609	609	609	609	609
Height-adjustable lumbar support	189	189	189	189	189
Headrest (cover 37 / Racer, color-matched with the backrest cover or in black)	1197	1197	1197	1197	1197
Headrest (cover 58 / Evida)	1197	1197	1197	1197	1197
3D armrests, armrest pads made of PP	294	294	294	294	294
4D armrests, armrest pads made of PP	557	557	557	557	557
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	126	126	126	126	126
Electrically conductive casters	515	515	515	515	515
Without armrests	-850	-850	-850	-850	-850

**Counter stool**

- 126/139   ■ 69   ■ 66
- 65/78   ■ 46   ■ 43



**184/1**

with seat cushioning,  
back covered with form-fit knit, single ply,  
seat and backrest frame optionally in black or  
white,  
with 1D armrests, armrest pads made of PP  
precision-adjustable height,  
Trimension tension control,  
without 3D forward tilt of 5°,  
with bright chrome-plated foot ring (precision-  
adjustable height)  
Aluminum coated star base and swivel arms

**Additional charge/reduced prices**

Aluminum polished star base, coated swivel arms  
(at no extra charge)

Aluminum polished star base and swivel arms

Soft padding

Seat-depth extension (approx. 400 to 450 mm)

Back covered in Formstrick knit, two-ply, with  
integrated upholstery foam with different  
support zones

Height-adjustable lumbar support

Headrest (cover 37 / Racer, color-matched with  
the backrest cover or in black)

Headrest (cover 58 / Evida)

3D armrests, armrest pads made of PP

4D armrests, armrest pads made of PP

Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests

Electrically conductive casters

Without armrests

• available

All counter chairs come with multipurpose casters.

# 186 Range Metrik

Design: white ID



## Technical details

### Function

The Metrik cantilever chair stands apart for its consistently integrated design approach. The way the components are integrated plays with contrasts such as distinctiveness and neutrality, comfort and an understated appeal, as well as modernity and timeless design. As a result, Metrik can be combined with a variety of table concepts and office chairs. Six colors for the body and frame, combined with a wide variety of covers and colors, offer highly scalable design options. To suit preferences, Metrik either complements the overall design concept or purposely adds a splash of color.

### Chairs

#### Frame

Tubular steel frame optionally in a textured matte finish, coated in white, black, gray, gray-beige, bright chrome-plated or black chrome-plated, with black polyamide anti-tilt stopper as the standard version for carpets, optionally with multipurpose glides for hard flooring (e.g. stone), please order with extra felt glides for wooden flooring (e.g. parquet). Stacking buffer made of plastic to match the shells and colour of the frame.

#### Please note

Stacking versions with coated frames can cause colour to rub off, which is not covered by our guarantee. The same applies

when inline connectors are used. We recommend chrome-plated versions for circumstances like these.

#### Seat and backrest

Unitary seat and backrest shell with integrated armrests made of through-dyed, fiberglass-reinforced polyamide the same as the base frame, optionally with a textured matte finish coated in white, black, gray or gray-beige. Replaceable seat cushioning, consisting of seat upholstery panel and covered polyurethane one piece molded foam. Type with optional, replaceable back cushioning the same as the seat cushioning. Weight 8.6 kg

#### Accessories

Inline connectors (2 in each set) made of black plastic.

### Standards

The Metrik cantilever chairs comply with DIN EN 16139-L1 and ANSI/BIFMA X5.1 standards. In compliance with the DIN EN 16139-L1 office-chair standard, up to 4 chairs can be stacked vertically.



www.tuv.com  
ID 1000000000

### Information

When exposed to ultra violet rays for long periods of time, the colors of plastics can change slightly.

## Cantilever chair


### Base frame

51	Bright chrome-plated
77	Black chrome-plated
85	Coated gray with a textured matte finish (Pantone Cool Gray 10 C)
86	Coated gray-beige with a textured matte finish (Pantone 7530 C)
90	Coated with a black textured matte finish (RAL 9011)
91	Coated white with a textured matte finish (RAL 9016)



**Standard height backrest**

■ 87 ■ 57 ■ 60  
■ 45



**186/3**

Up to 5 stackable free-standing,  
with seat cushioning  
Coated frame

**Additional charge/reduced prices**

Bright chrome-plated frame  
Black chrome-plated frame  
with seat and backrest upholstery

**Accessories**

**187** Inline connector set  
2 items

**185** Writing tablet  
fold up, for fitting to the armrest

**186** Four-wheeled trolley  
for 8 multipurpose chairs

	37	41	51	60	64	65	66	68	91	74
	38	47	54	66	68	66	68	68	92	74
	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	4011	4484	4641	4809	5093	6027				
	431	431	431	431	431	431	431	431	431	431
	872	872	872	872	872	872	872	872	872	872
	1050	1187	1271	1323	1386	1995				
	95	95	95	95	95	95	95	95	95	95
	1386	1386	1386	1386	1386	1386	1386	1386	1386	1386
	4011	4011	4011	4011	4011	4011	4011	4011	4011	4011

SEK

**Writing tablet**



**185**

fold up,  
for fitting to the armrest

1386

**Four-wheeled trolley**

**186**

for 8 multipurpose chairs

4011

**Inline connector set**

**187**

2 items

95

All cantilever chairs are optionally available with anti-tilt stoppers for soft floorings (e. g. carpets), with multipurpose glides for hard floorings (e. g. stone), for wooden floorings (e. g. parquet) please order with extra felt glides.



# 187 Range AT

Design: Wilkhahn



## Technical details

### Function

Free-to-move office task chair with Trimension®, integrated synchronously supporting 3D kinematics. The self-centering suspension of the seat shell is combined with automatic weight adjustment and the chair optionally comes with the ability to preset the automatic weight adjustment in ten increments to suit personal preferences. Trimension® activates the natural range of motion the human pelvis is capable of and which matches the way the joints function, from flexing, extending, leaning sideways or rotating the pelvis. When moving synchronously backwards and forwards, the angle of the tilt ranges from 12° in the seat and up to 26° in the backrest, optionally with a 3D forward tilt of up to 5° that can be activated, during which the backrest is raised synchronously by 25 mm so that the lumbar support is always in the right position. The seat and back can be tilted sideways from the horizontal by up to 12°. At the same time, the counter pressure adjusts automatically to any posture or movement so that the body always maintains its center of gravity.

AT is ideal for people weighing from 45 to 140 kg.

The backrest has height-adjustable lumbar support (in eight lockable positions of up to 60 mm). The backrest and seat can be locked in a neutral horizontal 0-position, the optional 5° 3D forward tilt can be activated by lifting the seat and back. The seating height can be precision adjusted at the touch of a button between 400 mm and 520 mm with a DIN 4550-compliant, precision-adjustable gas lift, optionally with a contact suppression feature, then the seating height is between 420 mm - 530 mm.

Seat depth: 430 mm, optionally integrated, users can turn a knob while sitting to precision adjust the seat-depth extension from 390 mm to 450 mm. The height of the elevated sitting position (ESP)

models is precision adjustable from between 430 mm and 610 mm and the counter chairs between 650 mm and 770 mm.

### Frame

#### Task chairs

Five-star base made of black through-dyed, fiberglass-reinforced polyamide, optionally of die-cast aluminum, coated, polished or high-luster polished. Twin-wheel swivel casters with load-dependent braking, made of black DIN EN 12529-compliant polypropylene as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring. Casters optionally electrically conductive.

The gas lift is covered by a telescopic protective tube made of black or white through-dyed polypropylene (does not apply to the ESP version). The mechanism shell is made of black or white through-dyed, fiberglass-reinforced polyamide with a cover made of black or white through-dyed polypropylene.

The backrest bearer to accommodate the seat and backrest is made of black or white through-dyed, fiberglass-reinforced polyamide with a central steel joint.

#### Counter stool

With extra height-adjustable foot ring, bright chrome-plated, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

### Seat and back

#### Models 187/7, 187/8, 187/9, 187/72, 187/1

Unitary and highly elastic self-centering seat and backrest shell suspended on the backrest bearer made of black or white through-dyed glass-bead reinforced polypropylene.

Three backrest heights (medium height, advanced height, advanced height with headrest and neck rest), backrest shell optionally covered in fabric or leather, neck rest made of polyurethane foam, covered in black or gray leather.

When leather 74 is chosen, in the same material and color as the backrest cover. Seat and back cushioning made of polyurethane with CFC-free foam, as replaceable upholstery element with covers from the Wilkhahn fabric and leather collection. Ergonomic, with seat cushioning with higher edges at the sides, made of molded foam, covers without side facings. When optional soft padding is chosen, more defined edges because of the higher quantity of foam and all fabric covers with facings at the side are in the same material and color. With optional seat-depth extension from 39 to 45 cm that is precision adjustable by turning a knob. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, optionally in black (37/99), anthracite (37/25) and light gray (37/95) for all other fabrics. Leather for all types of upholstery with facings all the way round in the same material and color. Optional plastic lumbar support between the seat and backrest shell and backrest cushioning, height-adjustable by 6 cm in eight lockable positions.

#### AT Mesh models 187/71, 187/73, 187/11

The seat and backrest element is suspended in a self-centering manner on the backrest bearer and the back is a mesh-covered frame. The mesh is made of 80% post-consumer-recycled polyester and 20% elastomer. The backrest frame is made of black or

### Task chairs

### Star base

50	Plastic
52	Polished aluminum
72	High-luster polished aluminum
90	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)



white, through-dyed, fiberglass-reinforced polyamide, which is screwed to the seat shell made of black or white through-dyed, glass-bead reinforced polypropylene, with a seat shell and backrest frame made of black or white through-dyed plastic with a polypropylene seat upholstery panel. Seat cushioning made of polyurethane with CFC-free foam, as replaceable upholstery element with covers from the Wilkhahn fabric and leather collection. Ergonomic, with seat cushioning with higher edges at the sides, made of molded foam, covers without side facings.

When optional soft padding is chosen, more defined edges because of the higher quantity of foam and all fabric covers with facings at the side are in the same material and color. With optional seat-depth extension from 39 to 45 cm that is precision adjustable by turning a knob. Then standard and soft padding with side facings in Racer, color-matched when the fabric cover is Racer, optionally in black (37/99), anthracite (37/25) and light gray (37/95) for all other fabrics. Leather for all types of upholstery with facings all the way round in the same material and color.

Optionally with a polypropylene lumbar support, which is in black or white to match the color of the frame and height-adjustable by 6 cm in six lockable positions, optionally additionally adjustable in depth by up to 1.5 cm by turning a knob made of fiberglass-reinforced polyamide that is retrofittable at any time.

Optional backrest frame with an upholstered headrest in the same color as the frame in through-dyed, fiberglass-reinforced polyamide, height-adjustable by 6 cm in 6 lockable positions and can be tilted forward in 4 lockable positions by up to 125° (depth adjustable by up to 5 cm). Cover in the same material and color as the backrest or in black.

### Optional armrests

Armrests made of fiberglass-reinforced, black or white through-dyed polyamide with armrest pads made of gray or black through-dyed polypropylene, optionally with armrest pads made of gray or black through-dyed polyurethane foam.

The height of 1D armrests can be adjusted in ten lockable positions by 100 mm, the depth of the armrest pads on 3D armrests can be adjusted by 50 mm and the width by 25 mm in each case, 4D armrests can also be pivoted inward and outward by 25°.

### Standards

The AT task chairs comply with the type A DIN EN 1335 office chair, ANSI/BIFMA X5.1 and IGR standards.



www.tuv.com  
ID 100000000



www.blauer-engel.de/uz117

• emissionsarm  
• geringer Schadstoffgehalt

All components used to adjust the chair (slide buttons and levers to adjust and lock the height, components for adjusting the lumbar support and pull-out knob for optional seat-depth extension) are made of gray through-dyed plastic.



**Medium-height backrest**

98/110 H67 H64  
40/52 H50 H43



**187/7**

with seat- and back cushioning, seat- and backrest shell, automatic synchro-adjustment mechanism in black height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension Plastic star base

**Additional charge/reduced prices**

Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum star base  
3D forward tilt of 5° can be activated

Soft padding  
Seat-depth extension, approx. 39 to 45 cm  
Contact suppression feature (seating height approx. 42 – 53 cm)

1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests  
Coat hanger  
Electrically conductive casters

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)  
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	6311	6825	7308	7665	8264	10311
Coated aluminum star base	651	651	651	651	651	651
Polished aluminum star base	1040	1040	1040	1040	1040	1040
High-luster polished aluminum star base	1166	1166	1166	1166	1166	1166
3D forward tilt of 5° can be activated	263	263	263	263	263	263
Soft padding	116	116	116	116	116	116
Seat-depth extension, approx. 39 to 45 cm	525	662	662	662	662	998
Contact suppression feature (seating height approx. 42 – 53 cm)	315	315	315	315	315	315
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Electrically conductive casters	515	515	515	515	515	515
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		851	945	1355	1764	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	336	336	336	336	336	336

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest**

101/113 H 67 H 64  
40/52 H 50 H 43



**187/71**

with seat cushioning, mesh-covered backrest seat shell, backrest frame and synchro-adjustment mechanism in black, without armrests  
precision-adjustable height, 3D kinematics with automatic weight adjustment optionally with customized presetting  
Trimension  
Plastic star base

**Additional charge/reduced prices**

Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame  
3D forward tilt of 5° can be activated  
Contact suppression feature (seating height approx. 42 – 53 cm)  
  
Soft padding  
Seat-depth extension, approx. 39 to 45 cm  
  
Lumbar support  
Lumbar support, adjustable height and depth  
Headrest (cover 34 / Vivid, color-matched with the backrest cover or in black)  
  
1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests  
Coat hanger  
Electrically conductive casters  
Seat shell and backrest frame, synchro-adjustment mechanism, if necessary white armrests

	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	6311	6825	7308	7665	8264	9303
	651	651	651	651	651	651
	1040	1040	1040	1040	1040	1040
	1166	1166	1166	1166	1166	1166
	263	263	263	263	263	263
	315	315	315	315	315	315
	116	116	116	116	116	116
	525	662	662	662	662	998
	126	126	126	126	126	126
	431	431	431	431	431	431
	1040	1040	1040	1040	1040	1040
	788	788	788	788	788	788
	1302	1302	1302	1302	1302	1302
	1586	1586	1586	1586	1586	1586
	189	189	189	189	189	189
	683	683	683	683	683	683
	515	515	515	515	515	515
	336	336	336	336	336	336



**High backrest**

110/122 H 67 H 64  
40/52 H 50 H 43



**187/8**

with seat- and back cushioning, seat- and backrest shell, automatic synchro-adjustment mechanism in black height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension Plastic star base

**Additional charge/reduced prices**

Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum star base  
3D forward tilt of 5° can be activated

Soft padding  
Seat-depth extension, approx. 39 to 45 cm  
Contact suppression feature (seating height approx. 42 – 53 cm)

1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests  
Coat hanger  
Electrically conductive casters

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)  
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white


	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7298	7896	8421	8852	9566	11256
Coated aluminum star base	651	651	651	651	651	651
Polished aluminum star base	1040	1040	1040	1040	1040	1040
High-luster polished aluminum star base	1166	1166	1166	1166	1166	1166
3D forward tilt of 5° can be activated	263	263	263	263	263	263
Soft padding	116	116	116	116	116	116
Seat-depth extension, approx. 39 to 45 cm	525	662	662	662	662	998
Contact suppression feature (seating height approx. 42 – 53 cm)	315	315	315	315	315	315
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Electrically conductive casters	515	515	515	515	515	515
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		851	945	1355	1764	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	336	336	336	336	336	336

All task chairs are fitted with casters for soft flooring (e.g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e.g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**High backrest with headrest and neck rest**

■ 120/132 ■ 67 ■ 64  
■ 40/52 ■ 50 ■ 43



**187/9**

with seat cushioning,  
neck rest covered optionally in 74/99 or  
74/34 leather,  
seat and backrest shell, synchro-adjustment  
mechanism in black  
height-adjustable lumbar support  
without armrests  
precision-adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
Plastic star base

**Additional charge/reduced prices**


	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
9566	10322	11057	11603	12548	13629	
Coated aluminum star base	651	651	651	651	651	651
Polished aluminum star base	1040	1040	1040	1040	1040	1040
High-luster polished aluminum star base	1166	1166	1166	1166	1166	1166
3D forward tilt of 5° can be activated	263	263	263	263	263	263
Soft padding	116	116	116	116	116	116
Seat-depth extension, approx. 39 to 45 cm	525	662	662	662	662	998
Contact suppression feature (seating height approx. 42 – 53 cm)	315	315	315	315	315	315
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Electrically conductive casters	515	515	515	515	515	515
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		851	945	1355	1764	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	336	336	336	336	336	336

All task chairs are fitted with casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest  
elevated sitting position (ESP)**

101/119 H67 H64  
43/61 H50 H43



**187/72**

with seat- and back cushioning,  
seat- and backrest shell, automatic synchro-  
adjustment mechanism in black  
height-adjustable lumbar support  
without armrests  
precision-adjustable height,  
3D kinematics with automatic weight adjustment,  
optionally with customized presetting  
Trimension  
3D forward tilt of 5° can be activated  
Plastic star base

**Additional charge/reduced prices**

Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum star base  
Electrically conductive casters

Soft padding  
Seat-depth extension (approx. 39 to 45 cm) not  
possible in the combination without armrests  
and/or plastic star base)

1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests  
Coat hanger

Seat-/backrest shell covered in fabric on the rear  
(fabric 68 not possible)  
Seat and backrest shell, synchro-  
adjustment mechanism and, if applicable,  
armrests in white

	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7130	7644	8127	8484	9083	11130
Coated aluminum star base	651	651	651	651	651	651
Polished aluminum star base	1040	1040	1040	1040	1040	1040
High-luster polished aluminum star base	1166	1166	1166	1166	1166	1166
Electrically conductive casters	515	515	515	515	515	515
Soft padding	116	116	116	116	116	116
Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)	525	662	662	662	662	998
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		851	945	1355	1764	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	336	336	336	336	336	336

All task chairs are fitted with casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet). Electrically conductive casters (only if an aluminum frame is chosen) available for an extra charge.



**Medium-height backrest  
elevated sitting position (ESP)**

104/122 H67 H64  
43/61 H50 H43



**187/73**

with seat cushioning, mesh-covered backrest seat shell, backrest frame and synchro-adjustment mechanism in black, without armrests  
precision-adjustable height  
3D kinematics with automatic weight adjustment optionally with customized presetting  
Trimension  
3D 5° forward tilt can be activated  
Plastic star base

**Additional charge/reduced prices**

Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame  
  
Soft padding  
Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)  
  
Lumbar support  
Lumbar support, adjustable height and depth  
Headrest (cover 34 / Vivid, color-matched with the backrest cover or in black)  
  
1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests  
Coat hanger  
Electrically conductive casters  
Seat shell and backrest frame, synchro-adjustment mechanism, if necessary white armrests

	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7130	7644	8127	8484	9083	10122
Coated aluminum star base	651	651	651	651	651	651
Polished aluminum star base	1040	1040	1040	1040	1040	1040
High-luster polished aluminum frame	1166	1166	1166	1166	1166	1166
Soft padding	116	116	116	116	116	116
Seat-depth extension (approx. 39 to 45 cm) not possible in the combination without armrests and/or plastic star base)	525	662	662	662	662	998
Lumbar support	126	126	126	126	126	126
Lumbar support, adjustable height and depth	431	431	431	431	431	431
Headrest (cover 34 / Vivid, color-matched with the backrest cover or in black)	1040	1040	1040	1040	1040	1040
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Electrically conductive casters	515	515	515	515	515	515
Seat shell and backrest frame, synchro-adjustment mechanism, if necessary white armrests	336	336	336	336	336	336





**Counter stool**

123/135 H 67 H 64  
65/77 H 50 H 43



**187/1**

with seat- and back cushioning, seat- and backrest shell, automatic synchro-adjustment mechanism in black height-adjustable lumbar support without armrests precision-adjustable height, 3D kinematics with automatic weight adjustment, optionally with customized presetting Trimension with bright chrome-plated foot ring (precision-adjustable height) Coated aluminum star base

**Additional charge/reduced prices**

Polished aluminum star base  
High-luster polished aluminum star base

Soft padding

1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests  
Coat hanger

Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)  
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white

	37 38	47	51 54	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	9419	9933	10416	10773	11372	13587
Polished aluminum star base	389	389	389	389	389	389
High-luster polished aluminum star base	515	515	515	515	515	515
Soft padding	116	116	116	116	116	116
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Seat-/backrest shell covered in fabric on the rear (fabric 68 not possible)		851	945	1355	1764	
Seat and backrest shell, synchro-adjustment mechanism and, if applicable, armrests in white	336	336	336	336	336	336



**AT Mesh counter stool**

■ 126/138 ■ 67/64 ■ 64  
■ 65/77 ■ 50 ■ 43



**187/11**

with seat cushioning, mesh-covered backrest  
seat shell, backrest frame and synchro-  
adjustment mechanism in black  
without armrests  
precision adjustable height  
3D kinematics with automatic weight adjustment  
optionally with customized presetting  
Trimension  
with bright chrome-plated foot ring (precision-  
adjustable height)  
Coated aluminum star base

**Additional charge/reduced prices**

Polished aluminum star base  
High-luster polished aluminum frame  
  
Soft padding  
  
Lumbar support  
Lumbar support, adjustable height and depth  
Headrest (cover 34 / Vivid, color-matched with the  
backrest cover or in black)  
  
1D armrests, armrest pads made of PP  
3D armrests, armrest pads made of PP  
4D armrests, armrest pads made of PP  
Armrest pads made of polyurethane foam for 1D,  
3D and 4D armrests  
Coat hanger  
Seat shell and backrest frame, synchro-  
adjustment mechanism, if necessary white  
armrests

	37	47	51	60	91	
	38		54	64	92	74
				65		
				66		
				68		
	SEK	SEK	SEK	SEK	SEK	SEK
	9419	9933	10416	10773	11372	12558
Polished aluminum star base	389	389	389	389	389	389
High-luster polished aluminum frame	515	515	515	515	515	515
Soft padding	116	116	116	116	116	116
Lumbar support	126	126	126	126	126	126
Lumbar support, adjustable height and depth	431	431	431	431	431	431
Headrest (cover 34 / Vivid, color-matched with the backrest cover or in black)	1040	1040	1040	1040	1040	1040
1D armrests, armrest pads made of PP	788	788	788	788	788	788
3D armrests, armrest pads made of PP	1302	1302	1302	1302	1302	1302
4D armrests, armrest pads made of PP	1586	1586	1586	1586	1586	1586
Armrest pads made of polyurethane foam for 1D, 3D and 4D armrests	189	189	189	189	189	189
Coat hanger	683	683	683	683	683	683
Seat shell and backrest frame, synchro-adjustment mechanism, if necessary white armrests	336	336	336	336	336	336

# 20 Range Stitz 2

Design: ProduktEntwicklung Roericht



## Technical details

### Function

Stitz is a sitting-standing stool with precision-adjustable height via an encapsulated gas lift. Stitz is ideal for people weighing up to 120 kg.

### Frame

Black elastomer base filled with quartz sand. Black polyamide base plate.

### Seat

Black polyamide seat frame. Cork insert, either treated with hard wax, covered with fabric or embossed leather. Underneath the seat, black polyamide grip to engage the gas lift.

**Stitz**  
63/88 H31



**201/1**  
Cork seat  
black frame

**SEK**

6384


Upholstery material

		60		
		64		
		65	91	
	51	66	92	74
	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
	6983	7119	7382	7413

**Stitz**  
63/88 H31



**201/2**  
Black frame



# 202 Range Stand-up

Design: Thorsten Franck



Further  
information

## Technical details

<p><b>Function</b> An object in motion, when sat on it's turned from a one-legged to stable three-legged piece of furniture.</p>	<p><b>Body</b> Tapered hollow body made of EPP (expanded polypropylene) with a lid upholstered with cut foam that serves as the seat. Body and seat fully covered with three-dimensional fabric. Tapered base made of</p>	<p>black, non-slip plastic with integrated steel weights and damping cylinder. Carry-strap made of 100% polypropylene in black.</p> <p><b>Weight</b> Just 4.5 kg</p>	<p><b>Information</b> In wet or dirty conditions, the base's grip can vary. It can cause scuff marks on light-colored flooring.</p>
--	---	--	---

Upholstery material  
**35**

**SEK**

## Stand-up

67 32



<p><b>202/0101</b> covered in Fiberflex fabric 35/99: black incl. carry-strap black base</p>	3497
<p><b>202/0102</b> covered in Fiberflex fabric 35/89: red incl. carry-strap black base</p>	3497
<p><b>202/0103</b> covered in Fiberflex fabric 35/63: light blue incl. carry-strap black base</p>	3497
<p><b>202/0104</b> covered in Fiberflex fabric 35/56: green incl. carry-strap black base</p>	3497
<p><b>202/0105</b> covered in Fiberflex fabric 35/34: orange incl. carry-strap black base</p>	3497
<p><b>202/0107</b> covered in Fiberflex fabric 35/25: anthracite incl. carry-strap black base</p>	3497
<p><b>202/0108</b> covered in Fiberflex fabric 35/11: gray incl. carry-strap black base</p>	3497
<p><b>202/0110</b> covered in Fiberflex fabric 35/1130: bronze incl. carry-strap black base</p>	3497
<p><b>202/0111</b> covered in Fiberflex fabric 35/1110: beige including carry-strap black base</p>	3497
<p><b>202/0112</b> covered in Fiberflex fabric 35/8110: sage including carry-strap black base</p>	3497
<p><b>202/0113</b> covered in Fiberflex fabric 35/6123: cobalt blue including carry-strap black base</p>	3497

1 SOCIAL TEASER CONTENT



2 INFLUENCERS

BLOGGERS

JOURNALISTS

FACE MANAGERS

2 LOOKALIKE AUDIENCES



4 RETARGET NON-SUBSCRIBERS



etc.




# 204 Range Sitzbock

Rudolph Schelling Webermann



## Technical details

<b>Function</b> A pommel horse seat weighing just 4.8 kg that's ideal for informal interaction in kitchenettes, bistros and workshops and enables a range of different postures: users can lean on it, sit side saddle or position themselves astride it.	<b>Body/frame</b> Four-leg seat made of through-dyed polyethylene in black, white, gray or orange-red with non-slip multipurpose glides. Also suitable for temporary use in outdoor rooms. Up to four Sitzbock pommel horse seats can be stacked across one another. Optional felt blanket in anthracite, a light mottled hue, graphite or mango with a rubber underside which is attached with ten expanding rivets.	<b>Please note:</b> Can be used outdoors. When exposed to ultra violet rays for long periods of time, the colors of plastics can change slightly.  Felt is a natural product. Therefore, there can be differences in the color. These differences are not a justified reason for complaint but underscore the material's uniqueness.
--	--	---

	<b>SEK</b>
<b>Sitzbock</b> H 71 H 63 H 52	
	
<b>204/01</b> Polyethylene, in black	3885
<b>204/02</b> Polyethylene, in white	3885
<b>204/03</b> Polyethylene, in gray	3885
<b>204/04</b> Polyethylene, in orange-red	3885

<b>Seat pad</b>	<b>204/11</b> made of felt in graphite	788
	<b>204/12</b> made of felt in a light mottled hue	788
	<b>204/13</b> made of felt in anthracite	788
	<b>204/14</b> made of felt in mango	788







# 21 Range FS-Line

Design: Klaus Franck, Werner Sauer



## Technical details

### Function

Task chairs and -armchairs with automatic synchro-adjustment: The seat and backrest tilt adapt automatically to any posture the user adopts. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The front position is lockable by engaging the lever. DIN 4550 compliant gas lift for precision-adjustable seating height.

Conference chairs / visitor chairs with automatic synchro-adjustment, but without front locking position, without precision-adjustable height.

### Frame

#### Task chairs

Die-cast aluminum star base, bright chrome-plated, polished or coated.

Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors. Casters optionally electrically conductive. Black polyamide glides as the standard version for carpets and in black polyurethane for hard floorings.

Swivel arms in die-cast aluminum, bright chrome-plated or coated in the same color depending on star base (coated black with polished star-base).

#### Cantilever chair

Frame for models 212/5 in tubular steel, bright chrome-plated or coated; stackable version with bright chrome plated frame only. Frame of model 220 in oval aluminum tubing, bright chrome-plated or coated. Cantilever chair model 212 with anti-tilt stoppers as the standard version for carpeted floors, with additional glides for hard floors, on request with felt insert.

### Seat and backrest

#### Models 211/8 to 213/8

Seat and back shell made of viscoelastic, through-dyed polypropylene with flexible middle section in colors

91 natural white,  
92 platinum,  
97 Asphalt,  
99 black.

Standard armrests in the same material, black.

Backrest of swivel chairs 211 and 213 with integrated, adjustable lumbar support on request. Upholstery: covered molded foam part, replaceable.

#### Models 220/7 to 220/9

Tubular steel frame with flexible middle section, covered in elastic mesh and molded in open-pore foam, cushioned pad. Integral foam armrests, leather-covered, with fabric covers in black, covered in leather to match the color of the leather. Replaceable cover with stitched fluting, or replaceable cover with integrated flat cushion.

### Standards

FS-Line task chairs are compliant with the DIN EN 1335 type B or C office-chair and ANSI/BIFMA X5.1 standards.

The cantilever chairs comply with DIN EN 16139-L1 and ANSI/BIFMA X5.1 standards.



www.tuv.com  
ID 1000000000

The FS task chairs comply with the Ergonomics Approved standard.



### Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

### Task chairs and armchairs

#### Star base

51	Bright chrome-plated
52	Polished aluminum
53	Coated black (RAL9011)
60	Coated with a silver satin finish (RAL9006)
90	Coated with a black textured matte finish (RAL9011)

#### Swivel arms

Bright chrome-plated
Coated black or black with textured matte finish
Coated black
Coated with a silver satin finish
Coated with a black textured matte finish (RAL9011)

### Cantilever chair

#### Round steel tubing base frame or aluminum oval tubing base frame

51	Bright chrome-plated
53	Coated black (RAL9011)
60	Coated with a silver satin finish (RAL9006)
90	Coated with a black textured matte finish (RAL9011)

### Small components


#### Castors and glides, frame parts, armrests, adjustment levers

41	Black
----	-------



**Standard height backrest**

■ 88/99 ■ 63 ■ 60  
■ 42/53 ■ 49 ■ 45



**211/8**

Upholstered unitary seat and backrest shell,  
precision-adjustable height,  
synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Height-adjustable lumbar support

Polished aluminum frame

Bright chrome-plated aluminum frame

Electrically conductive casters

Without armrests

54 60 65 66 92

SEK SEK SEK

10059 10637 11456

735 735 735

578 578 578


1155 1155 1155

515 515 515

-903 -903 -903

**High backrest**

■ 105/116 ■ 63 ■ 62  
■ 42/53 ■ 49 ■ 45



**213/8**

Upholstered unitary seat and backrest shell,  
precision-adjustable height,  
synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Height-adjustable lumbar support

Polished aluminum frame

Bright chrome-plated aluminum frame

Electrically conductive casters

Without armrests

54 60 65 66 92

SEK SEK SEK

11676 12254 13073

735 735 735

578 578 578

1155 1155 1155


515 515 515

-903 -903 -903



**High backrest**

108/118 H 67 H 63  
42/52 H 55 H 45



**220/9**

Unitary seat and backrest frame, fully upholstered, with stitched fluting, precision-adjustable height, automatic synchro-adjustment, tension control Aluminum coated frame

**Additional charge/reduced prices**

With flat cushioning, not available in fabric 69  
\*\* Leather 87 only available with flat cushioning

Polished aluminum frame  
Bright chrome-plated aluminum frame

Electrically conductive casters

60  
64  
65  
66  
68

91  
92


74

87

SEK	SEK	SEK	SEK
32991	34052	42084	42084**
2888	4190	3665	9219
578	578	578	578
1155	1155	1155	1155
515	515	515	515

**High backrest**

108 H 67 H 63  
42 H 55 H 45



**220/7**

Swivel-mounted, fully upholstered unitary seat and backrest frame, with stitched fluting, automatic synchro-adjustment, tension control Aluminum coated frame

**Additional charge/reduced prices**

With flat cushioning, not available in fabric 69  
\*\* Leather 87 only available with flat cushioning

Polished aluminum frame  
Bright chrome-plated aluminum frame

60  
64  
65  
66  
68

91  
92

74

87

SEK	SEK	SEK	SEK
31878	32939	40971	40971**
2888	4190	3665	9219
578	578	578	578
1155	1155	1155	1155

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters available for an extra charge.

All visitor, conference and cantilever chairs have glides for soft flooring (e. g. carpets). For hard floorings (e. g. stone) please order with soft glides, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case).




			60	
		54	65	
			66	92
		SEK	SEK	SEK
		6416	6993	7812
		420	420	420
		1313	1313	1313

**Standard height backrest**

☐ 85 ☐ 56 ☐ 61  
☐ 44

**212/5**

Upholstered unitary seat and backrest shell  
Coated frame



**Additional charge/reduced prices**


Bright chrome-plated frame  
Bright chrome-plated stackable version, up to  
5 stackable free-standing, up to 8 on a four-  
wheeled trolley

**Four-wheeled trolley**

**277**  
for 6 stackable cantilever chairs

**SEK**

6920



# 21 Range FS Management

Design: Klaus Franck, Werner Sauer, wiege



## Technical details

### Function

Task chair with automatic synchro-adjustment: The seat and backrest tilt adapt automatically to any posture the user adopts. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The front position is lockable by engaging the lever. DIN 4550 compliant gas lift for precision-adjustable seat height.

### Frame

Die-cast aluminum, bright chrome-plated star base. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane facing for hard floors. Casters optionally electrically conductive. Black polyamide glides as the standard version for carpets and in black polyurethane for hard floorings. Die-cast aluminum, bright chrome-plated swivel arms.

### Seat and backrest

Tubular steel frame with a flexible middle section, covered with elastic mesh. Foam upholstery with additional cushioning. Replaceable cover with wider stitched fluting. Integral foam armrests, leather-covered with stitched seam.

### Standards

FS-Line task chairs are compliant with the DIN EN 1335 type C office-chair and ANSI/BIFMA X5.1 standards. The FS-Line task chairs comply with the "Ergonomics Approved" standard.



### Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

## Task chairs and armchairs

### Star base and swivel arms

51 Bright chrome-plated

## Small components

### Castors and glides, frame parts, armrests, adjustment levers

41 Black



**Medium-height backrest**

W 100/110 H 67 H 63  
D 42/52 W 55 W 45



**220/82**

Fully upholstered unitary seat and backrest frame with wider stitched fluting  
precision-adjustable height  
automatic synchro-adjustment, tension control  
Bright chrome-plated aluminum frame

**Additional charge/reduced prices**

Electrically conductive casters

74

SEK

32697

515

**High backrest**

W 116/126 H 67 H 63  
D 42/52 W 55 W 45



**220/92**

Fully upholstered unitary seat and backrest frame with wider stitched fluting  
precision-adjustable height  
automatic synchro-adjustment, tension control  
Bright chrome-plated aluminum frame

**Additional charge/reduced prices**

Electrically conductive casters

74

SEK

37905

515

# 222 Range Occo

Design: jehs+laub



## Technical details

### Function

Occo offers superior comfort, enormous versatility and a vast range of design options in a distinctive design language. It's ideal for conference rooms, open-plan meeting areas, cafés, co-working spaces or in homes.

### Frame

#### Four-leg frame models 221/10, 221/11, 221/12, 222/10, 222/11, 222/12

Tubular steel frame, stackable (except for model 222/12), with a textured matte finish coated white, black, gray, gray-beige, emerald green, sienna red or bright chrome-plated. Up to 10 versions without upholstery can be stacked, and 8 with padding on the seat and on the inside. Please note: The leather-cover version is not stackable. Stacking versions with coated frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.

Models 221/10 and 222/10 (shell without upholstery) with four separators made of PUR and frame cover made of plastic (PP), each in dark gray. Remove the optional felt pad before stacking because permanent pressure marks can otherwise occur.

Models 221/11, 221/12, 222/11 and 222/12 with stacking guard made of plastic (PP) in dark gray. Tubular steel frame, stackable (except for model 222/12), with a textured matte finish coated white, black, gray, gray-beige, emerald green,

sienna red or bright chrome-plated. Up to 10 versions without upholstery can be stacked, and 8 with padding on the seat and on the inside. Please note: The leather-cover version is not stackable. Stacking versions with coated frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.

#### Solid wood four-leg frame models 221/20, 221/21, 221/22, 222/20, 222/21, 222/22

Seat bearer made of tubular steel in dark gray with a textured matte finish to fit onto the seat shell and to attach the four legs made of solid oak with a natural oiled finish.

#### Sled (skid) base, models 221/100, 221/101, 221/102 und 222/100, 222/101, 222/102

Sled (skid) base made of steel rod, 12 mm in diameter, coated with a textured matte finish in white, black, gray, gray-beige, emerald green or sienna red or bright chrome plated. Coated frames as a standard and, if required bright chrome-plated frames optionally come with multipurpose glides made of black polyamide. Models 221/100, 221/101 and 221/102 optionally with inline connectors made of black through-dyed poly-

amide including multipurpose glides, optionally with extra felt inserts for flooring that easily scratches (e.g. stone, parquet).

#### Four-star base models 221/30, 221/31, 221/32, 222/30, 222/31, 222/32, five-star base models 221/40, 221/41, 221/42, 222/40, 222/41, 222/42

Butted tubular steel frame with a textured matte finish coated in white, black, gray, gray-beige, emerald green, sienna red or bright chrome-plated with seat bearer made of molded flat steel in dark gray with a textured matte finish to attach to the shell. In the case of four-star base frames, the steel glides are in dark gray with a textured matte finish.

Four-leg and four-star base models are fitted with multipurpose glides for soft and hard floorings. For sensitive flooring, please order with extra felt glides (at no additional charge).

Five-star base models 221/40, 221/41, 221/42, 222/40, 222/41, 222/42 with twin-wheel swivel casters, load-dependent braking, made of black polypropylene compliant with DIN EN 12529 as the standard version for carpets, optionally with gray tire made of polyurethane for hard flooring.

### Four-leg chair and star base

#### Base frames

51	Bright chrome-plated
85	Coated gray with a textured matte finish (Pantone Cool Gray 10 C)
86	Coated gray-beige with a textured matte finish (Pantone 7530 C)
90	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)
94	Coated emerald green with a textured matte finish (Pantone 5477 C)
95	Coated sienna red with a textured matte finish (Pantone 3523 C)

### Five-star base

#### Star base

#### Gas lift

#### Casters Mechanism

Star base	Gas lift	Casters	Mechanism
51 Bright chrome-plated	Bright chrome-plated or coated black	Black	High-luster polished aluminum
79 Matte-polished aluminum	Bright chrome-plated or coated black	Black	Matte-polished aluminum
90 Coated with a black textured matte finish (RAL9011)	Coated black	Black	High-luster polished aluminum
91 Coated white with a textured matte finish (RAL9016)	Bright chrome-plated or coated black	Black	High-luster polished aluminum

### Counter

#### Star base

#### Gas lift

#### Casters

Star base	Gas lift	Casters
50 Plastic	Black	Black
52 Polished aluminum	Black	Black
72 High-luster polished aluminum	Black	Black
90 Coated with a black textured matte finish (RAL9011)	Black	Black
91 Coated white with a textured matte finish (RAL9016)	Black	Black



**Five-star base models 221/00, 221/01, 221/02, 222/00, 222/01, 222/02**

Five-star base made of die-cast aluminum with a textured matte finish, coated in white or black, matte polished or with bright chrome plating, with swivel-mounted gas lift column and a lever allows the height to be precision adjusted, seat bearer made of molded flat steel in dark gray, optionally with active rocking technology, can be locked in a horizontal neutral 0 position, with a die-cast aluminum housing, matte polished or high-luster polished. Compliant with DIN EN 1335 and ANSI/BIFMA X 5.1 with twin-wheel swivel casters with load-dependent braking made of black polyamide compliant with DIN EN 12529, as the standard version for carpets; with gray polyurethane tyre for hard flooring.

**Counter stool base frame models 221/50, 221/51, 221/52, 222/50, 222/51, 222/52**

Five-star base made of black through-dyed, fiberglass-reinforced polyamide, optionally of die-cast aluminum, coated, polished or high-luster polished, with multipurpose twin-wheel swivel casters with load-dependent braking. Swivel-mounted, black gas lift, precision-adjustable with a black lever, with a height-adjustable, bright chrome-plated foot ring and lock screw to keep it in place. Seat bearer made of molded flat steel in dark gray.

**Sled (skid) base bar stools, models 223/10, 223/11**

Sled (skid) base, stackable when not upholstered, with steel rod footrest, 12 mm diameter, with a textured matte finish coated in white, black, gray, gray-beige, emerald green, sienna red or bright chrome-plated. Please note: Stacking versions with coa-

ted frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.

**Height-adjustable bar stools with a column foot, models 223/90, 223/91**

Brushed, stainless steel disc base, swivel-mounted column with encapsulated gas lift and precision-adjustable height, brushed stainless steel footrest and lever. Seat bearer made of molded flat steel in dark gray.

**Solid wood four-leg frame bar stools, models 223/20, 223/21**

Seat bearer made of tubular steel in dark gray with a textured matte finish to fit onto the seat shell and to attach the four legs made of solid oak with a natural oiled finish. With steel rod footrest, bright chrome-plated

**Seat and backrest**

Unitary, ergonomically molded seat shell with cut-out section, made of reinforced through-dyed polypropylene optionally in white, black, gray, gray-beige, emerald green or sienna red. Models without upholstery optionally with a felt seat cushion with non-slip coating. In a light mottled hue, anthracite, graphite, mango, verde, deep water.

All upholstery in models with seat upholstery or padding on the inside is made of cut foam.

**Standards**

The Occo multipurpose chairs with four-leg frames comply with the DIN EN 16139-L1 office-chair standard.

Meets the DIN EN 16139 office-chair standard, can be stacked: 222/10 four-leg frame, without upholstery up to 10 stackable, 222/11 four-leg frame, with seat cushioning, up to 6 stackable, 222/12 four-leg frame, with padding on the inside, up to 4 stackable.



www.tuv.com  
ID 1000000000

**Please note**

To ensure quality is maintained, we don't offer white leather (74/72). All other standard leather colors are possible.

When exposed to ultra violet rays for long periods of time, the colors of plastics can change slightly. Due to the nature of the material, there are slight differences in the color between white table tops with bonded surfaces and HPL table tops and the white Occo plastic chairs.

Felt is a natural product. Therefore, there can be differences in the color. These differences are not a justified reason for complaint but underscore the material's uniqueness.

All chairs are fitted with multipurpose glides for soft and hard floorings, in the case of sensitive floorings please order with extra felt glides (at no additional charge).


Five-star base frames are fitted with casters for soft floorings. Please order with soft casters (at no additional charge) for hard flooring (e.g. stone, parquet)





**Multipurpose chair**

83 54 56  
44



**221/20**

Solid oak four-leg frame with a natural oiled finish  
not upholstered  
not stackable

**SEK**

4641

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
5628	6132	6321	6626	6993	7739

**Multipurpose chair**

83 54 56  
44



**221/21**

Solid oak four-leg frame with a natural oiled finish  
with seat cushioning  
not stackable

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

5628

6132

6321

6626

6993

7739

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
7602	8474	8747	9219	10847	13094

**Multipurpose chair**

83 54 56  
44



**221/22**

Solid oak four-leg frame with a natural oiled finish  
with padding on the inside  
not stackable

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

7602

8474

8747

9219

10847

13094



**Visitor chair**

83 51 53  
44



**221/30**

Four-star base frame on glides, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

5471  
5471

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

		60			
		64			
		65			
		66	91		
		68	92	74	
37	51				
38	54				
	58				
					87

**Visitor chair**

83 51 53  
44



**221/31**

Four-star base frame on glides, with seat  
cushioning, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

6458  
6458

**SEK**

6962  
6962

**SEK**

7151  
7151

**SEK**

7455  
7455

**SEK**

7823  
7823

**SEK**

8568  
8568

		60			
		64			
		65			
		66	91		
		68	92	74	
37	51				
38	54				
	58				
					87

**Visitor chair**

83 51 53  
44



**221/32**

Four-star base frame on glides, with padding on  
the inside, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

8432  
8432

**SEK**

9303  
9303

**SEK**

9576  
9576

**SEK**

10049  
10049

**SEK**

11676  
11676

**SEK**

13923  
13923



**Height-adjustable task chair**

80/91 H65 H62  
39/51



**221/00**

Five-star base, not upholstered  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

**SEK**

4316  
4715  
5786

557

Upholstery material

			60			
			64			
			65			
			66	91		
37	51	5996	6300	6668	7413	
38	54	6206	6699	7067	7812	
	58	6395	7770	8138	8883	
		7466				
				74		
						87

**Height-adjustable task chair**

80/91 H65 H62  
39/51



**221/01**

Five-star base, with seat cushioning  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**Additional charge/reduced prices**

Active rocking mechanism

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
5303	5807	5996	6300	6668	7413
5702	6206	6395	6699	7067	7812
6773	7277	7466	7770	8138	8883
504	504	504	504	504	504

			60			
			64			
			65			
			66	91		
37	51	5996	6300	6668	7413	
38	54	6206	6699	7067	7812	
	58	6395	7770	8138	8883	
		7466				
				74		
						87

**Height-adjustable task chair**

80/91 H65 H62  
39/51



**221/02**

Five-star base, with padding on the inside  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**Additional charge/reduced prices**


Active rocking mechanism

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
7277	8148	8421	8894	10521	12768
7676	8547	8820	9293	10920	13167
8747	9618	9891	10364	11991	14238
504	504	504	504	504	504



**Counter stool**

▣ 96/121 ▣ 67 ▣ 64  
▣ 55/80



**221/50**

Five-star base, not upholstered on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

6311  
6972  
7361  
7497

**Accessories**

**222** Felt cushion with non-slip coating, available in 6 colors


557

Upholstery material

			60		
			64		
			65		
			66	91	
	37	51	66	92	
	38	54	68		74
		58			87

**Counter stool**

▣ 96/121 ▣ 67 ▣ 64  
▣ 55/80



**221/51**

Five-star base, with seat cushioning, on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**


**SEK**

**SEK**

**SEK**

**Counter stool**

▣ 96/121 ▣ 67 ▣ 64  
▣ 55/80



**221/52**

Five-star base, with padding on the inside, on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**

**SEK**


**SEK**

**SEK**



**Task chair**

83 66 63  
44



**221/40**

Five-star base frame, not upholstered  
on casters, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

5607  
5607

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
					87
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
6594	7098	7287	7592	7959	8705
6594	7098	7287	7592	7959	8705

**Task chair**

83 66 63  
44



**221/41**

Five-star base frame  
on casters, with seat cushioning, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
					87
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
8568	9440	9713	10185	11813	14060
8568	9440	9713	10185	11813	14060

**Task chair**

83 66 63  
44




**221/42**

Five-star base frame  
on casters, with padding on the inside, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame



**Multipurpose chair**

83 57 58  
44



**222/10**

Four-leg frame, not upholstered, up to 10 stackable free-standing  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

2667  
2667

**Accessories**

**186** Four-wheeled trolley  
for 6 multipurpose chairs

4011

**222** Felt cushion  
with non-slip coating, available in 6 colors


557

Upholstery material

			60			
			64			
			65			
			66	91		
	37		68	92	74	
	38					87

**Multipurpose chair**

83 57 58  
44



**222/11**

Four-leg frame with seat cushioning, up to  
6 stackable free-standing (except with leather  
cover)  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**      **SEK**      **SEK**      **SEK**      **SEK**      **SEK**

3654      4158      4347      4652      5019      5765  
3654      4158      4347      4652      5019      5765

**Accessories**

**186** Four-wheeled trolley  
for 6 multipurpose chairs

4011      4011      4011      4011      4011      4011

			60			
			64			
			65			
			66	91		
	37		68	92	74	
	38					87

**Multipurpose chair**

83 57 58  
44



**222/12**

Four-leg frame with padding on the inside  
Coated frame, color-matched with the shell, not  
stackable  
Bright chrome-plated frame, not stackable

**SEK**      **SEK**      **SEK**      **SEK**      **SEK**      **SEK**

5628      6500      6773      7245      8873      11120  
5628      6500      6773      7245      8873      11120



**Multipurpose chair**

83 57 54  
44



**222/100**

Sled (skid) base, without upholstery

Coated base frame, color-matched with the shell, with multipurpose glides (optionally with felt insert)

Bright chrome-plated aluminum frame

**SEK**

2667

2667

**Additional charge/reduced prices**

Multipurpose glides for bright chrome-plated frame (optionally with felt insert)

158

**Accessories**

**222** Felt cushion

with non-slip coating, available in 6 colors

557

Upholstery material

			60			
			64			
			65			
			66			
			68			
				91		
				92		
					74	
						87
	37					
	38					
		51				
		54				
		58				

**Multipurpose chair**

83 57 54  
44



**222/101**

Sled (skid) base, with seat cushioning

Coated base frame, color-matched with the shell, with multipurpose glides (optionally with felt insert)

Bright chrome-plated aluminum frame

**SEK**

3654

3654

**SEK**

4158

4158

**SEK**

4347

4347

**SEK**

4652

4652

**SEK**

5019

5019

**SEK**

5765

5765

**Additional charge/reduced prices**

Multipurpose glides for bright chrome-plated frame (optionally with felt insert)

158

158

158

158

158

158

			60			
			64			
			65			
			66			
			68			
				91		
				92		
					74	
						87
	37					
	38					
		51				
		54				
		58				

**Multipurpose chair**

83 57 54  
44



**222/102**

Sled (skid) base, with padding on the inside

Coated base frame, color-matched with the shell, with multipurpose glides (optionally with felt insert)

Bright chrome-plated aluminum frame

**SEK**

5628

5628

**SEK**

6500

6500

**SEK**

6773

6773

**SEK**

7245

7245

**SEK**

8873

8873

**SEK**

11120

11120

**Additional charge/reduced prices**

Multipurpose glides for bright chrome-plated frame (optionally with felt insert)

158

158

158

158

158

158



**Multipurpose chair**

83 57 55  
44



**222/20**

Solid oak four-leg frame with a natural oiled finish  
not upholstered  
not stackable

**SEK**

4641

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
5628	6132	6321	6626	6993	7739

**Multipurpose chair**

83 57 55  
44



**222/21**

Solid oak four-leg frame with a natural oiled finish  
with seat cushioning  
not stackable

			60		
			64		
			65		
			66	91	
			68	92	74
	37	51			
	38	54			
		58			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
7602	8474	8747	9219	10847	13094

**Multipurpose chair**

83 57 55  
44



**222/22**

Solid oak four-leg frame with a natural oiled finish  
with padding on the inside  
not stackable





**Visitor chair**

83 57 56  
44



**222/30**

Four-star base frame, not upholstered,  
swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

**SEK**

5471  
5471

557

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	
				74	
					87

**Visitor chair**

83 57 56  
44



**222/31**

Four-star base frame  
with seat cushioning, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
6458	6962	7151	7455	7823	8568
6458	6962	7151	7455	7823	8568

			60		
			64		
			65		
			66	91	
			68	92	
				74	
					87

**Visitor chair**

83 57 56  
44



**222/32**

Four-star base frame  
with padding on the inside, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
8432	9303	9576	10049	11676	13923
8432	9303	9576	10049	11676	13923



**Task chair**

83 66 65  
44



**222/40**

Five-star base frame, not upholstered on casters, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

5607  
5607

**Accessories**

**222** Felt cushion with non-slip coating, available in 6 colors

557

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	74
37	51	60	91	74	87
38	54	64	92		
	58	65			
		66			
		68			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
6594	7098	7287	7592	7959	8705
6594	7098	7287	7592	7959	8705

**Task chair**

83 66 65  
44



**222/41**

Five-star base frame on casters, with seat cushioning, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

			60		
			64		
			65		
			66	91	
			68	92	74
37	51	60	91	74	87
38	54	64	92		
	58	65			
		66			
		68			
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
8568	9440	9713	10185	11813	14060
8568	9440	9713	10185	11813	14060

**Task chair**

83 66 65  
44



**222/42**

Five-star base frame on casters, with padding on the inside, swivel-mounted  
Coated frame, color-matched with the shell  
Bright chrome-plated frame



**Height-adjustable task chair**

80/91 H65 H62  
39/51



**222/00**

Five-star base, not upholstered  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**SEK**

4316  
4715  
5786

**Accessories**

**222** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

			60			
			64			
			65			
			66	91		
	37	51	68	92	74	87
	38	58				

**Height-adjustable task chair**

80/91 H65 H62  
39/51



**222/01**

Five-star base, with padding on the inside  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**SEK**

5303  
5702  
6773

**SEK**

5807  
6206  
7277

**SEK**

5996  
6395  
7466

**SEK**

6300  
6699  
7770

**SEK**

6668  
7067  
8138

**SEK**

7413  
7812  
8883

**Additional charge/reduced prices**

Active rocking mechanism

504

504

504

504

504

504

			60			
			64			
			65			
			66	91		
	37	51	68	92	74	87
	38	58				

**Height-adjustable task chair**

80/91 H65 H62  
39/51



**222/02**

Five-star base, with padding on the inside  
on casters, precision-adjustable height  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame

**SEK**

7277  
7676  
8747

**SEK**

8148  
8547  
9618

**SEK**

8421  
8820  
9891

**SEK**

8894  
9293  
10364

**SEK**

10521  
10920  
11991

**SEK**

12768  
13167  
14238

**Additional charge/reduced prices**

Active rocking mechanism

504

504

504

504


504

504



**Counter stool**

▣96/121 ▣67 ▣64  
▣55/80



**222/50**

Five-star base, not upholstered on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

6311  
6972  
7361  
7497

**Accessories**

**222** Felt cushion with non-slip coating, available in 6 colors


557

Upholstery material

			60			
			64			
			65			
	37	51	66	91		
	38	54	68	92	74	87
		58				

**Counter stool**

▣96/121 ▣67 ▣64  
▣55/80



**222/51**

Five-star base, with seat cushioning, on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

7298  
7959  
8348  
8484

**SEK**

7802  
8463  
8852  
8988

**SEK**

7991  
8652  
9041  
9177

**SEK**

8295  
8957  
9345  
9482

**SEK**

8663  
9324  
9713  
9849


**SEK**

9408  
10070  
10458  
10595

			60			
			64			
			65			
	37	51	66	91		
	38	54	68	92	74	87
		58				

**Counter stool**

▣96/121 ▣67 ▣64  
▣55/80



**222/52**

Five-star base, with padding on the inside, on casters, precision adjustable height, with foot ring, bright chrome-plated (precision-adjustable height)  
Plastic star base  
Coated aluminum star base  
Polished aluminum star base  
High-luster polished aluminum frame

**SEK**

9272  
9933  
10322  
10458

**SEK**

10143  
10805  
11193  
11330

**SEK**

10416  
11078  
11466  
11603

**SEK**

10889  
11550  
11939  
12075

**SEK**


12516  
13178  
13566  
13703

**SEK**

14763  
15425  
15813  
15950



**Bar stool**  
☐ 77/87 ☐ 53/54 ☐ 51/52



**223/10**

Skid (sled) base, without upholstery, up to 10 stackable free-standing, seating height 65 cm  
Coated frame, color-matched with the shell  
Bright chrome-plated frame  
Skid (sled) base, without upholstery, up to 10 stackable free-standing, seating height 75 cm  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**Accessories**

**223** Bar stool felt cushion  
with non-slip coating, available in 6 colors


**SEK**

3161  
3161  
3161  
3161

557

Upholstery material

**Bar stool**  
☐ 77/87 ☐ 53/54 ☐ 51/52



**223/11**

Skid (sled) base with seat cushioning, not stackable, seating height 65 cm  
Coated frame, color-matched with the shell  
Bright chrome-plated frame  
Skid (sled) base with seat cushioning, not stackable, seating height 75 cm  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

			60		
			64		
			65	91	
			66	92	
			68	92	74
	37	51			
	38	54			
		58			
	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
	4148	4652	4841	5145	5513
	4148	4652	4841	5145	6258
	4148	4652	4841	5145	5513
	4148	4652	4841	5145	6258



**Bar stool**

77/87 49/52 47/49



**223/20**

Solid oak four-leg frame with a natural oiled finish, not upholstered, **65 cm seating height** not stackable  
Solid oak four-leg frame with a natural oiled finish, not upholstered, **75 cm** seating height not stackable

**Accessories**

**223** Bar stool felt cushion with non-slip coating, available in 6 colors

**SEK**

5376

5376


557

Upholstery material

			60		
			64		
			65	91	
			66	92	74
			68		87
	37	51	60	91	
	38	54	64	92	74
		58	65		
			66		
			68		
	SEK	SEK	SEK	SEK	SEK
	6363	6867	7056	7361	7728
	6363	6867	7056	7361	8474

**Bar stool**

77/87 49/52 47/49




**223/21**

Solid oak four-leg frame with a natural oiled finish, with seat cushioning, seating height 65 cm not stackable  
Solid oak four-leg frame with a natural oiled finish, with seat cushioning, seating height 75 cm not stackable



**Height-adjustable bar stool**

62/88 45 45  
50/76



**223/90**

Base plate with column, without upholstery  
with precision-adjustable height  
Brushed stainless steel base frame

**SEK**

5996

**Accessories**

**223** Bar stool felt cushion  
with non-slip coating, available in 6 colors


557

Upholstery material

			60		
			64		
			65		
			66	91	
	37	51	68	92	74
	38	58			87
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
6983	7487	7676	7980	8348	9093

**Height-adjustable bar stool**

62/88 45 45  
50/76



**223/91**

Base plate with column, with seat cushioning  
with precision-adjustable height  
Brushed stainless steel base frame

**SEK**

6983

**SEK**

7487

**SEK**

7676

**SEK**

7980

**SEK**

8348

**SEK**

9093





# 224/225 Range

## Occo Conference / Occo Lounge

Design: jehs+laub



### Technical details

#### Function

A versatile chair range in a high-quality design, with six types of frame, two backrest heights, two types of upholstery and a wide range of covers, configurable for all sorts of different areas ranging from lounges where people work, areas in the middle of rooms, workspaces, meeting spaces and conference rooms, as well as company restaurants, bistros and dining rooms, or also lobbies, cozy spaces with fireplaces or TV areas. Excellent ergonomics and superb comfort due to upholstered areas with different levels of firmness. Fully upholstered seat body with integrated armrest pads and a distinctive cut-out section between the seat and the backrest to marry a lightweight appearance with the comforting appeal of a shell chair. With replaceable covers, whose stitching and clamps trace the three-dimensional contours and zones of the upholstered component precisely and in a form-fit way.

#### Frame

##### Four-leg frame, steel, models 224/13, 224/14

Tubular steel frame, 18 mm in diameter, with a textured matte finish coated in white or black or with bright chrome plating.

##### Solid wood four-leg frame, models 224/23, 224/24, 225/23, 225/24

Tubular steel seat bearer in dark gray with a textured matte finish to attach the seat shell and the four tapered legs made of solid oak with a natural oiled finish. In the 225 range lounge models, the seat shell can be tilted backward by 8°.

##### Sled (skid) base models 224/103, 224/104, 225/103, 225/104

Sled (skid) base made of steel rod, 12 mm diameter, with a textured matte finish, coated in black and white, or with bright chrome plating. Coated frames as a standard and, if required, bright chrome-plated frames optionally with multipurpose glides made of black

polyamide, optionally with additional felt insert. The 225/103 and 225/104 lounge models can be tilted backward by 8°.

##### Four-star base frame, models 224/33, 224/34

Butted tubular steel frame, with a textured matte finish, coated in white or black or with bright chrome plating, with steel glides in dark gray with a textured matte finish, with multipurpose glides for soft and hard flooring, for sensitive flooring, please order with extra felt glides (at no additional charge).

##### Five-star base frame, models 224/43, 224/44

Butted tubular steel frame, with a textured matte finish, coated in white or black or with bright chrome plating with twin-wheel swivel casters with load-dependent braking, made of black polyamide, compliant with DIN EN 12529 as the standard version for carpets, optionally available with gray polyurethane tire for hard flooring.

##### Four-star base, models 224/53, 224/54, 225/53, 225/54

Four-star base made of die-cast aluminum with a textured matte finish, coated white or black, matte polished or with bright chrome plating, with a swivel-mounted stainless steel column (optionally with swivel-return mechanism), in the 225 range lounge models, the seat shell can be tilted 8° backward.

Models 224 with active rocking technology, a lever locks it in a horizontal 0 position, with die-cast aluminum, matte-polished body. Black, multipurpose glides made of plastic for all types of flooring. Optionally with base glides with a larger contact area for sensitive floorings, either to match the star base with a textured matte finish, coated white or black, matte chrome-plated (matte-polished star base) or bright chrome plated (with a bright chrome-plated star base). Black polyamide glides for carpets. For hard floors (e.g. stone), please order with soft TPU, for

#### Occo Conference four-leg chair and star base

##### Base frames

51	Bright chrome-plated
90	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)

#### Four star and five-star base

	Star base	Gas lift	Column	Mechanism	Casters	Base glides
51	Bright chrome-plated	Bright chrome-plated	Stainless steel	Matte-polished aluminum	Black	Bright chrome-plated
79	Matte-polished aluminum	Bright chrome-plated	Stainless steel	Matte-polished aluminum	Black	Matte chrome-plated
90	Coated with a black textured matte finish (RAL9011)	Coated black	Stainless steel	Matte-polished aluminum	Black	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)	Bright chrome-plated	Stainless steel	Matte-polished aluminum	Black	Coated white with a textured matte finish (RAL9016)

#### Occo Lounge four-star base

	Star base	Column	Base glides
51	Bright chrome-plated	Stainless steel	Bright chrome-plated
79	Matte-polished aluminum	Stainless steel	Matte chrome-plated
90	Coated with a black textured matte finish (RAL9011)	Stainless steel	Coated with a black textured matte finish (RAL9011)
91	Coated white with a textured matte finish (RAL9016)	Stainless steel	Coated white with a textured matte finish (RAL9016)



---

wooden floors (e. g. parquet) with additional felt. These glides change the models' sitting height from 224 to 44 cm.

Models 224 optionally, compliant with DIN EN 1335 and ANSI/BIFMA X 5.1, with twin-wheel swivel casters with load-dependent braking made of black polyamide compliant with DIN EN 12529, as the standard version for carpets, with gray polyurethane tire for hard flooring. The casters change the seating height to 45 cm.

**Five-star base, models 224/63, 224/64**

Five-star base made of die-cast aluminum with a textured matte finish, coated in white or black, matte polished or with bright chrome plating, with swivel-mounted gas lift column and active rocking technology, a lever allows the height to be precision adjusted and locked in a horizontal neutral 0 position, with a die-cast aluminum housing, matte polished. Compliant with DIN EN 1335 and ANSI/BIFMA X 5.1 with twin-wheel swivel casters with load-dependent braking made of black polyamide compliant with DIN EN 12529, as the standard version for carpets; with gray polyurethane tyre for hard flooring.

**Seat and backrest**

Unitary seat shell with integrated armrests and backrest shell, each made of molded plywood, fully padded and covered with PUR molded foam, in different levels of firmness depending on the are upholstered. Seat and backrest shell joined with concealed screws. Covers with contour-creating stitching in the seat and backrest, fixed to the upholstery with clamps, replaceable. Optional seat or seat and backrest with exceptionally soft, looser-fit upholstery (not available in fabric 54, 68 and 91) which is achieved by using more material and less tautness in the covers.

**Information**

For quality management reasons, we don't offer white leather (74/72). All other standard leather colors are possible.

The nature of looser-fit upholstery means that it creases more and therefore doesn't constitute grounds for complaint.



		38	51 54	60 64 65 68	91 92	74	87
<b>Standard height backrest</b> H93 H66 H64 H44	<b>224/13</b> Four-leg frame Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK 11592 11592	SEK 12317 12317	SEK 13062 13062	SEK 14333 14333	SEK 18165 18165	SEK 23373 23373
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893



		38	51 54	60 64 65 68	91 92	74	87
<b>Medium-height backrest</b> H103 H66 H64 H44	<b>224/14</b> Four-leg frame Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK 12411 12411	SEK 13293 13293	SEK 14112 14112	SEK 15456 15456	SEK 19488 19488	SEK 24770 24770
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893




		38	51 54	60 64 65 68	91 92	74	87
<b>Standard height backrest</b> H93 H66 H64 H44	<b>224/23</b> Solid oak four-leg frame with a natural oiled finish Fully upholstered seat and backrest shell	SEK 13545	SEK 14270	SEK 15015	SEK 16286	SEK 20118	SEK 25326
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893







		38	51 54	60 64 65 68	91 92	74	87
<b>Medium-height backrest</b> H103 H66 H64 H44	<b>224/24</b> Solid oak four-leg frame with a natural oiled finish Fully upholstered seat and backrest shell	SEK 14364	SEK 15246	SEK 16065	SEK 17409	SEK 21441	SEK 26723
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893






		38	51 54	60 64 65 68	91 92	74	87
<b>Standard height backrest</b> H93 H66 H63 H44	<b>224/33</b> Swivel-mounted four-star base frame Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK 15971 15971	SEK 16695 16695	SEK 17441 17441	SEK 18711 18711	SEK 22544 22544	SEK 27752 27752
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893



		38	51 54	60 64 65 68	91 92	74	87
<b>Medium-height backrest</b> H103 H66 H63 H44	<b>224/34</b> Swivel-mounted four-star base frame Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK 16790 16790	SEK 17672 17672	SEK 18491 18491	SEK 19835 19835	SEK 23867 23867	SEK 29148 29148
	<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893







		38	51 54	60 64 65 68	91 92	74 87	
<b>Standard height backrest</b>  H93 H66 H63 H44	<b>224/43</b> Swivel-mounted five-star base frame on casters Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK	SEK	SEK	SEK	SEK	
		16307	17031	17777	19047	22880	28088
		16307	17031	17777	19047	22880	28088
		<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)					
		662	662	662	662	662	
		893	893	893	893	893	
<b>Medium-height backrest</b>  H103 H66 H63 H44	<b>224/44</b> Swivel-mounted five-star base frame on casters Fully upholstered seat and backrest shell Coated frame Bright chrome-plated frame	SEK	SEK	SEK	SEK	SEK	
		17126	18008	18827	20171	24203	29484
		17126	18008	18827	20171	24203	29484
		<b>Additional charge/reduced prices</b> Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)					
		662	662	662	662	662	
		893	893	893	893	893	
<b>Standard height backrest</b>  H92 H66 H63 H43	<b>224/53</b> Swivel-mounted, aluminum four-star base Active rocking mechanism Aluminum coated frame Matte polished aluminum frame Bright chrome-plated aluminum frame	SEK	SEK	SEK	SEK	SEK	
		14133	14858	15603	16874	20706	25914
		14532	15257	16002	17273	21105	26313
		15603	16328	17073	18344	22176	27384
<b>Additional charge/reduced prices</b> Swivel-return mechanism							
		1523	1523	1523	1523	1523	
		651	651	651	651	651	
		609	609	609	609	609	
		662	662	662	662	662	
		893	893	893	893	893	



		38	51 54	60 64 65 68	91 92	74	87	
<b>Medium-height backrest</b> E102 H66 H63 E43		<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	
	<b>224/54</b>							
	Aluminum four star base, Active rocking mechanism	14952	15834	16653	17997	22029	27311	
	Aluminum coated frame	15351	16233	17052	18396	22428	27710	
	Matte polished aluminum frame	16422	17304	18123	19467	23499	28781	
	Bright chrome-plated aluminum frame							
	<b>Additional charge/reduced prices</b>							
	Swivel-return mechanism	1523	1523	1523	1523	1523	1523	
	Base glides	651	651	651	651	651	651	
	Casters	609	609	609	609	609	609	
	Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662	
Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893		
<b>Standard height backrest</b> E88/98 H66 H63 E39/49		<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	
	<b>224/63</b>							
	Aluminum five-star base on casters precision-adjustable height rocking mechanism	14543	15267	16013	17283	21116	26324	
	Aluminum coated frame	14942	15666	16412	17682	21515	26723	
	Matte polished aluminum frame	16013	16737	17483	18753	22586	27794	
	Bright chrome-plated aluminum frame							
	<b>Additional charge/reduced prices</b>							
	Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)	662	662	662	662	662	662	
	Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	893	893	893	893	893	893	
	<b>Medium-height backrest</b> E98/108 H66 H63 E39/49		<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
		<b>224/64</b>						
Aluminum five-star base on casters precision-adjustable height rocking mechanism		15362	16244	17063	18407	22439	27720	
Aluminum coated frame		15761	16643	17462	18806	22838	28119	
Matte polished aluminum frame		16832	17714	18533	19877	23909	29190	
Bright chrome-plated aluminum frame								
<b>Additional charge/reduced prices</b>								
Seat with looser-fit upholstery (not available in fabric 54, 68 and 91)		662	662	662	662	662	662	
Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)		893	893	893	893	893	893	



			60 64 65 68	91 92	74	87
		38	51 54			
<b>Standard height backrest</b>	<b>224/103</b>	SEK	SEK	SEK	SEK	SEK
■93 ■66 ■64 ■44	Sled (skid) base Fully upholstered seat and backrest shell Coated frame, with multipurpose glides (optionally with felt insert) Bright chrome-plated frame	11592 11592	12317 12317	13062 13062	14333 14333	18165 18165
	<b>Additional charge/reduced prices</b> Multipurpose glides for bright chrome-plated frame (optionally with felt insert) Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	158 893	158 893	158 893	158 893	158 893

			60 64 65 68	91 92	74	87
		38	51 54			
<b>Medium-height backrest</b>	<b>224/104</b>	SEK	SEK	SEK	SEK	SEK
■103 ■66 ■64 ■44	Sled (skid) base Fully upholstered seat and backrest shell Coated frame, with multipurpose glides (optionally with felt insert) Bright chrome-plated frame	12411 12411	13293 13293	14112 14112	15456 15456	19488 19488
	<b>Additional charge/reduced prices</b> Multipurpose glides for bright chrome-plated frame (optionally with felt insert) Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	158 893	158 893	158 893	158 893	158 893



		38	51 54	60 64 65 68	91 92	74	87
--	--	----	----------	----------------------	----------	----	----

**Standard height backrest**

80 66 68  
41



**225/23**

Solid oak four-leg frame with a natural oiled finish lounge version  
Fully upholstered seat and backrest shell

**Additional charge/reduced prices**

Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)

SEK	SEK	SEK	SEK	SEK	SEK
13545	14270	15015	16286	20118	25326
893	893	893	893	893	893

		38	51 54	60 64 65 68	91 92	74	87
--	--	----	----------	----------------------	----------	----	----

**Medium-height backrest**

90 66 68  
41



**225/24**

Solid oak four-leg frame with a natural oiled finish lounge version  
Fully upholstered seat and backrest shell

**Additional charge/reduced prices**

Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)

SEK	SEK	SEK	SEK	SEK	SEK
14364	15246	16065	17409	21441	26723
893	893	893	893	893	893

		38	51 54	60 64 65 68	91 92	74	87
--	--	----	----------	----------------------	----------	----	----

**Standard height backrest**

80 66 68  
40



**225/53**

Four-star base made of die-cast aluminum, swivel-mounted  
Lounge version  
Fully upholstered seat and backrest shell  
Aluminum coated frame  
Matte-polished aluminum frame  
Bright chrome-plated aluminum frame




**Additional charge/reduced prices**

Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)  
Swivel-return mechanism  
Base glides

SEK	SEK	SEK	SEK	SEK	SEK
13986	14711	15456	16727	20559	25767
14385	15110	15855	17126	20958	26166
15456	16181	16926	18197	22029	27237
893	893	893	893	893	893
1523	1523	1523	1523	1523	1523
651	651	651	651	651	651





		38	51 54	60 64 65 68	91 92	74	87
<b>Medium-height backrest</b> H 90 H 66 H 71 W 40	<b>225/54</b> Four-star base made of die-cast aluminum, swivel-mounted Lounge version Fully upholstered seat and backrest shell Aluminum coated frame Matte-polished aluminum frame Bright chrome-plated aluminum frame	SEK 14805 15204 16275	SEK 15687 16086 17157	SEK 16506 16905 17976	SEK 17850 18249 19320	SEK 21882 22281 23352	SEK 27164 27563 28634
	<b>Additional charge/reduced prices</b> Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91) Swivel-return mechanism Base glides	893 1523 651	893 1523 651	893 1523 651	893 1523 651	893 1523 651	893 1523 651
<b>Standard height backrest</b> H 80 H 66 H 68 W 37	<b>225/103</b> Sled (skid) base lounge version Fully upholstered seat and backrest shell Coated aluminum frame, with multipurpose glides (optionally with felt insert) Bright chrome-plated frame	SEK 11592 11592	SEK 12317 12317	SEK 13062 13062	SEK 14333 14333	SEK 18165 18165	SEK 23373 23373
	<b>Additional charge/reduced prices</b> Multipurpose glides for bright chrome-plated frame (optionally with felt insert) Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	158 893	158 893	158 893	158 893	158 893	158 893
<b>Medium-height backrest</b> H 89 H 66 H 68 W 37	<b>225/104</b> Sled (skid) base lounge version Fully upholstered seat and backrest shell Sled (skid) base lounge version Fully upholstered seat and backrest shell Bright chrome-plated frame	SEK 12411 12411	SEK 13293 13293	SEK 14112 14112	SEK 15456 15456	SEK 19488 19488	SEK 24770 24770
	<b>Additional charge/reduced prices</b> Multipurpose glides for bright chrome-plated frame (optionally with felt insert) Seat and backrest with looser-fit upholstery (not available in fabric 54, 68 and 91)	158 893	158 893	158 893	158 893	158 893	158 893



# 227 Range Pep

Design: Wilkhahn



## Technical details

### Function

A task chair as a visitor chair that combines ergonomic comfort with a clear design language. Areas used: meeting rooms, public service areas and offices at home.

### Seat and backrest


Unitary plywood shell fully padded with PUR (CFC-free) with additional padding and covered optionally on all sides with fabric or leather.

### Armrests

Armrests in black polyamide.

### Standards

The PEP multipurpose chairs comply with the DIN EN 16139-L1 office-chair standard.

		Upholstery material					
		47	51 54	60 64 65 66 68	91 92	74	87
		SEK	SEK	SEK	SEK	SEK	SEK
<b>Multipurpose chair</b> 	<b>227/33</b> fully upholstered, without armrests, with contact suppression feature, four-star base frame on glides, Aluminum coated frame Polished aluminum frame	7991 7991	8337 8337	8673 8673	9356 9356	10584 10584	13367 13367
	<b>Additional charge/reduced prices</b> Polyamide armrests Casters	1659 137	1659 137	1659 137	1659 137	1659 137	1659 137

### Task chair

### Base frame

- 53 Coated black (RAL9011)
- 60 Coated with a silver satin finish (RAL9006)
- 90 Coated with a black textured matte finish (RAL9011)
- 91 Coated white with a textured matte finish (RAL9016)



# Programm 230

## Aline

Design: Andreas Störiko



### Technical details

#### Function

Stylish and coherently designed, multipurpose furnishing range for meetings, consultations and seminars, in showrooms and event spaces, areas for breaks, lounges and bistros, as well as libraries, Internet cafés or home offices.

#### Multipurpose chair

Lightweight, transparent and stackable multipurpose chair for meetings, customer service, seminars and settings requiring lots of chairs. Compact and form-fit stacking with just 20 mm more space taken per chair thanks to the self-engaging seat and backrest frames (when 15 chairs are stacked, the total height is just 106 cm). Weight 5.1 kg without armrests or 5.4 kg (with armrests).

Multipurpose chair optionally with seat cushioning, as a stackable or non-stackable version. The stackable versions come with extra stacking bumpers and allow compact and form-fit stacking.

#### Bar stool

Stylish and transparent bar stool with a backrest and footrest, optionally with seat cushioning.

#### Task and visitor chairs

Simple, transparent swivel-mounted visitor task chairs and height-adjustable office task chairs for meetings and consultations, Internet cafés, showrooms and hot desking spaces.

#### Frame

##### Multipurpose chair

Multipurpose chair: Sled base made of steel rod, 12 mm in diameter, bright chrome-plated, designed as a support for the seat frame at the front, inserted through the seat frame into the backrest frames at the rear. If required, black plastic multipurpose glides for all types of flooring, optionally with additional felt inserts.

When ordering the inline connector model 238, multipurpose glides, optionally with additional felt insert for flooring that easily scratches (e.g. stone, parquet) are automatically applied.

##### Bar stool

Like the multipurpose chair, but not stackable, additional reinforcement with bright chrome-plated flat-steel stretcher (16 x 6 mm) and steel rod footrest.

##### Task and visitor chair

Four-star base (visitor chair) or five-star base (task chair) in die-cast aluminum, bright chrome-plated. Task chair with black poly-

amide glides (for soft flooring), or black polyurethane (for hard flooring), optionally with additional felt insert. Task chair with twin-wheel swivel casters in black polypropylene with load-dependent braking (for soft floors) or with a soft tire (for hard floors); anti-static casters on request. Fixed height swivel pedestal with contact suppression feature (visitor chair) swivel-mounted column (task chair) with precision-adjustable height, bright chrome-plated tube.

##### Seat and backrest

Mod. 230/1, 230/2, 230/5 seat- and backrest frame made of high strength, fiberglass-reinforced polyamide, optionally black, gray oder white through-dyed, covered with high-performance, covered polyester fabric, optionally color-matched with seat- and backrest frame. When the seat- and backrest frame are black through-dyed, optionally with a two-color cover in copper-black or silver-black possible as well. Backrest frame optionally with or without armrests in the same material and color. Optionally with a polypropylene seat shell and cut-foam seat cushioning.

Stackable variants with fiberglass-reinforced polyamide stacking bumper that color-matches the seat and backrest frame.

Task and visitor chairs (models 232/1, 232/2), optionally with seat cushioning made of cut foam, with stitched fluting cover, upholstery thickness 10 mm.

#### Accessories

Optional for the multipurpose chair: Automatically retractable inline connectors type 231 made of matte chrome-plated steel. Inline connectors, type 238, only with special multipurpose glides made of black POM for hard and soft floorings, or with felt insert for flooring that easily scratches. Chairs with armrests can only be linked alternately with chairs without armrests. Four-wheeled trolley that nests into other trolleys made of black-coated tubular steel with four ball-bearing-mounted wheels for hard and soft floorings, two of which are lockable directional wheels.

#### Standards

The stackable Aline chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 office-chair standard. Compliant with the DIN EN 16139-L1 office-chair standard, up to 13 multipurpose chairs can be stacked vertically.



www.tuv.com  
ID 109000000



#### Multipurpose and counter chairs

##### Base frame

51 Bright chrome-plated

#### Task and visitor chairs


##### Base frame

51 Bright chrome-plated



**Multipurpose chair**

78 54 58  
44



**230/1**

Multipurpose chair, up to 15 chairs  
stackable free-standing,  
covered seat and backrest frame  
Bright chrome-plated frame

**Additional charge/reduced prices**


Inline connector  
Higher backrest (total height: 80 cm)  
Seat cushioning  
Seat cushioning, stackable version, up to  
10 chairs

Polyester fabric in copper-black or silver-  
black (only for black through-dyed seat  
and backrest frames)  
Multipurpose glides (for soft and hard  
floorings)  
Multipurpose glides with felt insert

SEK	SEK	SEK	SEK	SEK	SEK
	38	47	54 58	60 66 68	91
4715					
578					
221					
	1050	1323	1470	1638	1901
	1281	1523	1701	1922	2258
305					
95					
158					

**Multipurpose chair**

78 59 58  
44



**230/2**

With armrests  
multipurpose chair, up to 15 chairs  
stackable free-standing  
covered seat and backrest frame  
Bright chrome-plated frame

**Additional charge/reduced prices**




Inline connector  
Higher backrest (total height: 80 cm)  
Seat cushioning  
Seat cushioning, stackable version, up to  
10 chairs


Polyester fabric in copper-black or silver-  
black (only for black through-dyed seat  
and backrest frames)  
Multipurpose glides (for soft and hard  
floorings)  
Multipurpose glides with felt insert

SEK	SEK	SEK	SEK	SEK	SEK
	38	47	54 58	60 66 68	91
5240					
578					
221					
	1050	1323	1470	1638	1901
	1281	1523	1701	1922	2258
305					
95					
158					

Black plastic multipurpose glides for all types of flooring, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case). On request with black polyamide glides so that the seating can be used on different floorings, optionally with extra felt insert (for flooring that easily scratches like stone or parquet). Stackable chairs with armrests only alternately with stackable chairs without armrests.



**Bar stool**  
 105  54  61  
 69



**230/5**  
 Footrest,  
 covered seat and backrest frame  
 Bright chrome-plated frame

**Additional charge/reduced prices**  
 Seat cushioning

Polyester fabric in copper-black or silver-black (only for black through-dyed seat and backrest frames)  
 Multipurpose glides (for soft and hard floorings)  
 Multipurpose glides with felt insert

	38	47	54 58	60 66 68	91
SEK	SEK	SEK	SEK	SEK	SEK
6258					
	1050	1323	1470	1638	1901
305					
95					
158					

Black plastic multipurpose glides for all types of flooring, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case). On request with black polyamide glides so that the seating can be used on different floorings, optionally with extra felt insert (for flooring that easily scratches like stone or parquet). Stackable chairs with armrests only alternately with stackable chairs without armrests.



**Task chair**

76/88 H 65 64  
40/52



**232/1**

Covered seat and backrest frame,  
precision-adjustable height  
Bright chrome-plated frame

**SEK**

7560

**Additional charge/reduced prices**

Higher backrest (total height 78/90 cm)  
Electrically conductive casters

221

515

Polyester fabric in copper-black or silver-black (only for black through-dyed seat and backrest frames)

305

Seat cushioning with a cover with stitched fluting (only when upholstery material 47 is chosen)

1544

**Task chair**

76/88 H 65 64  
40/52



**232/2**

With armrests  
covered seat and backrest frame,  
precision-adjustable height  
Bright chrome-plated frame

**SEK**

8085

**Additional charge/reduced prices**

Higher backrest (total height 78/90 cm)  
Electrically conductive casters

221

515

Polyester fabric in copper-black or silver-black (only for black through-dyed seat and backrest frames)

305

Seat cushioning with a cover with stitched fluting (only when upholstery material 47 is chosen)

1544

**Inline connector**




**231**

(for models 230/1 and 230/2)

578

**Four-wheeled trolley**



**232**

for 20 multipurpose chairs without seat cushioning  
for 15 multipurpose chairs with seat cushioning

7592

**Inline connector**



**238**

Inline connector for skid base, with glides for soft floorings, for assembly with/with, with/without and without/without armrests

452

Inline connector for skid base, with glides with felt insert, for assembly with/with, with/without and without/without armrests

504

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) All visitor chairs have glides for soft flooring (e. g. carpets). For hard floorings (e. g. stone) please order with soft glides, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case).



# 238 Range Aula

Design: Wolfgang C.R. Mezger



## Technical details

### Function

Lightweight, stackable multipurpose chair. Because of its form, elasticity and ergonomically designed seat shells made of plastic or plywood, Aula is exceptionally comfortable to sit on for long periods of time. Four colors, four types of upholstery and three frame variants tap into a wide range of options for features and designs in conference and multipurpose spaces, meeting areas, cafeterias, seminar and conference centers or co-working spaces.

### Frame/armrests

**Models 238/10, 238/11, 238/12, 238/13 and 239/10, 239/11, 239/12 with stackable all-plastic frames** made of through-dyed, fiberglass-reinforced ultramid, in white, black, gray and gray-beige to match the seat shell, with multipurpose glides, optionally with felt glides, optionally with or without armrests in the same material and color, retrofittable on request.

**Models 238/20, 238/21, 238/22 and und 239/20, 239/21, 239/22 with a skid (sled) base made of steel rod**

(Ø 12 mm), bright chrome-plated or in a textured matte finish coated white, black, gray and gray-beige (in the case of plastic shells, color-matched as far as possible) with multipurpose glides, optionally with additional felt insert, optionally with or without armrests in the same material and color. PVC-free, tube-shaped armrest pad made of black-gray, thermoplastic elastomer. Armrests not retrofittable.

**Please note: Not stackable in the version with a leather cover. Stacking versions with coated frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.**

**Models 238/30, 238/33 and 239/30 - 239/32 with round steel tubing four-leg frames.**

(Ø 18 mm), bright chrome-plated or as far as possible color-matched in a textured matte finish and coated in white, black, gray or

gray-beige, with fitted inline connectors made of black, through-dyed fiberglass-reinforced polyamide and multipurpose glides, optionally with additional felt insert, optionally with or without armrests in the same material and color. PVC-free, tube-shaped armrest pad made of black-gray, thermoplastic elastomer. Armrests not retrofittable. Please note: Not stackable in the version with a leather cover. Stacking versions with coated frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.

### Seat and backrest

#### Models 238/10 - 238/32

Unitary, ergonomic molded seat shell made of through-dyed, fiberglass-reinforced polypropylene, similarly to the frame and armrests in white, black, gray or gray-beige. Models 238/11, 238/21 and 238/31 with seat cushioning, models 238/12, 238/22 and 238/32 with padding on the inside (=unitary seat and backrest cushioning) each with replaceable upholstery element made of plywood and breathable polyurethane foam.

#### Model 238/13 and 238/33

with fully upholstered and covered plywood shell with unitary seat and back cushioning made of breathable polyurethane foam.

#### Models 239/10 - 239/32

Unitary plywood shell with a natural beech veneer, natural oak veneer in a natural color, or oak veneer stained black, each sealed

with a clear fire-safe varnish (DIN 4102 B1). Models 239/11, 239/21 and 239/31 with seat cushioning, models 239/12, 239/22 and 239/32 with padding on the inside (=unitary seat and back cushioning) each with replaceable upholstery element made of plywood and breathable polyurethane foam. Optionally with flame-retardant CMHR foam.

### Accessories

Fixed inline connectors to link models with plastic frames (238/10 - 238/13, 239/10 - 239/12), without armrests, made of zinc-plated steel, blue zinc-plated (retrofittable). Adaptable, pull-out inline connectors to link up models with plastic frames (238/10 - 238/13 und 239/10 - 239/12), optionally without armrests, with armrests or in combination with frames with and without armrests, made of bent steel, blue zinc-plated with clip made of fiberglass-reinforced polyamide in anthracite (retrofittable).

Inline connectors when a writing tablet is added on request.

Inline connectors to link models with sled (skid) bases (238/20, 238/21, 238/22, 239/20, 239/21, 239/22), optionally without armrests, with armrests or in combination with frames with and without armrests in black, through-dyed polyamide.

### Multipurpose chair plastic frame

#### Base frame

50 Plastic

### Skid (sled) base multipurpose chair

#### Steel rod frame

51 Bright chrome-plated  
90 Coated with a black textured matte finish (RAL9011)  
91 Coated white with a textured matte finish (RAL9016)  
85 Coated gray with a textured matte finish (Pantone Cool Gray 10 C)  
86 Coated gray-beige with a textured matte finish (Pantone 7530 C)

### Multipurpose chair four-leg frame

#### Round steel tubing frame

51 Bright chrome-plated  
90 Coated with a black textured matte finish (RAL9011)  
91 Coated white with a textured matte finish (RAL9016)  
85 Coated gray with a textured matte finish (Pantone Cool Gray 10 C)  
86 Coated gray-beige with a textured matte finish (Pantone 7530 C)



Magnetic clip for seat and row numbering made of plastic in anthracite, can optionally be slotted onto the frame on the right or the left, only in conjunction with plastic frames (238/10 - 238/13 und 239/10 - 239/12).

Clips for row numbering when chairs have different frames on request. Number tags with white numbers on anthracite sheet steel.

Writing tablet to slot onto the armrest (only when plastic frames are chosen), can be folded up, table top made of black HPL, plastic linking device in black (retrofitable). Chairs can still be stacked.

#### Dimensions, weights

##### **238/10 - 238/13 und 239/10 - 239/12**

Seating height 45 cm,  
total height 81 cm,  
width without armrests 55 cm,  
with armrests 63 cm,  
depth 57 cm,  
armrest height 67 cm,  
center-to-center distances when chairs are linked in the combination of without/without armrests 55 cm, with/without armrests 60 cm, with/with armrests 64 cm.  
Weight (without upholstery):  
6 kg without armrests,  
6.75 kg with armrests

##### **238/30 - 238/33 and 239/30 - 239/32**

Seating height 45 cm,  
total height 81 cm,  
width without and with armrests 54 cm,  
depth 56 cm,  
armrest height 67 cm,  
center-to-center distances in linkage options of all combinations 56 cm,  
weight (without upholstery):  
7.15 kg without armrests,  
7.46 kg with armrests

##### **238/30, 238/31, 238/32**

Seating height 45 cm,  
total height 81 cm,  
width without armrests 52 cm,  
with armrests 56 cm,  
depth 56 cm,  
armrest height 67 cm.  
Center-to-center distances when linked regardless of combinations 51 cm,  
weight (without upholstery):  
5.5 kg without armrests,  
6.1 kg with armrests

#### **Maximum number of chairs that can be stacked:**

Maximum number of chairs that can be stacked: 15 free-standing with plastic and tubular steel frames, 10 with a sled (skid) base, 10 on four-wheeled trolleys, height between chairs when stacked: 90

mm with a plastic frame, 37 mm/52 mm with sled (skid) base (not upholstered/upholstered), 55 mm with a tubular steel frame.

#### **Standards**

The stackable Aula chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 office-chair standard.  
Compliant with the DIN EN 16139-L1 office-chair standard, up to 10 multipurpose chairs can be stacked vertically.




#### **Please note**

Stacking the models with plastic frames chairs can cause shine and pressure marks.  
Stacking models with coated metal frames can cause color to rub off, which is not covered by our guarantee. We recommend chrome-plated frames for this purpose.



**Multipurpose chair**

81 55 57  
45



**238/10**

Plastic shell  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley,  
Plastic frame

**SEK**

2688

**Additional charge/reduced prices**

Polyamide armrests

704

Inline connector, permanent for linking chairs without/without armrest

273


Inline connector, extendable for linking chairs with/with armrest and with/without armrest

473



**Multipurpose chair**

■81 ■55 ■57  
■45



**238/11**

Plastic shell  
with seat cushioning  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley,  
Plastic frame


**Additional charge/reduced prices**

Polyamide armrests  
Inline connector, permanent for linking chairs  
without/without armrest  
Inline connector, extendable for linking chairs  
with/with armrest and with/without armrest

				60	
				64	
			51	65	
			54	66	
			58	68	
	37				91
	38	47			74
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
3686	4053	4190	4389	4694	4767
704	704	704	704	704	704
273	273	273	273	273	273
473	473	473	473	473	473

**Multipurpose chair**

■81 ■55 ■57  
■45



**238/12**

Plastic shell  
with padding on the inside  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley,  
Plastic frame


**Additional charge/reduced prices**

Polyamide armrests  
Inline connector, permanent for linking chairs  
without/without armrest  
Inline connector, extendable for linking chairs  
with/with armrest and with/without armrest

				60	
				64	
			51	65	
			54	66	
			58	68	
	37				91
	38	47			74
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
4809	5681	5943	6216	6479	6636
704	704	704	704	704	704
273	273	273	273	273	273
473	473	473	473	473	473

**Multipurpose chair**

■81 ■55 ■57  
■45



**238/13**

fully upholstered  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley,  
Plastic frame

**Additional charge/reduced prices**

Polyamide armrests  
Inline connector, permanent for linking chairs  
without/without armrest  
Inline connector, extendable for linking chairs  
with/with armrest and with/without armrest

				60	
				64	
			51	65	
			54	66	
			58	68	
	38				91
		47			74
<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
6794	7665	7928	8201	8463	8621
704	704	704	704	704	704
273	273	273	273	273	273
473	473	473	473	473	473


All chairs with plastic frames come with multipurpose glides for soft and hard floorings, please order with extra felt glides (at no extra charge) for sensitive flooring.

**Aula**  
Multipurpose chair



**Multipurpose chair**

81 54 56  
45



**238/20**

Plastic shell  
skid (sled) base, up to 10 stackable free-standing or on a four-wheeled trolley  
Coated sled (skid) base, with multipurpose glides (optionally with felt insert)  
Bright chrome-plated sled (skid) base

SEK

2982  
2982

**Additional charge/reduced prices**

Armrests  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert


704  
158

Upholstery material

			60			
			64			
			65			
			66	91		
37			68	92		
38	47				74	

**Multipurpose chair**

81 54 56  
45



**238/21**

Plastic shell  
with seat cushioning  
skid (sled) base, up to 10 stackable free-standing or on a four-wheeled trolley  
Coated skid (sled) base, with multipurpose glides (optionally with felt insert)  
Bright chrome-plated skid (sled) base

SEK SEK SEK SEK SEK SEK

3980 4347 4484 4683 4988 5061  
3980 4347 4484 4683 4988 5061

**Additional charge/reduced prices**


Armrests  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert

704 704 704 704 704 704  
158 158 158 158 158 158

			60			
			64			
			65			
			66	91		
37			68	92		
38	47				74	

**Multipurpose chair**

81 54 56  
45



**238/22**

Plastic shell  
with padding on the inside  
skid (sled) base, up to 10 stackable free-standing or on a four-wheeled trolley  
Coated skid (sled) base, with multipurpose glides (optionally with felt insert)  
Bright chrome-plated skid (sled) base

SEK SEK SEK SEK SEK SEK

5103 5975 6237 6510 6773 6930  
5103 5975 6237 6510 6773 6930

**Additional charge/reduced prices**

Armrests  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert

704 704 704 704 704 704  
158 158 158 158 158 158


--	--	--	--	--	--	--

Skid-base chairs can optionally (for an extra charge) come with multipurpose glides for soft and hard flooring, in the case of sensitive floors please order with extra felt insert (at no extra charge).



**Multipurpose chair**

81 55 57  
45



**238/30**

Plastic shell  
with fitted inline connectors  
four-leg frame, up to 15 stackable free-standing and 10 on a four-wheeled trolley  
Coated four-leg frame  
Bright chrome-plated four-leg frame

SEK

3213  
3213

**Additional charge/reduced prices**

Armrests


704

Upholstery material

			60		
			64		
			65		
			66	91	
			68	92	74
37					
38	47				

**Multipurpose chair**

81 55 57  
45



**238/31**

Plastic shell  
with seat cushioning  
four-leg frame up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
with fitted inline connectors  
Coated four-leg frame  
Bright chrome-plated four-leg frame

SEK SEK SEK SEK SEK SEK

4211 4578 4715 4914 5219 5292  
4211 4578 4715 4914 5219 5292

**Additional charge/reduced prices**


Armrests

704 704 704 704 704 704

			60		
			64		
			65		
			66	91	
			68	92	74
37					
38	47				

**Multipurpose chair**

81 55 57  
45



**238/32**

Plastic shell  
with padding on the inside  
four-leg frame, up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
with fitted inline connectors  
Coated four-leg frame  
Bright chrome-plated four-leg frame

SEK SEK SEK SEK SEK SEK

5334 6206 6468 6741 7004 7161  
5334 6206 6468 6741 7004 7161

**Additional charge/reduced prices**

Armrests

704 704 704 704 704 704



**Multipurpose chair**

81 55 57  
45



**238/33**

Fully upholstered  
with fitted inline connectors,  
up to 15 stackable free-standing, up to 10 on a  
four-wheeled trolley  
Coated four-leg frame  
Bright chrome-plated four-leg frame

**Additional charge/reduced prices**

Armrests


	38	47	51 54 58	60 64 65 66 68	91 92	74
	SEK	SEK	SEK	SEK	SEK	SEK
	7319	8180	8453	8726	8988	9146
	7319	8180	8453	8726	8988	9146
<b>Additional charge/reduced prices</b>						
Armrests	704	704	704	704	704	704

All chairs with four-leg frames have multipurpose glides for soft and hard flooring, in the case of sensitive floors please order with extra felt glides (at no extra charge).



**Multipurpose chair**

81 55 57  
45



**239/10**

Beech shell, with a natural finish,  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
Plastic frame

**SEK**

3864

**Additional charge/reduced prices**


Wooden shell in oak, with a natural finish	368
Wooden shell in oak, varnished in black	368
Polyamide armrests	704
Inline connector, permanent for linking chairs without/without armrest	273
Inline connector, extendable for linking chairs with/with armrest and with/without armrest	473

Upholstery material

			60		
			64		
			65		
			66	91	
37			51	92	
38	47		54		74
			58		
			68		

**Multipurpose chair**

81 55 57  
45



**239/11**

Beech shell with a natural finish,  
with seat cushioning  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
Plastic frame

**SEK SEK SEK SEK SEK SEK**

4862 5229 5366 5565 5870 5943


**Additional charge/reduced prices**

Wooden shell in oak, with a natural finish	368	368	368	368	368	368
Wooden shell in oak, varnished in black	368	368	368	368	368	368
Fire safe variant*	147	147	147	147	147	147
Polyamide armrests	704	704	704	704	704	704
Inline connector, permanent for linking chairs without/without armrest	273	273	273	273	273	273
Inline connector, extendable for linking chairs with/with armrest and with/without armrest	473	473	473	473	473	473

			60		
			64		
			65		
			66	91	
37			51	92	
38	47		54		74
			58		
			68		

**Multipurpose chair**

81 55 57  
45



**239/12**

Beech shell, with a natural finish,  
with padding on the inside  
up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
Plastic frame

**SEK SEK SEK SEK SEK SEK**

5985 6846 7119 7392 7655 7812

**Additional charge/reduced prices**


Wooden shell in oak, with a natural finish	368	368	368	368	368	368
Wooden shell in oak, varnished in black	368	368	368	368	368	368
Fire safe variant*	273	273	273	273	273	273
Polyamide armrests	704	704	704	704	704	704
Inline connector, permanent for linking chairs without/without armrest	273	273	273	273	273	273
Inline connector, extendable for linking chairs with/with armrest and with/without armrest	473	473	473	473	473	473





**Multipurpose chair**

81 54 56  
45



**239/20**

Beech shell, with a natural varnished finish,  
sled (skid) base, up to 10 stackable free-standing,  
up to 10 on a four-wheeled trolley  
Coated sled (skid) base, with multipurpose glides (optionally with felt insert)  
Bright chrome-plated sled (skid) base

**SEK**

4148  
4148

**Additional charge/reduced prices**


Wooden shell in oak, with a natural finish 368  
Wooden shell in oak, varnished in black 368  
Armrests 704  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert 158

Upholstery material

				60		
			51	64		
			54	65		
37			58	66	91	
38	47		68	92	74	

**Multipurpose chair**

81 54 56  
45



**239/21**

Beech shell with a natural varnished finish,  
with seat cushioning  
sled (skid) base, up to 10 stackable free-standing,  
up to 10 on a four-wheeled trolley  
Coated sled (skid) base, with multipurpose glides  
(optionally with felt insert)  
Bright chrome-plated sled (skid) base

**SEK SEK SEK SEK SEK SEK**

**Additional charge/reduced prices**


Wooden shell in oak, with a natural finish 368  
Wooden shell in oak, varnished in black 368  
Fire safe variant\* 147  
Armrests 704  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert 158

5145	5523	5670	5870	6185	6269
5145	5523	5670	5870	6185	6269
368	368	368	368	368	368
368	368	368	368	368	368
147	147	147	147	147	147
704	704	704	704	704	704
158	158	158	158	158	158

				60		
			51	64		
			54	65		
37			58	66	91	
38	47		68	92	74	

**Multipurpose chair**

81 54 56  
45



**239/22**

Beech shell with a natural varnished finish,  
with padding on the inside  
sled (skid) base, up to 10 stackable free-standing,  
or up to 10 on a four-wheeled trolley  
Coated sled (skid) base, with multipurpose glides  
(optionally with felt insert)  
Bright chrome-plated sled (skid) base

**SEK SEK SEK SEK SEK SEK**

**Additional charge/reduced prices**

Wooden shell in oak, with a natural finish 368  
Wooden shell in oak, varnished in black 368  
Fire safe variant\* 273  
Armrests 704  
Multipurpose glides for bright chrome-plated frame for soft and hard flooring, optionally with felt insert 158


6269	7172	7455	7739	7991	8180
6269	7172	7455	7739	7991	8180
368	368	368	368	368	368
368	368	368	368	368	368
273	273	273	273	273	273
704	704	704	704	704	704
158	158	158	158	158	158

Skid-base chairs can optionally (for an extra charge) come with multipurpose glides for soft and hard flooring, in the case of sensitive floors please order with extra felt insert (at no extra charge).



**Multipurpose chair**

81 52 56  
45



**239/30**

Beech shell with a natural finish,  
with fitted inline connectors  
four-leg frame, up to 15 stackable free-standing and 10 on a four-wheeled trolley  
Coated four-leg frame  
Bright chrome-plated four-leg frame

**SEK**

4389  
4389

**Additional charge/reduced prices**


Wooden shell in oak, with a natural finish 368  
Wooden shell in oak, varnished in black 368  
Armrests 704

Upholstery material

				60		
				64		
				65		
				66	91	
				68	92	74
37						
38	47					

**Multipurpose chair**

81 52 56  
45



**239/31**

Beech shell, with a natural finish,  
four-leg frame up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
with seat cushioning  
with fitted inline connectors  
Coated four-leg frame  
Bright chrome-plated four-leg frame

**SEK SEK SEK SEK SEK SEK**

5387 5754 5891 6090 6395 6468  
5387 5754 5891 6090 6395 6468


**Additional charge/reduced prices**

Wooden shell in oak, with a natural finish 368 368 368 368 368 368  
Wooden shell in oak, varnished in black 368 368 368 368 368 368  
Fire safe variant\* 147 147 147 147 147 147  
Armrests 704 704 704 704 704 704

				60		
				64		
				65		
				66	91	
				68	92	74
37						
38	47					

**Multipurpose chair**

81 52 56  
45



**239/32**

Beech shell, with a natural finish,  
with padding on the inside  
four-leg frame up to 15 stackable free-standing,  
up to 10 on a four-wheeled trolley  
with fitted inline connectors  
Coated four-leg frame  
Bright chrome-plated four-leg frame











**SEK SEK SEK SEK SEK SEK**

6510 7371 7644 7917 8180 8337  
6510 7371 7644 7917 8180 8337

**Additional charge/reduced prices**

Wooden shell in oak, with a natural finish 368 368 368 368 368 368  
Wooden shell in oak, varnished in black 368 368 368 368 368 368  
Fire safe variant\* 273 273 273 273 273 273  
Armrests 704 704 704 704 704 704



		SEK
<b>Four-wheeled trolley</b> 	<b>186</b> for 10 multipurpose chairs	4011
<b>Inline connector</b> 	<b>190</b> Inline connector for plastic frame, extendable for linking chairs with/with armrest and with/without armrest inline connector in combination with a writing tablet on request.	473
<b>Inline connector</b> 	<b>191</b> Inline connector for plastic frame, permanently attached for assembly without/without armrest inline connector in combination with a writing tablet on request.	273
<b>Inline connector</b> 	<b>238</b> Inline connector for skid base, with glides for with glides for soft floorings, for assembly with/with, with/without and without/without armrests Inline connector for skid base, with glides with felt insert, for assembly with/with, with/without and without/without armrests	452 504
<b>Clip for seat and row numbering</b> 	<b>192</b> In conjunction with plastic frames (238/10, 238/11, 238/12) magnetic, can be slotted on the right or left (other frame variants on request)	116
<b>Seat number tag</b> 	<b>193</b> with number tag board (set of 1-50)	2132
<b>Row number tag</b> 	<b>194</b> with number tag board (set of 1-30)	1292
<b>Magnetic clip for number tags</b> 	<b>195</b>	399
<b>Writing tablet</b> 	<b>197</b> Fold-up writing tablet for plastic frame with armrests, can be slotted on, stackable, for the right- or left-hand side (please state when ordering),	1397
<b>Binder for number tag boards</b> 	<b>198</b>	273



# 26 Range Modus Basic

Design: Klaus Franck, Werner Sauer and wiege, Fritz Frenkler, Justus Kolberg



## Technical details

### Function

Task chairs with backrest shell and automatic synchro-adjustment: The seat and backrest angle adjusts automatically to the position of the person sitting on chair. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The chair can be locked in the front position by engaging a lever. DIN 4550 compliant gas lift for precision adjustment of the seat height.

### Frame

#### Task chairs

Five-star, die-cast aluminum base, coated, polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire

for hard floors. Casters optionally electrically conductive. Die-cast aluminum swing plates, coated to color-match the star base, polished or bright chrome-plated. Black-coated sheet steel mechanism shell.

#### Counter stool

Star base from the ON 170 range, with additional height-adjustable, bright chrome-plated foot ring, with lock screw to affix it and twin-wheel swivel casters with load-dependent braking.

#### Seat

Seat shell in black, viscoelastic polypropylene. Cushioning: covered polyurethane one-piece molded foam. Replaceable cover. Side facing: black polyamide for a fabric cover and embossed leather in the same color in the case of a leather cover.

### Backrest

#### Task chairs

Backrest shell in black through-dyed, viscoelastic polypropylene with replaceable back cushioning in covered, cut foam and with integrated, adjustable lumbar support on request.

### Armrests

#### Task chairs

Armrests in black, fiberglass-reinforced polyamide. Task chair model 263/7 also with height-adjustable armrests in the same material.

### Standards

The Modus basic task chairs are compliant with the DIN EN 1335 type B office-chair and ANSI/BIFMA X5.1 standards. The Modus Basic task chairs comply with the Ergonomics Approved standard.



www.tuv.com  
ID 1000000000



### Please note:

the prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

## Task chairs and armchairs

## Star base and swivel arms

- 51 Bright chrome-plated
- 52 Polished aluminum
- 53 Coated black (RAL 9011)
- 60 Coated with a silver satin finish (RAL 9006)

## Small components


## Casters, glides, frame components, adjustment levers

- 41 Black



**Standard height backrest**

91/102    64    61  
 42/53    48    44



**263/7**

with seat and backrest upholstery,  
with armrests,  
precision-adjustable height,  
automatic synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Polished aluminum frame  
Bright chrome-plated aluminum frame

Height-adjustable armrests  
Height-adjustable lumbar support

Electrically conductive casters  
Without armrests

	51	60	64	65	66	91	74
	54	64	65	66			
	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	11928	12485	13304	17294			
Polished aluminum frame	557	557	557	557			
Bright chrome-plated aluminum frame	1502	1502	1502	1502			
Height-adjustable armrests	1323	1323	1323	1323			
Height-adjustable lumbar support	735	735	735	735			
Electrically conductive casters	515	515	515	515			
Without armrests	-1092	-1092	-1092	-1092			

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters available for an extra charge.

# 27 Range

## Modus Compact

Design: Klaus Franck, Werner Sauer and wiege, Fritz Frenkler, Justus Kolberg



### Technical details

---

#### Function

Task chairs with backrest and automatic synchro-adjustment: The seat and backrest tilt adapt automatically to any posture the user adopts. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The chair can be locked in the front position by engaging a lever. DIN 4550 compliant gas lift for precision adjustment of the seating height.

Conference / visitor chairs, swivel-mounted with automatic synchro-adjustment, but without front locking position, without any option to precision-adjust the height, also available in a four-leg version or as a cantilever chair, optionally stackable.

#### Frame

##### Conference/visitor and task chairs

Five-star, die-cast aluminum base, coated, polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane facing for hard floors. Casters optionally electrically conductive. Black polyamide glides as the standard version for carpets, with polyurethane glides for hard flooring. Die-cast aluminum swing plates, coated to color-match the star base, polished or bright chrome-plated. Black-coated sheet steel mechanism shell.

##### Cantilever chair

Round steel tubing frame, bright chrome-plated, matte chrome-plated or coated, with anti-tilt stopper, as the standard version for carpets; with additional glides

for hard flooring, with additional felt insert on request. The stackable version is only available as a bright chrome-plated model.

##### Seat

Seat shell in black, viscoelastic polypropylene. Cushioning: covered polyurethane one-piece molded foam. Replaceable cover. Side facing: black polyamide for a fabric cover and embossed leather in the same color in the case of a leather cover.

#### Backrests

##### Conference/visitor and task chairs

Fiberglass-reinforced, black polyamide frame. Replaceable frame cover made of black polyamide closed-weave or transparent fabric. At the front, non-transparent material can optionally be covered and padded with cut foam. Standard height and medium height backrest with crescent shaped grip, with a fabric cover, covered with black embossed leather, if with a leather cover to color-match the leather. High backrest with curved shoulder support, in the case of fabric covers covered with black embossed leather, with leather covers to color-match the leather. Backrests on task chairs 273, 274 and 275 optionally with integral, adjustable lumbar support (no possible for the version with transparent fabric).

#### Task chairs and armchairs

##### Star base, swing plates

---

- 51 Bright chrome-plated
- 52 Polished aluminum
- 53 Coated black (RAL9011)
- 60 Coated with a silver satin finish (RAL9006)
- 90 Coated with a black textured matte finish (RAL9011)

#### Visitor chairs

##### Aluminum oval tubing frame

---

- 51 Bright chrome-plated
- 53 Coated black (RAL9011)
- 60 Coated with a silver satin finish (RAL9006)
- 62 Clear anodized aluminum
- 90 Coated with a black textured matte finish (RAL9011)

#### Cantilever chair

##### Round steel tubing frame

---

- 51 Bright chrome-plated
- 53 Coated black (RAL9011)
- 60 Coated with a silver satin finish (RAL9006)
- 90 Coated with a black textured matte finish (RAL9011)

#### Small components

##### Casters, glides, frame components, adjustment levers

---

- 41 Black
-



### Cantilever chair

Tubular steel frame to match the base frame, bright chrome-plated, matte chrome-plated or coated. Replaceable frame cover made of black polyamide closed-weave or transparent fabric. At the front, non-transparent material can optionally be covered and padded with cut foam. In the case of cantilever chairs 277/7 and 279/7 the crescent-shaped grip is made of black polypropylene, in the version with transparent fabric the crescent-shaped grip is covered with embossed black leather when the chair has fabric or leather covers, when the backrest is covered with fabric, the crescent-shaped grip is covered with black embossed leather and when the backrest is covered with leather to color-match the leather.

### Armrests

#### Conference/visitor and task chairs

Armrests made of black, fiber-glass-reinforced polyamide, height-adjustable on request.

#### Cantilever chair

Armrest pads made of black polypropylene or beech laminated, with a natural finish.

### Standards

The Modus Compact task chairs are compliant with the DIN EN 1335 type B office-chair and ANSI/BIFMA X5.1 standards. The Modus Compact task chairs comply with the Ergonomics Approved standard.

The Modus cantilever and four-leg visitor chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 visitor chair standards.



www.tuv.com  
ID 1000000000



#### Please note:


the prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.





**Standard height backrest**

91/102 H64 H64  
42/53 48 47



**273/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
with armrests,  
precision-adjustable height,  
automatic synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)

Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame

Bright chrome-plated aluminum frame

Height-adjustable armrests

Transparent fabric (at no extra charge)

Height-adjustable lumbar support

Electrically conductive casters

Without armrests

51  
54

60  
64  
65  
66  
68

91  
92

74

SEK SEK SEK SEK

14238 14648 15246 17861

578 746 1449 2688

945 1155 1449 3024

557 557 557 557

1502 1502 1502 1502

1323 1323 1323 1323

0 0 0 0


735 735 735 735

515 515 515 515

-1092 -1092 -1092 -1092

**Medium-height backrest**

98/109 H64 H64  
42/53 48 47



**275/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
with armrests,  
precision-adjustable height,  
automatic synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)

Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame

Bright chrome-plated aluminum frame

Height-adjustable armrests

Transparent fabric (at no extra charge)

Height-adjustable lumbar support

Electrically conductive casters

Without armrests

51  
54

60  
64  
65  
66  
68

91  
92

74

SEK SEK SEK SEK

14805 15215 15813 18428

945 1155 1449 3255

945 1155 1449 3024

557 557 557 557

1502 1502 1502 1502

1323 1323 1323 1323

0 0 0 0

735 735 735 735

515 515 515 515

-1092 -1092 -1092 -1092


• available

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters available for an extra charge. A transparent backrest is not possible in conjunction with backrest upholstery and/or lumbar support.



**High backrest**

106/117 H 64 H 64  
42/53 48 47



**274/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
with armrests,  
precision-adjustable height,  
automatic synchro-adjustment, tension control  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)

Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame

Bright chrome-plated aluminum frame

Height-adjustable armrests

Transparent fabric (at no extra charge)

Height-adjustable lumbar support

Electrically conductive casters

Without armrests

	51	60 64 65 66 68	91	74
	54	68	92	74
	SEK	SEK	SEK	SEK
	17588	17997	18596	21210
	945	1155	1449	3255
	945	1155	1449	3024
	557	557	557	557
	1502	1502	1502	1502
	1323	1323	1323	1323
	0	0	0	0
	735	735	735	735
	515	515	515	515
	-1092	-1092	-1092	-1092


• available

All task chairs have casters for soft flooring (e. g. carpets). Please order with soft casters (at no extra charge) for hard flooring (e. g. stone, parquet) Electrically conductive casters available for an extra charge. A transparent backrest is not possible in conjunction with backrest upholstery and/or lumbar support.



**Standard height backrest**

85 57 59  
43 47



**277/7**

Backrest covered with closed-weave fabric,  
polypropylene armrests  
Coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in  
fabric 68)

Backrest covered at the rear (not available in  
fabric 68)

Bright chrome-plated frame

Matte chrome-plated frame

Armrests with embossed leather covering (not  
possible with stackable versions)

Wooden armrests

Transparent fabric

Stackable version (only with a bright chrome-  
plated frame, up to 5 stackable free-standing)

51  
54 60  
64  
65  
66  
68 91  
92 74

SEK SEK SEK SEK

8390 8799 9398 12012

578 746 1449 2688

945 1155 1449 3024

410 410 410 410

1155 1155 1155 1155

2142 2142 2142 2142


1176 1176 1176 1176

410 410 410 410

914 914 914 914

**Medium-height backrest**

92 57 59  
43 47



**279/7**

Backrest covered with closed-weave fabric,  
polypropylene armrests  
Coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in  
fabric 68)

Backrest covered at the rear (not available in  
fabric 68)

Bright chrome-plated frame

Matte chrome-plated frame

Armrests with embossed leather covering (not  
possible with stackable versions)

Wooden armrests

Transparent fabric

Stackable version (only with a bright chrome-  
plated frame, up to 5 stackable free-standing)

51  
54 60  
64  
65  
66  
68 91  
91 74

SEK SEK SEK SEK

8967 9377 9975 12590

945 1155 1449 3255

945 1155 1449 3024

410 410 410 410

1155 1155 1155 1155

2142 2142 2142 2142

1176 1176 1176 1176

410 410 410 410


914 914 914 914



**Four-wheeled trolley**

**277**  
for 6 stackable cantilever chairs

6920



# 28 Range Modus Medium

Design: Klaus Franck, Werner Sauer and wiege, Fritz Frenkler, Justus Kolberg



## Technical details

### Function

Task chair with covered backrest and automatic synchro-adjustment: the seat and backrest tilt adapt automatically to any posture the user adopts. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The chair can be locked in the front position by engaging a lever. DIN 4550 compliant gas lift for precision-adjustable seating height. Swivel-mounted conference/visitor chairs with automatic synchro-adjustment and precision adjustable height, optionally with rigid, four-star seat bearer or as a cantilever chair.

### Frame

#### Task chairs

Five-star, die-cast aluminum base, coated, polished or bright chrome-plated. Conference/visitor chairs with four-star, die-cast aluminum base, coated, polished or bright chrome-plated. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors. Casters optionally electrically conductive. Black polyamide glides as the standard version for carpets, with polyurethane glides for hard flooring. Die-cast aluminum swing plates, coated to color-match the star base, polished or bright chrome-plated. Black-coated sheet steel mechanism shell.

#### Conference and visitor chairs

Model 281/5 with a four-star seat bearer made of die-cast aluminum, coated to color-match the star base, polished or bright chrome-plated.

#### Cantilever chair

Round steel tubing frame, bright chrome-plated, matte chrome-plated or coated, with anti-tilt stopper, as the standard version for carpets; with additional glides for hard flooring, with additional felt insert on request.

#### Seat

Seat shell in black, viscoelastic polypropylene. Cushioning: covered polyurethane one-piece molded foam. Replaceable cover. Side facing: black polyamide for fabric cover and embossed leather color-matched with the leather cover.

### Backrests

#### Task and visitor chairs

Fiberglass-reinforced, black polyamide frame. Replaceable frame cover made of black polyamide closed-weave or transparent fabric, padded when in the closed-weave version. At the front, non-transparent material can optionally be covered and padded with cut foam. Standard height backrest with a crescent-shaped grip, with a fabric cover, covered with black embossed leather, if with a leather cover to color-match the leather. High backrest with curved shoulder support, in the case of fabric covers covered with black embossed leather, with leather covers to color-match the leather. Task chairs with height-adjustable lumbar support on request.

#### Cantilever chair

Tubular steel frame to match the base frame, bright chrome-plated, matte chrome-plated or coated. Replaceable frame cover made of black polyamide closed-weave or transparent fabric. At the front, non-transparent material can optionally be covered and padded with cut foam. Where the chair has a fabric cover, the crescent-shaped grip is covered with black embossed leather, in the case of a leather cover to color-match the leather.

### Armrests

#### Task and visitor chairs

Armrests made of black, fiberglass-reinforced, fine grained polyamide. With a black, embossed leather covering on request, when the chair has a leather covering to color-match the

leather. Optional die-cast aluminum armrests, polished or bright chrome-plated, in the case of fabric covers with black leather covering, in the case of leather covers to color-match the leather.

#### Cantilever chair

Armrest pads made of beech laminate, with a natural finish, polypropylene on request with black embossed leather covering, if the chair is covered in leather to color-match the leather.

### Standards

The Modus Medium task chair and visitor/conference chairs are compliant with the DIN EN 1335 type C office-chair and ANSI/BIFMA X5.1 standards. The Modus Medium task chairs and visitor/conference chairs comply with the Ergonomics Approved standard.

The Modus cantilever chairs comply with DIN EN 16139-L1 and ANSI/BIFMA X5.1 standards.



www.tuv.com  
ID 1000000000



### Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

### Task and visitor chairs

#### Star base, swing plates

- 51 Bright chrome-plated
- 52 Polished aluminum
- 53 Coated black (RAL 9011)
- 60 Coated with a silver satin finish (RAL 9006)
- 90 Coated with a black textured matte finish (RAL 9011)

### Cantilever chair

#### Round steel tubing frame

- 51 Bright chrome-plated
- 53 Coated black (RAL 9011)
- 60 Coated with a silver satin finish (RAL 9006)
- 90 Coated with a black textured matte finish (RAL 9011)

### Small components

#### Casters, glides, frame components, adjustment levers

- 41 Black



**Standard height backrest**

91/102 H 68 H 63  
42/53 H 51 H 45



**283/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
polyamide armrests,  
automatic synchro-adjustment, tension control,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)  
Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame  
Bright chrome-plated aluminum frame

Transparent fabric  
Armrests with embossed leather covering  
Polished aluminum armrests with leather covering (in conjunction with a polished aluminum frame)  
Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)  
Lumbar support for task chairs  
Electrically conductive casters

51  
54  
60  
64  
65  
66  
68  
91  
74

SEK SEK SEK SEK

16118 16422 16874 19173

1859 2027 2289 4893

725 872 1082 2300

431 431 431 431

1176 1176 1176 1176

305 305 305 305

1901 1901 1901 1901

2510 2510 2510 2510


3318 3318 3318 3318

735 735 735 735

515 515 515 515

**High backrest**

112/123 H 68 H 63  
42/53 H 51 H 45



**284/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
polyamide armrests,  
automatic synchro-adjustment, tension control,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)  
Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame  
Bright chrome-plated aluminum frame

Transparent fabric  
Armrests with embossed leather covering  
Polished aluminum armrests with leather covering (in conjunction with a polished aluminum frame)  
Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)  
Lumbar support for task chairs  
Electrically conductive casters

51  
54  
60  
64  
65  
66  
68  
91  
74

SEK SEK SEK SEK

19310 19614 20066 22365

2174 2279 2489 6363

725 872 1082 2300

431 431 431 431

1176 1176 1176 1176

305 305 305 305

1901 1901 1901 1901

2510 2510 2510 2510

3318 3318 3318 3318


735 735 735 735

515 515 515 515



**Standard height backrest**

94
 61
 59  
 45
 51
 45



**281/5**

swivel-mounted with a rigid seat bearer, with seat cushioning, backrest covered in closed-weave fabric, polyamide armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)

Backrest covered at the rear (not available in fabric 68)

Polished aluminum frame

Bright chrome-plated aluminum frame

Transparent fabric

Armrests with embossed leather covering

Polished aluminum armrests with leather covering (in conjunction with a polished aluminum frame)

Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)

Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)

		60		
		64		
		65		
	51	66	91	74
	54	68		

SEK SEK SEK SEK

11088 11393 11844 14144

1859 2027 2289 4893

725 872 1082 2300

431 431 431 431

2027 2027 2027 2027

305 305 305 305

1901 1901 1901 1901

2510 2510 2510 2510


3318 3318 3318 3318



**Standard height backrest**

☐91 ☐65 ☐56

☐43



**287/7**

with seat cushioning,  
backrest covered with closed-weave fabric,  
beech laminate armrests  
Coated frame

**Additional charge/reduced prices**

Backrest upholstered at the front (not available in fabric 68)

Backrest covered at the rear (not available in fabric 68)

Bright chrome-plated frame

Matte chrome-plated frame

Armrests with embossed leather covering

Transparent fabric

51  
54

60  
64  
65  
66  
68

91

74

SEK SEK SEK SEK

8862 9167 9618 11918

1859 2027 2289 4893

725 872 1082 2300

305 305 305 305

872 872 872 872

1050 1050 1050 1050

305 305 305 305



# 28 Range Modus Executive

Design: Klaus Franck, Werner Sauer and wiege, Fritz Frenkler, Justus Kolberg



## Technical details

### Function

Task chair with backrest with luxurious upholstery and automatic synchro-adjustment: The seat and backrest angle adjusts automatically to the position of the person sitting on chair. When leaning back, the backrest tension increases proportionately. The person using the chair can adjust the tension precisely. The chair can be locked in the front position by engaging a lever. DIN 4550 compliant gas lift for precision-adjustable seating height.

Swivel-mounted conference/visitor chairs with automatic synchro-adjustment and precision adjustable height, optionally with rigid, four-star seat bearer or as a cantilever chair.

### Frame

#### Task chairs

Five-star base in die-cast aluminum, bright chrome-plated or polished. Conference/visitor chairs with four-star base in die-cast aluminum, bright chrome-plated or polished. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors. Casters optionally electrically conductive. Black polyamide glides as the standard version for carpets, with polyurethane glides for hard flooring. Die-cast aluminum swing plates, polished or bright chrome-plated to match the star base. Black-coated sheet steel mechanism shell. Conference/visitor chair model 281/91 with a four-star seat bearer made of die-cast aluminum, coated to color-match the star base, polished or bright chrome-plated.

#### Cantilever chair

Round steel tubing frame, bright or matte chrome-plated with anti-tilt stoppers as the standard version for carpets; with additional glides for hard floors, with additional felt insert on request.

#### Seat

Seat shell in black, viscoelastic polypropylene. Cushioning: covered polyurethane one-piece molded foam. Replaceable cover. Side facing made of embossed leather to match the color of the leather on the seat.

### Backrests

#### Task and visitor chairs

Fiberglass-reinforced, black polyamide frame. Replaceable frame cover made of black polyamide fabric, seat and backrest with leather-covered flat cushion. With a covered back on request. Standard high backrest with straight Conclusion. High backrest with curved shoulder support, with leather-covered flat cushion.

#### Cantilever chair

Tubular steel frame to match the frame, bright chrome-plated or matte chrome-plated. Replaceable frame cover made of black polyamide fabric, seat and backrest with leather-covered flat cushioning. With a covered back on request. Standard height backrest with a straight upper edge.

### Armrests

#### Task chairs

Armrests made of black, fiberglass-reinforced, fine grained polyamide, with extra, embossed leather covering color-matched with the leather. Optional die-cast aluminum armrests, polished or bright chrome-plated with leather covering and stitched seam in the same color as the leather.

#### Conference/visitor chairs

Optional die-cast aluminum armrests, polished or bright chrome-plated with leather covering and stitched seam in the same color as the leather.

#### Cantilever chair

Leather-covered armrest pads to match the color of the chair leather.

### Standards

The Modus Executive task chair and visitor/conference chairs are compliant with the DIN EN 1335 type C office-chair and ANSI/BIFMA X5.1 standards. The Modus Executive task chairs and visitor/conference chairs comply with the Ergonomics Approved standard.

The Modus Executive cantilever chairs comply with the DIN EN 16139 - L1 and ANSI/BIFMA X5.1 standards.



### Please note:

The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

### Task and visitor chairs

#### Star base, swing plates

- 51 Bright chrome-plated
- 52 Polished aluminum

### Cantilever chair

#### Round steel tubing frame

- 51 Bright chrome-plated
- 58 Matte chrome-plated

### Small components

#### Castors, glides, frame components, adjustment levers

- 41 Black



**Standard height backrest**

□91/102 □H68 □H65  
□42/53 □H51 □H45



**283/81**

Seat and backrest with leather-covered flat cushioning, polyamide armrests with embossed leather covering, precision-adjustable height, automatic synchro-adjustment, tension control Polished aluminum frame

**Additional charge/reduced prices**

Backrest covered at the rear

Bright chrome-plated aluminum frame

Polished aluminum armrests with leather covering (in conjunction with a polished aluminum frame)  
Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)  
Electrically conductive casters

74 87

SEK SEK

35007 37107

2888 3696

924 924


756 756

1922 1922  
515 515

74 87

**High backrest**

□112/123 □H68 □H65  
□42/53 □H51 □H45



**284/81**

Seat and backrest with leather-covered flat cushioning, polyamide armrests with embossed leather covering, precision-adjustable height, automatic synchro-adjustment, tension control Polished aluminum frame

**Additional charge/reduced prices**

Backrest covered at the rear

Bright chrome-plated aluminum frame

Polished aluminum armrests with leather covering (in conjunction with a polished aluminum frame)  
Bright chrome-plated aluminum armrests with leather covering (in conjunction with a bright chrome-plated aluminum frame)  
Electrically conductive casters

43575 46221

2888 3696

924 924

756 756

1922 1922  
515 515

SEK SEK



**Standard height backrest**

□ 95 □ 61 □ 59  
□ 45 □ 51 □ 45



**281/91**

swivel-mounted with fixed seat bearer  
Seat and backrest with leather-covered flat  
cushioning  
Polished aluminum frame

**Additional charge/reduced prices**

Backrest covered at the rear

Bright chrome-plated armrests with  
leather covering, bright chrome-plated aluminum  
frame

74 87

SEK SEK

30408 32519


2888 3696

3150 3150

74 87

**Standard height backrest**

□ 91 □ 65 □ 61  
□ 43



**287/81**

Seat and backrest with leather-covered flat  
cushioning,  
leather-covered armrests  
Bright chrome-plated frame

**Additional charge/reduced prices**

Backrest covered at the rear

Matte chrome-plated frame

SEK SEK

27678 29778

2888 3696

1082 1082



# 290 Range Sola

Design: Justus Kolberg; licensor for products and sales: Davis Furniture, NC, US



## Technical details

### Function

The conference chair fuses innovative comfort with crisp design and a top quality appeal. The chair's aesthetic is defined by the linear shape of the seat shell and the distinctive lines of the aluminum frame. The frame branches out from the center column into a V-shaped support that culminates in the armrests.

The slender seat shell is swivel-mounted at the front and connected with a V-shaped support by two pressure springs at the back. As a result, the chair rocks back and forward comfortably without any extra mechanical parts required. The sprung pressure can easily be adjusted to suit personal levels of comfort and body weight. DIN 1335-1 compliant gas lift for precision-adjustable seating height.

Can be used in traditional conference and meeting rooms, executive offices and boardrooms, high-quality restaurants or prestigious dining areas.

### Frame

Die-cast aluminum five-star base, high-luster polished and coated matte black or with a silver satin finish. Round, black, polyamide multipurpose glides for all types of flooring. For wooden floorings (e. g. parquet) please order with extra felt insert. Optionally with casters. Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tare for hard floors. These casters change the seating height or adjustment range to 45 – 51 cm. The gas lift is covered by bright chrome-plated protective tube, coated matte black or with a silver satin finish. When the star base is aluminum high-luster polished, the protective tube is bright chrome-plated. V-shaped die-cast aluminum support, high-luster polished like the star base, coated matte black or with a silver satin finish. Lever for adjusting the seating height, coated matte black or with a silver satin finish. When the star base is aluminum high-luster polished, the lever is bright chrome-plated.

### Seat and backrest

Unitary seat and backrest shell made of molded plywood and covered on the rear. Liner made of padded cut foam. Management grade upholstery also with facing all the way round and with quilted stitching.

### Armrests

Die-cast aluminum armrests the same as the frame, optionally with additional plastic armrest pad. Chairs with management grade upholstery also come with optional leather-covered armrest pads which are only available in the same color and in combination with leather type 74 or 87.

### Standards

The Sola conference chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 standards.



### Information

The die-cast aluminum armrests scratch easily.

## Conference chairs

### Star base, V-shaped support, armrests

- 60 Coated with a silver satin finish (RAL9006)
- 72 High-luster polished aluminum
- 80 Coated black matte (RAL9005)
- 90 Coated with a black textured matte finish (RAL9011)


### Protective tube, lever for gas lift

- Coated with a silver satin finish
- Bright chrome-plated
- Coated black matte
- Coated with a black textured matte finish (RAL9011)



**Medium-height backrest**

101/110 H67 H68  
44/53 48 44



**291/7**

Fully upholstered unitary seat and backrest shell,  
with armrests,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Plastic armrest pad

High-luster polished aluminum frame  
Casters (45–51 cm seating height)

		60		
		64		
		65		
		66	91	
	51	68	92	74

SEK SEK SEK SEK


18512 19026 20076 23237

651 651 651 651

630 630 630 630  
515 515 515 515

**Medium-height backrest**

101/110 H67 H68  
44/53 48 44



**291/71**

Seat and backrest with management grade  
upholstery,  
with armrests,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Plastic armrest pad

Leather-covered armrest pad

High-luster polished aluminum frame  
Casters (45–51 cm seating height)

		60			
		64			
		65			
		68	91	74	
	51				87

SEK SEK SEK SEK SEK

19814 20465 21504 25137 30219

651 651 651 651 651

1680 1680 1680 1680 1680

630 630 630 630 630  
515 515 515 515 515

# 295 Range Intra

Design: Phoenix Design



## Technical details

### Function

Conference, lounge and executive chair range in a contemporary design with integrated synchronous adjustment mechanism that automatically adapts to the weights of people sitting on it.

### Frame

Five-star base in die-cast aluminum bright chrome-plated, matte-polished and coated in black or white with a textured matte finish. Round plastic multipurpose glides for all types of flooring, color-matched with the frame: bright chrome-plated when the frame is bright chrome-plated, matte-polished or coated in white with a textured matte finish, in black when the frame is coated in black with a textured matte finish. For hard floorings (e. g. parquet) please order with extra felt insert. Version on glides optionally available with swivel-return mechanism and without height adjustment (seating height 45 cm). Optionally with casters. Twin wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane facing for hard floors. The gas lift is covered with a protective tube color-matched with the frame, bright chrome-plated, matte-polished or coated black or white with a textured matte finish. Precision adjustable seating height via a gas lift.

### Seat

Seat shell made of fiberglass-reinforced polypropylene covered with fabric or leather, with polypropylene seat upholstery panel, seat cushioning made of polyurethane with padding in the same material as the cover with side facings. The cushioning and covers are replaceable. The synchronous adjustment mechanism with automatic weight adjustment is integrated between the seat shell and upholstery element.

### Backrest

Backrest shell made of plywood, fully padded with polyurethane (CFC-free) with additional padding. Curved flat steel backrest bearer to connect with the synchronous adjustment mechanism

### Armrests




Die-cast aluminum armrests, bright chrome-plated, matte-polished or coated in black or white with a textured matte finish depending on the type of frame, optionally with integrated, leather-covered armrest pad. The armrest pads come in black 74/99 leather for fabric-covered models and are the same color as the leather in leather-covered models. The controls for adjusting the height and locking it in place are integrated in the armrests.

### Standards

Intra chairs are compliant with the DIN EN 1335 type C office furniture standard.

Conference chairs	Base frame	Gas lift cover	Multipurpose glides	Casters
51	Bright chrome-plated	Bright chrome-plated	Bright chrome-plated	Black
79	Matte-polished aluminum	Matte-polished aluminum	Bright chrome-plated	Black
90	Coated with a black textured matte finish (RAL 9011)	Coated with a black textured matte finish (RAL 9011)	Black	Black
91	Coated white with a textured matte finish (RAL 9016)	Coated white with a textured matte finish (RAL 9016)	Black	Black



			60	64	65	66	91	92	74	87	
			51	66	65	64	92	91	74	87	
			SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK	
<b>Standard height backrest</b> ■ 86/96 ■ H 65 ■ H 68 ■ 41/51 	<b>295/6</b> with seat cushioning, fully upholstered backrest, with armrests, precision-adjustable height. Synchronous adjustment mechanism with automatic weight adjustment Aluminum coated frame  <b>Additional charge/reduced prices</b> Leather-covered armrest pad Matte polished aluminum frame Bright chrome-plated aluminum frame Swivel-return mechanism (then not height- adjustable) Casters	19415	19898	21515	25326	30555					
		1880	1880	1880	1880	1880					
		893	893	893	893	893					
		5156	5156	5156	5156	5156					
		1407	1407	1407	1407	1407					
		725	725	725	725	725					
			51	66	65	64	92	91	74	87	
<b>Medium-height backrest</b> ■ 103/113 ■ H 65 ■ H 68 ■ 41/51 	<b>295/7</b> with seat cushioning, fully upholstered backrest, with armrests precision-adjustable height Synchronous adjustment mechanism with automatic weight adjustment Aluminum coated frame  <b>Additional charge/reduced prices</b> Leather-covered armrest pad Matte polished aluminum frame Bright chrome-plated aluminum frame Swivel-return mechanism (then not height- adjustable) Casters	22008	22565	24371	26639	33243					
		1880	1880	1880	1880	1880					
		893	893	893	893	893					
		5156	5156	5156	5156	5156					
		1407	1407	1407	1407	1407					
		725	725	725	725	725					
			51	66	65	64	92	91	74	87	
<b>High backrest</b> ■ 120/130 ■ H 65 ■ H 68 ■ 41/51 	<b>295/8</b> with seat cushioning fully upholstered backrest with armrests precision-adjustable height synchronous adjustment mechanism with automatic weight adjustment Aluminum coated frame  <b>Additional charge/reduced prices</b> Leather-covered armrest pad Matte polished aluminum frame Bright chrome-plated aluminum frame Swivel-return mechanism (then not height- adjustable) Casters	25757	26471	28592	31847	36992					
		1880	1880	1880	1880	1880					
		893	893	893	893	893					
		5156	5156	5156	5156	5156					
		1407	1407	1407	1407	1407					
		725	725	725	725	725					
			51	66	65	64	92	91	74	87	



# 30 Range Graph

Design: jehs+laub



## Technical details

### Function

Distinctive, high-end, standalone conference chair in two backrest heights. Armrests stylishly link the seat and backrest. Exceptional, sprung (and at the sides also elastic) comfort due to three-point support with rear spring strut and sophisticated upholstery. Can be used in traditional conference and meeting rooms, executive offices and boardrooms or prestigious dining areas.

### Frame

Models 301/5, 302/5 and 304/5: Four-star base made of die-cast aluminum, coated black or signal white, matte polished or bright chrome-plated. Black, multipurpose glides made of plastic for all types of flooring. Optionally with base glides with larger contact area for sensitive floorings, either to match the star base coated black or in signal white, matte chrome-plated (matte-polished star base) or bright chrome plated (bright chrome-plated star base). Black polyamide glides for carpets. For hard floors (e.g. stone), please order with soft TPU, for wooden floors (e.g. parquet) with additional felt. These glides change the seating height to 44 cm. Optionally with casters for four-star bases compliant with the DIN EN 1335 and ANSI/BIFMA X 5.1 standards for conference chairs.

Black polyamide twin-wheel swivel casters with load-dependent braking compliant with the DIN EN 12529 standard, with black polyurethane tire for multipurpose use on hard and soft floorings: The casters' black plastic shell comes either with a chrome-plated ring (for a coated star base), matte chrome-plated ring (for a matte polished star base) or a chrome-plated ring (for a bright chrome-plated star base). These casters change the seating height to 45 cm.

Models 301/5, 302/5 and 304/5: Swivel-mounted column with Y-shaped seat bearer made of die-cast aluminum, coated in black or signal white, matte polished or bright chrome-plated to match the star base. Permanently elastic, rubber/metal connecting elements. Sprung elastic strut made of top-quality spring steel in black. Models 301/8, 302/8 and 304/8: Swivel-mounted column with seat bearer and integrated rocking mechanism made of die-cast aluminum and high-luster polished or matte polished.

Models 301/6, 302/6, 304/6, 301/7, 302/7, 304/7, 301/8, 302/8 and 304/8: Die-cast aluminum five-star base coated in black or signal white, matte polished or bright chrome-plated, with casters for five-star

bases compliant with the DIN EN 1335 and ANSI/BIFMA X 5.1 standards for conference chairs. Twin-wheel swivel casters with load-dependent braking made of black polyamide compliant with DIN EN 12529, with black polyurethane tire for multipurpose use on hard and soft floors: Black plastic shell for the casters either with chrome-plated ring (coated star base), matte chrome-plated ring (matte polished star base) or chrome-plated ring (bright chrome-plated star base).

All models (except for 301/8, 302/8 and 304/8) with Y-shaped seat bearer made of die-cast aluminum, coated in black or signal white, matte polished or bright chrome-plated to match the star base. Permanently elastic, rubber/metal connecting elements. Sprung elastic strut made of top-quality spring steel in black.

Models 301/6, 302/6 and 304/6 with swivel-mounted columns.

Models 301/7, 302/7, 304/7 and models 301/8, 302/8 and 304/8 with precision-adjustable seating height via a gas lift column.

### Seat and backrest

Seat and backrest frame made of metal, with wave springs, fully covered in polyurethane foam with additional cushioning and

replaceable textile or leather covers. Covers on the 304/5, 304/6, 304/7, 304/8 (Iconic Edition) models come with diamond-shaped top stitching and cut foam laminated on both sides and incorporated into the covers and are only available in 74/99, 74/16, 87/99, 87/85 leather.

### Armrests

Armrests that connect the seat and backrest made of die-cast aluminum and to match the frame coated black or signal white, matte polished or bright chrome plated. Optionally with integrated, leather-covered armrest pads, in black 74/99 leather when the chair has fabric covers, in the same color and material in the case of leather covers.

### Standards

The Graph chairs comply with the DIN EN 16139-L1 and ANSI/BIFMA X 5.1 office-chair standard.



### Information


The prices for types with cushioning that includes fabrics and leather provided by the customer are given on request.

Conference chairs	Star base	Gas lift column (models 301/7, 302/7, 301/8 and 302/8)	Synchro-adjustment mechanism (models 301/8 and 302/8)	Casters	Base glides
49	Coated white (RAL9003)	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
51	Bright chrome-plated	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Bright chrome-plated
53	Coated black (RAL9011)	Coated black	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
79	Matte-polished aluminum	Bright chrome-plated	Matte-polished aluminum	Black plastic shell with chrome-plated ring	Matte chrome-plated
90	Coated with a black textured matte finish (RAL9011)	Coated black	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white
91	Coated white with a textured matte finish (RAL9016)	Bright chrome-plated	High-luster polish	Black plastic shell mit chrome-plated ring	Color-matched or coated black or white



**Medium-height backrest**

102 62 64  
43 48 47



**301/5**

Swivel-mounted,  
fully upholstered unitary seat and backrest  
frame,  
with armrests  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Swivel-return mechanism  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame  
Base glides (44 cm seating height)  
Casters (45 cm seating height)

	60	64	65	66	68
	51	68	91	74	87
	SEK	SEK	SEK	SEK	SEK
	25883	26534	27710	31532	35858
	3371	3371	3371	3371	3371
	1523	1523	1523	1523	1523
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122
	651	651	651	651	651
	1050	1050	1050	1050	1050

**High backrest**

125 62 64  
43 48 47



**302/5**

Swivel-mounted,  
fully upholstered unitary seat and backrest  
frame,  
with armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Swivel-return mechanism  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame  
Base glides (44 cm seating height)  
Casters (45 cm seating height)

	60	64	65	66	68
	51	68	91	74	87
	SEK	SEK	SEK	SEK	SEK
	30440	31385	32844	37968	43134
	3371	3371	3371	3371	3371
	1523	1523	1523	1523	1523
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122
	651	651	651	651	651
	1050	1050	1050	1050	1050

**Medium-height backrest**

104 62 64  
45 48 47



**301/6**

Fully upholstered unitary seat and backrest  
frame,  
with armrests  
Aluminum coated frame

**Additional charge/reduced prices**


Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	60	64	65	66	68
	51	68	91	74	87
	SEK	SEK	SEK	SEK	SEK
	27195	27846	29022	32844	37170
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122



**High backrest**

127 62 64  
45 48 47



**302/6**

Fully upholstered unitary seat and backrest frame, with armrests  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91 92	74	87
SEK	SEK	SEK	SEK	SEK	SEK
	31752	32697	34157	39281	44447
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122

**Medium-height backrest**

100/110 62 64  
41/51 48 47



**301/7**

Fully upholstered unitary seat and backrest frame, with armrests  
precision-adjustable height  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91 92	74	87
SEK	SEK	SEK	SEK	SEK	SEK
	27458	28109	29285	33107	37433
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122

**High backrest**

123/133 62 64  
41/51 48 47



**302/7**

Fully upholstered unitary seat and backrest frame, with armrests,  
precision-adjustable height  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91 92	74	87
SEK	SEK	SEK	SEK	SEK	SEK
	32015	32960	34419	39543	44709
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122



**Medium-height backrest**

104 62 64  
39/49 47 48



**301/8**

Fully upholstered unitary seat and backrest frame, with armrests, precision-adjustable height, rocking mechanism  
Aluminum coated frame


**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	30135	30786	31962	35784	40110
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122

**High backrest**

123/133 62 64  
39/49 47 48



**302/8**

Fully upholstered unitary seat and backrest frame, with armrests, precision-adjustable height, rocking mechanism  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

	51	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK
	34692	35637	37097	42221	47387
	3371	3371	3371	3371	3371
	1386	1386	1386	1386	1386
	6122	6122	6122	6122	6122



**High backrest**

W 125 H 62 D 64  
W 43 H 48 D 47



**304/5**

Swivel-mounted,  
unitary seat and backrest frame,  
fully upholstered  
with armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Swivel-return mechanism  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame  
Base glides (44 cm seating height)  
Casters (45 cm seating height)

74 87

SEK SEK

44415 49571

3371 3371

1523 1523

1386 1386

6122 6122

651 651

1050 1050

74 87

**High backrest**

W 127 H 62 D 64  
W 45 H 48 D 47



**304/6**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

SEK SEK

45728 50883

3371 3371

1386 1386

6122 6122



**High backrest**

123/133 H 62 H 64  
41/51 48 47



**304/7**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
precision-adjustable height,  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

74 87

SEK SEK

45990 51146

3371 3371


1386 1386

6122 6122

74 87

**High backrest**

127/137 H 62 H 64  
39/49 47 48



**304/8**

Unitary seat and backrest frame,  
fully upholstered  
with armrests  
precision-adjustable height,  
rocking mechanism  
Aluminum coated frame

**Additional charge/reduced prices**

Leather-covered armrest pad  
Matte polished aluminum frame  
Bright chrome-plated aluminum frame

SEK SEK

48668 53823

3371 3371

1386 1386

6122 6122

# 320 Range Yonda

Design: neunzig°design



## Technical details

### Function

A versatile and exceptionally sustainable, multipurpose shell-structure chair range with various frame and upholstery options for meeting rooms, cafeterias, restaurants, hotel rooms and dining rooms in homes.

### Frame

#### Four-leg frames models 320/10, 320/11, 320/12

Tubular steel frame with textured matte finish, coated in black, cream white, gray, gray-beige, emerald green, sienna red or with bright chrome plating (with environmentally friendly chromiumIII oxide). With multipurpose glides made of glide-friendly, black PA 6 (with Teflon) for soft and hard floorings. For sensitive flooring, please order with felt insert (at no additional charge).

#### Solid wood four-leg frame, models 320/20, 320/21, 320/22

Seat bearer made of steel plate with steel rods coated in black with a textured matte finish (RAL 9011), to fit the seat shell onto, as well as for the four legs made of FSC-compliant solid oak with an natural oiled finish. With multipurpose glides made of glide-friendly, black PA 6 (with Teflon) for soft and hard floorings. For sensitive flooring, please order with felt insert (at no additional charge).

#### Four-star base, models 320/30, 320/31, 320/32

Four-star base made of die-cast aluminum, coated with a textured matte finish in black cream white, gray, gray-beige, emerald green,

sienna red, or high-luster polished, with a concealed, in-built, swivel-mounted column made of two-part round steel tubing, coated black, optionally with a reset mechanism. Seat bearer made of molded flat steel with tapered steel connecting joint, coated in black with a textured matte finish (RAL 9011) or color-matched with the shell in a textured matte finish (additional charge). Optionally with a three-dimensional rocking mechanism made of springy flat steel coated black with a textured matte finish (RAL 9011) or color-matched with the shell in a textured matte finish (additional charge).

With steel base glides coated black with a textured matte finish (RAL 9011), color-matched with the shell in a textured matte finish (additional charge) with an integratedh gliding surface made of Teflon-coated rubber for hard and soft floors, optionally with a felt insert for sensitive floors.

Optionally with twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors.

#### Five-star base, models 320/00, 320/01, 320/02

Five-star base in die-cast aluminum, coated with a textured matte finish in black, cream white, gray, gray-beige, emerald green, sienna red or high-luster polished, with a gas lift with precision-adjustable height, bright chrome-

plated or coated black with lever made of steel rod, coated black. Seat bearer made of molded flat steel with cylindrical connecting joint, coated in black with a textured matte finish (RAL 9011) or color-matched with the shell in a textured matte finish (additional charge).

Optionally with a three-dimensional rocking mechanism made of springy flat steel coated black with a textured matte finish (RAL 9011) or color-matched with the shell in a textured matte finish (additional charge).

Twin-wheel swivel casters with load-dependent braking, made of black polyamide compliant with DIN EN 12529 as the standard version for carpets; with gray soft polyurethane tire for hard floors.

#### Seat and backrest

Unitary, ergonomically shaped seat shell with armrests, consisting of a recyclable biocomposite (70% post-consumer recycled polypropylene, 30% waste wood fibers) food-safe, through-dyed and optionally in black, cream white, gray, gray-beige, emerald green or sienna red. Models without upholstery optionally have a felt seat cushion with non-slip coating in anthracite, a light mottled hue, anthracite, graphite, mango, verde, deep water.

Models 320/11, 320/21, 320/ 31 and 320/01 with seat cushioning as a replaceable, covered upholstery element made of molded plywood with molded foam made of CFC-free polyurethane foam, optionally with contoured upholstery (Y-shaped depressions).

Models 320/12, 320/22, 320/32 and 320/02 with padding on the inside as a replaceable, covered inside shell made of recyclable biocomposite (70% recycled polypropylene, 30% waste wood fibers) with molded foam made of CFC-free polyurethane foam. Leather covers have extra seat cushioning.

#### Please note

To ensure quality is maintained, we don't offer white leather (74/72). All other standard leather colors are possible. When exposed to ultra violet rays for long periods of time, the colors of biocomposite shell can change slightly. The subtle speckles, typical of the material, indicate the sustainable nature of the material and do not constitute grounds for complaint.

The same applies to any slight differences in color when Yonda is combined with seat shells made of biocomposite material and other chair models with seat shells made of polypropylene. There can also be slight differences in color between the biocomposite shell and the coated frames.

Felt is a natural product. Therefore, the color can differ. These differences are not grounds for complaint but underscore the material's uniqueness.

#### Standards

The Yonda multipurpose chairs comply with the ANSI/BIFMA X 5.1 standard.

## Four-leg chairs and star bases

### Base frame

- 51 Bright chrome-plated
- 72 High-luster polished aluminum
- 85 Coated gray with a textured matte finish (Pantone Cool Gray 10 C)
- 86 Coated gray-beige with a textured matte finish (Pantone 7530 C)
- 90 Coated with a black textured matte finish (RAL 9011)
- 93 Coated cream white with a textured matte finish (RAL 9001)
- 94 Coated emerald green with a textured matte finish (Pantone 5477 C)
- 95 Coated sienna red with a textured matte finish (Pantone 3523 C)



**Multipurpose chair**

W84 H60 D58  
W44



**320/10**

Four-leg frame, not upholstered  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**SEK**

2667  
2667

**Accessories**

**320** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

				60			
				64			
				65			
				66	91		
	37	47	51	68	92	74	87
	38		54				
	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
	3654	3959	4158	4347	4652	5019	5765
	3654	3959	4158	4347	4652	5019	5765
	<b>Additional charge/reduced prices</b>						
	378	378	378	378	378	378	378

**Multipurpose chair**

W84 H60 D58  
W44



**320/11**

Four-leg frame with seat cushioning  
Coated frame, color-matched with the shell  
Bright chrome-plated frame

**Additional charge/reduced prices**

Contoured upholstery

				60			
				64			
				65			
				66	91		
	38	47	51	68	92	74	87
			54				
	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
	5628	6185	6500	6773	7245	8873	11120
	5628	6185	6500	6773	7245	8873	11120

**Multipurpose chair**

W84 H60 D58  
W44



**320/12**


Four-leg frame with padding on the inside  
Coated frame, color-matched with the shell  
Bright chrome-plated frame





**Multipurpose chair**

84 60 60  
44



**320/20**

Solid oak four-leg frame with a natural oiled finish, FSC-compliant not upholstered

**SEK**

4169

**Accessories**

**320** Felt cushion with non-slip coating, available in 6 colors


557

Upholstery material

				60			
				64			
				65			
				66	91		
	37		51	68	92	74	87
	38	47	54				

**Multipurpose chair**

84 60 60  
44



**320/21**

Solid oak four-leg frame with a natural oiled finish, FSC-compliant with seat cushioning

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
5156	5460	5660	5849	6153	6521	7266
378	378	378	378	378	378	378


**Additional charge/reduced prices**

Contoured upholstery

				60		
				64		
				65		
				66	91	
	38		51	68	92	74
	38	47	54			

**Multipurpose chair**

84 60 60  
44



**320/22**


Solid oak four-leg frame with a natural oiled finish, FSC-compliant with padding on the inside

<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>	<b>SEK</b>
7130	7686	8001	8274	8747	10374	12621



**Multipurpose chair**

84 60 60  
44



**320/30**

Four-star base frame on glides, swivel-mounted  
Coated frame, color-matched with the shell  
High-luster polished frame

**SEK**

4925  
4925

**Additional charge/reduced prices**

3D suspension  
Swivel-return mechanism  
Casters  
Frame connection and glides color-matched with the shell

557  
1523  
725  
116

**Accessories**


**320** Felt cushion  
with non-slip coating, available in 6 colors

557

Upholstery material

**Multipurpose chair**

84 60 60  
44



**320/31**

Four-star base frame on glides, with seat  
cushioning, swivel-mounted  
Coated frame, color-matched with the shell  
High-luster polished frame

37 47 51 60 91  
38 54 64 92 74 87

**SEK SEK SEK SEK SEK SEK SEK**

5912 6216 6416 6605 6909 7277 8022  
5912 6216 6416 6605 6909 7277 8022

**Additional charge/reduced prices**


Contoured upholstery  
3D suspension  
Swivel-return mechanism  
Casters  
Frame connection and glides color-matched with  
the shell

378 378 378 378 378 378 378  
557 557 557 557 557 557 557  
1523 1523 1523 1523 1523 1523 1523  
725 725 725 725 725 725 725  
116 116 116 116 116 116 116

38 47 51 60 91  
38 54 64 92 74 87

**Multipurpose chair**

84 60 60  
44



**320/32**

Four-star base frame on glides, with padding on  
the inside, swivel-mounted  
Coated frame, color-matched with the shell  
High-luster polished frame

**SEK SEK SEK SEK SEK SEK SEK**

7886 8442 8757 9030 9503 11130 13377  
7886 8442 8757 9030 9503 11130 13377

**Additional charge/reduced prices**

3D suspension  
Swivel-return mechanism  
Casters  
Frame connection and glides color-matched with  
the shell

557 557 557 557 557 557 557  
1523 1523 1523 1523 1523 1523 1523  
725 725 725 725 725 725 725  
116 116 116 116 116 116 116



**Multipurpose chair**

▣ 81/91 ▣ 67 ▣ 67

▣ 41/51



**320/00**

Five-star base frame on casters, precision-adjustable height  
Coated frame, color-matched with the shell  
High-luster polished frame

**SEK**

5786

5786

**Additional charge/reduced prices**

3D suspension  
Frame connection color-matched with the shell

557

116

**Accessories**

**320** Felt cushion  
with non-slip coating, available in 6 colors

557


Upholstery material

	37	47	51	60 64 65 66 68	91	74	87
	38		54	68	92		87
SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
6773	7077	7277	7466	7770	8138	8883	
6773	7077	7277	7466	7770	8138	8883	
557	557	557	557	557	557	557	557
378	378	378	378	378	378	378	378
116	116	116	116	116	116	116	116

**Multipurpose chair**

▣ 81/91 ▣ 67 ▣ 67

▣ 41/51



**320/01**

Five-star base frame on casters, with seat  
cushioning, precision-adjustable height  
Coated frame, color-matched with the shell  
High-luster polished frame

	37	47	51	60 64 65 66 68	91	74	87
	38		54	68	92		87
SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
6773	7077	7277	7466	7770	8138	8883	
6773	7077	7277	7466	7770	8138	8883	
557	557	557	557	557	557	557	557
378	378	378	378	378	378	378	378
116	116	116	116	116	116	116	116

**Additional charge/reduced prices**


3D suspension  
Contoured upholstery  
Frame connection color-matched with the shell

	37	47	51	60 64 65 66 68	91	74	87
	38		54	68	92		87
SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
8747	9303	9618	9902	10364	11991	14238	
8747	9303	9618	9902	10364	11991	14238	
557	557	557	557	557	557	557	557
116	116	116	116	116	116	116	116

**Multipurpose chair**

▣ 81/91 ▣ 67 ▣ 67

▣ 41/51



**320/02**

Five-star base frame on casters, with padding on  
the inside, precision-adjustable height  
Coated frame, color-matched with the shell  
High-luster polished frame

	37	47	51	60 64 65 66 68	91	74	87
	38		54	68	92		87
SEK	SEK	SEK	SEK	SEK	SEK	SEK	SEK
8747	9303	9618	9902	10364	11991	14238	
8747	9303	9618	9902	10364	11991	14238	
557	557	557	557	557	557	557	557
116	116	116	116	116	116	116	116

**Additional charge/reduced prices**


3D suspension  
Frame connection color-matched with the shell





**Lounge chair**

104 79 69  
32



**322/14**

Fully upholstered shell, with integrated seat cushion  
sled base  
Coated base frame  
Bright chrome-plated frame


**Additional charge/reduced prices**

Multipurpose glides for bright chrome-plated frame (optionally with felt insert)

	38	47	51 54	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	17073	17189	17514	17850	19278	23909	34388
	17073	17189	17514	17850	19278	23909	34388
	147	147	147	147	147	147	147

**Lounge chair**

104 79 84  
32



**322/24**

Fully upholstered shell with integrated seat cushion  
Solid oak four-leg frame with a natural oiled finish

	38	47	51 54	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK	SEK
	19058	19173	19499	19835	21263	25893	36372



# 361 Range

## Ceno

Design: Läufer + Keichel



Further  
information

### Technical details

---

#### Function

Four-leg, stackable conference chair for conference rooms, as well as high-quality restaurant and company restaurant spaces.

#### Frame

Frame in solid aluminum, bright chrome-plated or coated in silver satin finish or black. Black, multi-purpose glides made of plastic for all types of flooring, optionally with extra felt glides.

#### Seat and backrest

Seat frame in die-cast aluminum, bright chrome-plated or coated in a silver satin finish or black. Elastic backrest shell in polypropylene, reinforced with two hexagonal rods connecting the seat and back. Backrest shell fully padded with polyurethane. Seat cushion made of polyurethane molded foam; seat pan in black through-dyed plastic. Back- and seat cushion replaceable. Two-part, replaceable cover.

#### Armrests

Armrests in black polyamide.

#### Standards

The Ceno visitor chairs comply with the ANSI/BIFMA X5.1 standard.

#### Accessories

Optional stainless steel inline connector. Optionally for model 361, short inline connector for linking chairs without armrests and chairs with armrests alternately with chairs without armrests or model 362 long inline connector for linking chairs with armrests.

### Conference chairs:

#### Base frame


---

- 51 Bright chrome-plated
  - 53 Coated black (RAL9011)
  - 60 Coated with a silver satin finish (RAL9006)
  - 90 Coated with a black textured matte finish (RAL9011)
-



**Medium-height backrest**

80 52 54  
47



**361/5**

with seat and backrest upholstery,  
up to 8 stackable free-standing  
Aluminum coated frame


**Additional charge/reduced prices**

Bright chrome-plated aluminum frame

			60 64 65 66 68	92 91 92	74	87
	47	54				
	SEK	SEK	SEK	SEK	SEK	SEK
	6678	7224	7644	8264	9807	11382
	756	756	756	756	756	756

**Medium-height backrest**

80 58 54  
47



**361/6**

Polyamide armrests  
with upholstered seat and backrest  
up to 8 stackable free-standing  
Aluminum coated frame

**Additional charge/reduced prices**

Bright chrome-plated aluminum frame

			60 64 65 66 68	91 92	74	87
	47	51 54				
	SEK	SEK	SEK	SEK	SEK	SEK
	8201	8747	9167	9786	11330	12905
	756	756	756	756	756	756





**High backrest**  
 85 52 54  
 47



**362/5**  
 with seat and backrest upholstery,  
 up to 8 stackable free-standing  
 Aluminum coated frame  
  
**Additional charge/reduced prices**  
 Bright chrome-plated aluminum frame

	47	51 54	60 64 65 66 68	91 92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK
	7413	7959	8379	8999	10542	12117
	756	756	756	756	756	756

**High backrest**  
 85 58 54  
 47



**362/6**  
 Polyamide armrests  
 with upholstered seat and backrest,  
 up to 8 stackable free-standing  
 Aluminum coated frame  
  
**Additional charge/reduced prices**  
 Bright chrome-plated aluminum frame

	47	54	60 64 65 66 68	92 91 92	74	87
	SEK	SEK	SEK	SEK	SEK	SEK
	8936	9482	9902	10521	12065	13640
	756	756	756	756	756	756

Black plastic multipurpose glides for all types of flooring, for wooden floorings (e. g. parquet) please order with extra felt glides (at no extra charge in each case).