

LIGHTING COLLECTION

SWEDEN JANUARY 2021
REC. RETAIL PRICELIST IN
SEK INCL. VAT

Subject to increases in prices and printing errors


HAY







CONTENT

30 DEGREES SHADE / L	38	PC DOUBLE ARM W. TABLE BASE	11
30 DEGREES SHADE / M	37	PC DOUBLE ARM W. TABLE INSERT	10
30 DEGREES SHADE / S	36	PC DOUBLE ARM W. WALL BRACKET	8
30 DEGREES SHADE / XL	39	PC LINEAR	15
BONBON SHADE / 320	42	PC PENDANT / L	14
BONBON SHADE / 380	43	PC PENDANT / M	13
BONBON SHADE / 500	44	PC PENDANT / S	12
CLOCHE	35	PC PORTABLE	3
CORD SET	72	PC SINGLE ARM W. CLAMP	6
CORD SET TABLE	73	PC SINGLE ARM W. WALL BRACKET	7
FIFTY-FIFTY FLOOR LAMP	25	PC TABLE LAMP / L	5
FIFTY-FIFTY MINI	26	PC TABLE LAMP / S	4
FIFTY-FIFTY TABLE LAMP	24	ROPE TRICK	30
FIFTY-FIFTY WALL	27	SINKER / L / PENDANT	41
MARSELIS FLOOR LAMP	29	SINKER / S / PENDANT	40
MARSELIS TABLE LAMP	28	TURN ON	34
MATIN TABLE LAMP / 300	22	USB CHARGING STATION FOR PC PORTABLE	16
MATIN TABLE LAMP / 380	23		
NELSON APPLE BUBBLE PENDANT / M	64		
NELSON BALL BUBBLE PENDANT / L	47		
NELSON BALL BUBBLE PENDANT / M	46		
NELSON BALL BUBBLE PENDANT / S	45		
NELSON BALL CRISSCROSS BUBBLE PENDANT / M	57		
NELSON BALL CRISSCROSS BUBBLE PENDANT / S	56		
NELSON BALL WALL SCONCE CABLED / S	67		
NELSON CIGAR BUBBLE PENDANT / L	50		
NELSON CIGAR BUBBLE PENDANT / M	49		
NELSON CIGAR BUBBLE PENDANT / S	48		
NELSON CIGAR CRISSCROSS BUBBLE PENDANT / M	59		
NELSON CIGAR CRISSCROSS BUBBLE PENDANT / S	58		
NELSON CIGAR WALL SCONCE CABLED / S	68		
NELSON FIXTURE FOR TRIPLE BUBBLE LAMP	71		
NELSON LANTERN BUBBLE PENDANT / S	66		
NELSON PEAR BUBBLE PENDANT / M	63		
NELSON PEAR BUBBLE PENDANT / S	62		
NELSON PEAR CRISSCROSS BUBBLE PENDANT / M	61		
NELSON PEAR CRISSCROSS BUBBLE PENDANT / S	60		
NELSON PEAR WALL SCONCE CABLED / S	70		
NELSON PROPELLER BUBBLE PENDANT / M	65		
NELSON SAUCER BUBBLE PENDANT / L	53		
NELSON SAUCER BUBBLE PENDANT / M	52		
NELSON SAUCER BUBBLE PENDANT / S	51		
NELSON SAUCER CRISSCROSS BUBBLE PENDANT / M	55		
NELSON SAUCER CRISSCROSS BUBBLE PENDANT / S	54		
NELSON SAUCER WALL SCONCE CABLED / S	69		
NOC CLAMP	31		
NOC WALL	32		
NOC WALL BUTTON	33		
PAO GLASS PENDANT / 350	20		
PAO GLASS TABLE LAMP / 350	21		
PAO STEEL PENDANT / 230	17		
PAO STEEL PENDANT / 350	18		
PAO STEEL PENDANT / 470	19		
PC DOUBLE ARM W. CLAMP	9		

PC PORTABLE

DESIGN Pierre Charpin
SIZE W14 x D14 x H22 cm
 W5.51" x D5.51" x H8.66"
DETAILS Body in injection moulded ABS, with a translucent PP diffuser. Shade in injection moulded opaque ABS for Soft Black and Olive lamp, translucent PP for Cream White. Lamp is charged with the supplied micro USB Cable. Charging station for up to 24. pcs. available for purchase.
LIGHT SOURCE LED G4, 3.5W. 3.6V. 220LM. 3000K Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 43
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104311009000	Soft black ABS	 5 710441 267874	949,00
4104312009000	Olive ABS	 5 710441 267881	949,00
4104313009000	Cream white ABS	 5 710441 267898	949,00
4104314009000	Ocean green ABS	 5 710441 289470	949,00
4104315009000	Sky blue ABS	 5 710441 289487	949,00
4104316009000	Dusty red ABS	 5 710441 289494	949,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W15 x D15 x H26,5 cm / 0,65 kg
PRODUCT STATUS Stock Item

PC TABLE LAMP / S

DESIGN Pierre Charpin
SIZE W25 x D25 x H33 cm
 W9.84" x D9.84" x H12.99"
DETAILS Shade in anodised spun Aluminium. Base in anodised extruded aluminium with a cast iron internal weight. Diffuser in injection moulded translucent polycarbonate. Cable in black for all variants. Recommended light source: Dimmable LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104211009000	Soft black anodised aluminium	 5 710441 263760	2.499,00
4104211109000	Anodised aluminium	 5 710441 263777	2.499,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W16.5 x D16.5 x H23.5 cm / 1.3 kg
PRODUCT STATUS Stock Item 1 pcs. / W31.5 x D31.5 x H20 cm / 1 kg

PC TABLE LAMP / L

DESIGN Pierre Charpin
SIZE W40 x D40 x H50 cm
 W15.75" x D15.75" x H19.69"
DETAILS Shade in anodised spun Aluminium. Base in anodised extruded aluminium with a cast iron internal weight. Diffuser in injection moulded translucent polycarbonate. Cable in black for all variants. Recommended light source: Dimmable LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104251109000	Anodised aluminium	 5 710441 263814	3.299,00
4104251009000	Soft black anodised aluminium	 5 710441 263807	3.299,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W34.5 x D22.5 x H22.5 cm / 3 kg
PRODUCT STATUS	Stock Item		1 pcs. / W46.5 x D46.5 x H26 cm / 2.2 kg

PC SINGLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D9 x H62,7 cm
 W5.51" x D3.54" x H24.69"
DETAILS Extruded aluminium arm with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W .407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190911009000	Soft black wet sprayed aluminium	 5 710441 258803	2.829,00
4190911109000	Ash grey wet sprayed aluminium	 5 710441 258810	2.829,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC SINGLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D9 x H61 cm
 W5.51" x D3.54" x H24.02"
DETAILS Extruded aluminium arm with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W .407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190921009000	Soft black wet sprayed aluminium	 5 710441 258827	2.649,00
4190921109000	Ash grey wet sprayed aluminium	 5 710441 258834	2.649,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC DOUBLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D55 x H45 cm
 W5.51" x D21.65" x H17.72"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190941109000	Ash grey wet sprayed aluminium	 5 710441 279150	2.749,00
4190941009000	Soft black wet sprayed aluminium	 5 710441 279143	2.749,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W48 x D48 x H10 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg

PC DOUBLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D55 x H60,5 cm
 W5.51" x D21.65" x H23.82"
DETAILS Extruded aluminium arms with die cast aluminium joints. Grey shade in spun aluminium. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190961009000	Soft black wet sprayed aluminium	 5 710441 279167	3.129,00
4190961109000	Ash grey wet sprayed aluminium	 5 710441 279174	3.129,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. TABLE INSERT

DESIGN Pierre Charpin
SIZE W14 x D55 x H42,5 cm
 W5.51" x D21.65" x H16.73"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190981009000	Soft black wet sprayed aluminium	 5 710441 279181	2.969,00
4190981109000	Ash grey wet sprayed aluminium	 5 710441 279198	2.969,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W15 x D8.5 x H7.5 cm / 0.22 kg
PRODUCT STATUS Stock Item 1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. TABLE BASE

DESIGN Pierre Charpin
SIZE W14 x D55 x H42 cm
 W5.51" x D21.65" x H16.54"
DETAILS Extruded aluminium arms with die cast aluminium joints. Shade in spun aluminium. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W. 407LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104491109000	Ash grey wet sprayed aluminium	 5 710441 263937	3.299,00
4104491009000	Soft black wet sprayed aluminium	 5 710441 263920	3.299,00
4104491209000	Leaf green wet sprayed aluminium	 5 710441 263944	3.299,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H8 cm / 3.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W48 x D48 x H10 cm / 2 kg

PC PENDANT / S

DESIGN Pierre Charpin
SIZE W25 x D25 x H14,5 cm
 W9.84" x D9.84" x H5.71"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104111309000	Blush red anodised aluminium	 5 710441 263692	1.649,00
4104111209000	Emerald green anodised aluminium	 5 710441 263685	1.649,00
4104111109000	Anodised aluminium	 5 710441 263678	1.649,00
4104111009000	Soft black anodised aluminium	 5 710441 263661	1.649,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W31,5 x D31,5 x H20 cm / 1,30 kg
PRODUCT STATUS Stock Item

PC PENDANT / M

DESIGN Pierre Charpin
SIZE W40 x D40 x H20,5 cm
 W15.75" x D15.75" x H8.07"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104131209000	Emerald green anodised aluminium	 5 710441 263722	2.829,00
4104131109000	Anodised aluminium	 5 710441 263715	2.829,00
4104131009000	Soft black anodised aluminium	 5 710441 263708	2.829,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W46,5 x D46,5 x H26 cm / 1,50 kg
PRODUCT STATUS Stock Item

PC PENDANT / L

DESIGN Pierre Charpin
SIZE W60 x D60 x H28 cm
 W23.62" x D23.62" x H11.02"
DETAILS Shade in anodised spun aluminium. Diffuser in injection moulded translucent polycarbonate. Cable in braided fabric with a PVC insulation. Cable is black for all variants. Recommended light source for S: 3 x LED G9 3-5W, 300-600lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White. For L: 3 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104151109000	Anodised aluminium	 5 710441 263753	4.449,00
4104151009000	Soft black anodised aluminium	 5 710441 263746	4.449,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W62 x D62 x H45 cm / 5,50 kg
PRODUCT STATUS Stock Item

PC LINEAR

DESIGN Pierre Charpin
SIZE W120 x D14 x H10 cm
 W47.24" x D5.51" x H3.94"
DETAILS Stamped aluminum shade with a wet spray finish. Extruded and injection moulded polycarbonat (PC) diffuser. Injection moulded ABS ceiling canopy. Silicone power cable.
LIGHT SOURCE INTEGRATED LED, 28W. 2300LM. 2800K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104023009000	Cream white wet sprayed aluminium	 5 710441 280453	4.699,00
4104021009000	Soft black wet sprayed aluminium	 5 710441 280446	4.699,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W128 x D18 x H20 cm / 4 kg
PRODUCT STATUS	Stock Item		1 pcs. / W43 x D9 x H7.5 cm / 0.7 kg

USB CHARGING STATION FOR PC PORTABLE

SIZE L23,5 x W6 x H14 cm
L9.25" x W2.36" x H5.51"

DETAILS Fabricated sheet steel case with a powder coated finish in black, the USB charging station can charge 24 independent USB powered devices simultaneously.



SALES QTY. 1 pcs.


ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
410439	Black powder coated steel	 5 710441 274841	1.729,00





PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W25,5 x D20 x H7 cm / 1,80 kg

PRODUCT STATUS Stock Item

PAO STEEL PENDANT / 230

DESIGN Naoto Fukasawa
SIZE Ø23 x H10 cm
 Ø9.06" x H3.94"
DETAILS Pressed steel shade with a high-gloss wet spray finish. Injection moulded opalescent acrylic (PMMA) diffuser. Braided fabric cable with a silicone insulation. Recommended light source for 230 2 x LED G9 3-5W, 300-600lm, 2700-3000K Warm White. For 350 2 x LED E14 (A15) 5-8W, 500-800lm, 2700-3000K Warm White. For 470 2 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
9365611009000	Soft black powder coated steel	 5 710441 280699	1.559,00
9365615009000	Cool grey powder coated steel	 5 710441 280712	1.559,00
9365614009000	Red powder coated steel	 5 710441 280729	1.559,00
9365613009000	Cream white powder coated steel	 5 710441 280705	1.559,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W27 x D27 x H15 cm / 1,60 kg
PRODUCT STATUS Stock Item

PAO STEEL PENDANT / 350

DESIGN Naoto Fukasawa
SIZE Ø35 x H14,5 cm
 Ø13.78" x H5.71"
DETAILS Pressed steel shade with a high-gloss wet spray finish. Injection moulded opalescent acrylic (PMMA) diffuser. Braided fabric cable with a silicone insulation. Recommended light source for 230 2 x LED G9 3-5W, 300-600lm, 2700-3000K Warm White. For 350 2 x LED E14 (A15) 5-8W, 500-800lm, 2700-3000K Warm White. For 470 2 x LED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
9365625009000	Cool grey powder coated steel	 5 710441 280750	2.349,00
9365623009000	Cream white powder coated steel	 5 710441 280743	2.349,00
9365621009000	Soft black powder coated steel	 5 710441 280736	2.349,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W39 x D39 x H17,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

PAO STEEL PENDANT / 470

DESIGN Naoto Fukasawa
SIZE Ø47 x H16,5 cm
 Ø18.5" x H6.5"
DETAILS Pressed steel shade with a high-gloss wet spray finish. Injection moulded opalescent acrylic (PMMA) diffuser. Braided fabric cable with a silicone insulation. Recommended light source for 230 2 x LED G9 3-5W, 300-600lm, 2700-3000K Warm White. For 350 2 x LED E14 (A15) 5-8W, 500-800lm, 2700-3000K Warm White. For 470 2 xLED E27 (A19) 10-13W, 1000-1500lm, 2700-3000K Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
9365633009000	Cream white powder coated steel	 5 710441 280774	3.129,00
9365635009000	Cool grey powder coated steel	 5 710441 280781	3.129,00
9365631009000	Soft black powder coated steel	 5 710441 280767	3.129,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W51,5 x D51,5 x H21 cm / 4,50 kg
PRODUCT STATUS Stock Item

PAO GLASS PENDANT / 350

DESIGN Naoto Fukasawa
SIZE Ø35 x H14,5 cm
 Ø13.78" x H5.71"
DETAILS Mouth blown opalescent high gloss glass. Light engine in polished aluminium and opal glass with a brass ball and socket joint for leveling. Braided fabric cable with a silicone insulation.
LIGHT SOURCE INTEGRATED LED, 10W. 690LM. 2600K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
---------	--------	----------	---------------


936571	White opal glass		3.899,00
--------	------------------	--	----------




PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W46 x D46 x H26 cm / 3.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W29.5 x D16.5 x H18 cm / 1.2 kg

PAO GLASS TABLE LAMP / 350

DESIGN Naoto Fukasawa
SIZE Ø35 x H30,5 cm
 Ø13.78" x H12.01"
DETAILS Mouth blown opalscent high gloss glass.
 Light engine in polished aluminum hardware
 and mounting bracket with matte opal glass
 diffuser. Braided fabric cable with a silicone
 insulation.
LIGHT SOURCE INTEGRATED LED, 11W. 700LM. 2600K. Warm
 white
DIMMABLE Yes
SWITCH INLINE STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936581	White opal glass	 5 710441 289524	4.699,00

PACKAGING	BOX DIMENSIONS AND WEIGHT
3 box / 1 pcs.	1 pcs. / W46 x D46 x H26 cm / 3.5 kg
PRODUCT STATUS Stock Item	1 pcs. / W23 x D23 x H28 cm / 1 kg
	1 pcs. / W28 x D17 x H16 cm / 1 kg

MATIN TABLE LAMP / 300

DESIGN Inga Sempé
SIZE W30 x D30 x H38 cm
 W11.81" x D11.81" x H14.96"
DETAILS Lamp shade in cotton fabric laminated to a PVC sheet. Lamp base in bent steel wire with a polished brass finish, precision cast steel counter weight with black injection moulded ABS hardware. Digital inline dimmer switch and cable are black for all colour variants.
LIGHT SOURCE INTEGRATED LED, 5W. 150LM. 2800K. Warm white
DIMMABLE Yes
SWITCH INLINE STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191215009000	Lavender cotton shade, polished brass base	 5 710441 275794	1.949,00
4191216009000	Oxide red cotton shade, polished brass base	 5 710441 275800	1.949,00
4191213009000	Yellow cotton shade, polished brass base	 5 710441 266143	1.949,00
4191211009000	White cotton shade, polished brass base	 5 710441 266129	1.949,00
4191214009000	Green cotton shade, polished brass base	 5 710441 266150	1.949,00
4191212009000	Bright red cotton shade, polished brass base	 5 710441 266136	1.949,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W18 x D7.5 x H7.4 cm / 0.17 kg
PRODUCT STATUS Stock Item 1 pcs. / W42 x D23.5 x H6.5 cm / 1 kg

MATIN TABLE LAMP / 380

DESIGN Inga Sempé
SIZE W38 x D38 x H52 cm
 W14.96" x D14.96" x H20.47"
DETAILS Lamp shade in cotton fabric laminated to a PVC sheet. Lamp base in bent steel wire with a polished brass finish, precision cast steel counter weight with black injection moulded ABS hardware. Digital inline dimmer switch and cable are black for all colour variants.
LIGHT SOURCE INTEGRATED LED, 5W. 150LM. 2800K. Warm white
DIMMABLE Yes
SWITCH INLINE STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191232009000	Bright red cotton shade, polished brass base	 5 710441 266174	2.429,00
4191236009000	Oxide red cotton shade, polished brass base	 5 710441 275862	2.429,00
4191235009000	Lavender cotton shade, polished brass base	 5 710441 275855	2.429,00
4191234009000	Green cotton shade, polished brass base	 5 710441 266198	2.429,00
4191233009000	Yellow cotton shade, polished brass base	 5 710441 266181	2.429,00
4191231009000	White cotton shade, polished brass base	 5 710441 266167	2.429,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W22.5 x D7.5 x H7.4 cm / 0.17 kg
PRODUCT STATUS Stock Item 1 pcs. / W55.4 x D24 x H6.5 cm / 1.1 kg

FIFTY-FIFTY TABLE LAMP

DESIGN Sam Weller
SIZE W18,5 x D90 x H60 cm
 W7.28" x D35.43" x H23.62"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102111009000	Soft black powder coated aluminium	 5 710441 243090	3.449,00
4102112009000	Ash grey powder coated aluminium	 5 710441 243106	3.449,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W99.5 x D17 x H6 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W25.5 x D24 x H5 cm / 3 kg

FIFTY-FIFTY FLOOR LAMP

DESIGN Sam Weller
SIZE W25 x D90 x H135 cm
 W9.84" x D35.43" x H53.15"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102131009000	Soft black powder coated aluminium	 5 710441 243113	5.799,00
4102132009000	Ash grey powder coated aluminium	 5 710441 243120	5.799,00

PACKAGING	PRODUCT STATUS	BOX DIMENSIONS AND WEIGHT
3 box / 1 pcs.	Stock Item	1 pcs. / W99.5 x D17 x H6 cm / 2 kg 1 pcs. / W31.5 x D30 x H7 cm / 3.5 kg 1 pcs. / W78 x D6.5 x H6.5 cm / 1.2 kg

FIFTY-FIFTY MINI

DESIGN Sam Weller
SIZE W16,5 x D65 x H45 cm
 W6.5" x D25.59" x H17.72"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE INTEGRATED LED, 4W. 360LM. 3000K. Warm white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102172009000	Ash grey powder coated aluminium	 5 710441 248361	3.129,00
4102171009000	Soft black powder coated aluminium	 5 710441 248354	3.129,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W75.5 x D17 x H6 cm / 1.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W25.5 x D24 x H5 cm / 2.5 kg

FIFTY-FIFTY WALL

DESIGN Sam Weller
SIZE W7,5 x D187 x H67 cm
 W2.95" x D73.62" x H26.38"
DETAILS Extruded aluminium arms with die cast aluminium joints and head. Machined steel wall bracket and counterweight. Black silicone cable.
LIGHT SOURCE INTEGRATED LED, 7.7W. 700LM. 3100K. COOL WHITE
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 300 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102091009000	Soft black powder coated aluminium	 5 710441 279310	4.699,00
4102093009000	Cream white powder coated aluminium	 5 710441 279327	4.699,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W209 x D17,5 x H7 cm / 4,60 kg
PRODUCT STATUS Stock Item

MARSELIS TABLE LAMP

DESIGN Kaschkasch
SIZE W10 x D20 x H38 cm
 W3.94" x D7.87" x H14.96"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE INTEGRATED LED, 4W. 213LM. 2700K. Warm
 white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
419112009000	Ash grey powder coated aluminium	 5 710441 261308	2.049,00
419111009000	Soft black powder coated aluminium	 5 710441 261292	2.049,00
419113009000	Khaki green powder coated aluminium	 5 710441 261315	2.049,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W44,5 x D19 x H15 cm / 2,00 kg
PRODUCT STATUS Stock Item

MARSELIS FLOOR LAMP

DESIGN Kaschkasch
SIZE W17,5 x D21,2 x H126 cm
 W6.89" x D8.35" x H49.61"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE INTEGRATED LED, 4W. 213LM. 2700K. Warm
 white
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191132009000	Ash grey powder coated aluminium	 5 710441 261339	2.969,00
4191131009000	Soft black powder coated aluminium	 5 710441 261322	2.969,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W133 x D25 x H25 cm / 5,00 kg
PRODUCT STATUS Stock Item

ROPE TRICK

DESIGN Stefan Diez
SIZE W18 x D33 x H170 cm
 W7.09" x D12.99" x H66.93"
DETAILS Woven PET, aluminium, acrylic, polypropylene and ABS. Integrated LED module.
LIGHT SOURCE INTEGRATED LED, 10W. 410LM. 3000K. Warm white
DIMMABLE Yes
SWITCH STEPLESS TOUCH DIMMER
IP 20
CORD LENGTH 250 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004412509000	Black acrylic shade, black iron and ABS base, yellow woven PET	 5 710441 027171	5.799,00
4004411509000	Black acrylic shade, black iron and ABS base, beige woven PET	 5 710441 027164	5.799,00
4004411009000	Black acrylic shade, black iron and ABS base, black woven PET	 5 710441 027157	5.799,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W170 x D47 x H29 cm / 11,00 kg
PRODUCT STATUS Stock Item

NOC CLAMP

DESIGN SmithMatthias
SIZE W10 x D14 x H22 cm
 W3.94" x D5.51" x H8.66"
DETAILS Machined aluminum lamp stem and clamp.
 Die cast aluminum lamp shade. Silicone
 cable. Black cable for the dark grey and red.
 versions and white for the off white version.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm
 white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004511509000	Dark grey powder coated aluminium	 5 710441 023623	1.899,00
4004511009000	Off white powder coated aluminium	 5 710441 023616	1.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,50 kg
PRODUCT STATUS Stock Item

NOC WALL

DESIGN SmithMatthias
SIZE W11 x D22 x H14 cm
 W4.33" x D8.66" x H5.51"
DETAILS Lamp stem and base in machined aluminium.
 Lamp shade in die cast aluminium. Black
 silicone cable for dark grey and white silicone
 cable for the off white version.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm
 white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004521109000	Dark grey powder coated aluminium	 5 710441 178453	1.899,00
4004521009000	Off white powder coated aluminium	 5 710441 178446	1.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,40 kg
PRODUCT STATUS Stock Item

NOC WALL BUTTON

DESIGN SmithMatthias
SIZE W11,8 x D22 x H14 cm
 W4.65" x D8.66" x H5.51"
DETAILS Lamp stem and base in machined aluminium.
 Lamp shade in die cast aluminium. Black silicone cable for dark grey and white silicone cable for the off white version. Features a simple push button switch.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INTEGRATED SWITCH
IP 20
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004501009000	Off white powder coated aluminium	 5 710441 241270	1.899,00
4004501109000	Dark grey powder coated aluminium	 5 710441 241287	1.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W26 x D23 x H13 cm / 1,30 kg
PRODUCT STATUS Stock Item

TURN ON

DESIGN Joel Hoff
SIZE Ø10 x H19,5 cm
 Ø3.94" x H7.68"
DETAILS Opal glass shade and anodized aluminium base. LED bulb included.
LIGHT SOURCE INTEGRATED LED, 4.5W. 250LM. 2700K. Warm white
DIMMABLE Yes
SWITCH ROTARY LAMP BODY DIMMER SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004531309000	Blown opal glass shade, green anodized aluminium base	 5 710441 037811	1.559,00
4004531209000	Blown opal glass shade, orange anodized aluminium base	 5 710441 037804	1.559,00
4004531109000	Blown opal glass shade, aluminium anodized aluminium base	 5 710441 037798	1.559,00
4004531009000	Blown opal glass shade, black anodized aluminium base	 5 710441 037781	1.559,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W18 x D24,5 x H13 cm / 1,20 kg
PRODUCT STATUS Stock Item

CLOCHE

DESIGN Lars Beller Fjetland
SIZE W26 x D46 x H43 cm
 W10.24" x D18.11" x H16.93"
DETAILS Table lamp in steel shade and cast iron base.
LIGHT SOURCE LED E14 (A15), 5.5W. 470LM. 2800K. Warm white
DIMMABLE No
SWITCH INLINE SWITCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004562009000	Black powder coated steel shade, black cast iron and aluminium base	 5 710441 029984	2.969,00
4004564009000	Polished brass shade, black cast iron and aluminium base	 5 710441 036784	2.969,00
4004566009000	Mocca anodised aluminium shade, black cast iron and aluminium base	 5 710441 279716	2.969,00
4004565009000	Mint green anodised aluminium shade, black cast iron and aluminium base	 5 710441 279709	2.969,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W70 x D36 x H37,5 cm / 8,00 kg
PRODUCT STATUS Stock Item

30 DEGREES SHADE / S

DESIGN Johan Van Hengel

SIZE Ø24 x H17 cm
 Ø9.45" x H6.69"



DETAILS Veneered oak pendant shade. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.

LIGHT SOURCE NOT INCLUDED

IP 20


SALES QTY. 1 pcs.

ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004451009000	Matt lacquered oak veneer	 5 710441 163947	999,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W27 x D27 x H19 cm / 0,50 kg
PRODUCT STATUS Stock Item

30 DEGREES SHADE / M

DESIGN Johan Van Hengel
SIZE Ø33,5 x H25 cm
Ø13.19" x H9.84"
DETAILS Veneered oak pendant shade. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004471009000	Matt lacquered oak veneer	 5 710441 163916	1.329,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W35 x D35 x H27 cm / 1,50 kg
PRODUCT STATUS Stock Item

30 DEGREES SHADE / L

DESIGN Johan Van Hengel
SIZE Ø45 x H35 cm
Ø17.72" x H13.78"
DETAILS Veneered oak pendant shade. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004481009000	Matt lacquered oak veneer	 5 710441 207665	2.429,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W46 x D46 x H38 cm / 2,00 kg
PRODUCT STATUS Stock Item

30 DEGREES SHADE / XL

DESIGN Johan Van Hengel
SIZE Ø61,5 x H50 cm
 Ø24.21" x H19.69"
DETAILS Veneered oak pendant shade. Recommended light source for S: LED E27 (A15) 5,5W, 470lm 2700K, Warm White. For M and L: LED E27 (A19) 10.5W, 810lm 2700K, Warm White. For XL: LED E27 (G30) 13W, 1055lm 2700K Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.








ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004491009000	Matt lacquered oak veneer	 5 710441 207696	2.969,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W63 x D63 x H53 cm / 3,50 kg
PRODUCT STATUS Stock Item

SINKER / S / PENDANT

DESIGN HAY
SIZE Ø23 x H19 cm
 Ø9.06" x H7.48"
DETAILS Shade in textured ABS with acrylic diffuser and textile cord.
LIGHT SOURCE LED E27 (A19), 10.5W. 810LM. 2800K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004752009000	Cream white moulded acrylic	 5 710441 036548	2.129,00
4004752509000	Oxide red moulded acrylic	 5 710441 206538	2.129,00
4004751509000	Dusty grey moulded acrylic	 5 710441 030966	2.129,00
4004751009000	Soft black moulded acrylic	 5 710441 030959	2.129,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W31 x D30 x H29 cm / 2,00 kg
PRODUCT STATUS Stock Item

SINKER / L / PENDANT

DESIGN HAY
SIZE Ø37,5 x H35 cm
 Ø14.76" x H13.78"
DETAILS Shade in textured ABS with acrylic diffuser and textile cord.
LIGHT SOURCE LED E27 (A19), 13W. 1055LM. 2800K. Warm white
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004761009000	Soft black moulded acrylic	 5 710441 030973	2.649,00
4004761509000	Dusty grey moulded acrylic	 5 710441 030980	2.649,00
4004762009000	Cream white moulded acrylic	 5 710441 036708	2.649,00
4004762509000	Oxide red moulded acrylic	 5 710441 206545	2.649,00



PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W44 x D42,5 x H40,5 cm / 4,00 kg

BONBON SHADE / 320

DESIGN Ana Kraš
SIZE W32 x D32 x H38 cm
 W12.6" x D12.6" x H14.96"
DETAILS Powder coated steel frame. Exterior yarn is 80% wool and 20% nylon mix. Black cord sets are sold separately. Table cord set features an in-line rocker switch. Recommended light source for M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
9362091009000	Yellow melange wool	 5 710441 272373	5.799,00
9362093009000	Grey melange wool	 5 710441 284871	5.799,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W44 x D38 x H38 cm / 0,75 kg
PRODUCT STATUS Stock Item

BONBON SHADE / 380

DESIGN Ana Kraš
SIZE W38 x D38 x H32 cm
 W14.96" x D14.96" x H12.6"
DETAILS Powder coated steel frame. Exterior yarn is 80% wool and 20% nylon mix. Black cord sets are sold separately. Table cord set features an in-line rocker switch. Recommended light source for M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
9362101009000	Ice cream wool	 5 710441 280859	6.249,00
9362102009000	City wool	 5 710441 284895	6.249,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W44 x D44 x H38 cm / 0,90 kg
PRODUCT STATUS Stock Item

BONBON SHADE / 500

DESIGN Ana Kraš
SIZE W50 x D50 x H46 cm
 W19.69" x D19.69" x H18.11"
DETAILS Powder coated steel frame. Exterior yarn is 80% wool and 20% nylon mix. Black cord sets are sold separately. Table cord set features an in-line rocker switch. Recommended light source for M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A21 or G30) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
IP 20
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
---------	--------	----------	---------------


9362081009000	Earth tones wool		7.799,00
---------------	------------------	--	----------



PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W57 x D57 x H52 cm / 0,00 kg
PRODUCT STATUS	Stock Item		

NELSON BALL BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø32,5 x H30,5 cm
 Ø12.8" x H12.01"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936311	Off white webbing polymer	 5 710441 274933	5.949,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,30 kg
PRODUCT STATUS Stock Item

NELSON BALL BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø48,5 x H39,5 cm
 Ø19.09" x H15.55"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936314	Off white webbing polymer	 5 710441 274940	6.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON BALL BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø68 x H59,5 cm
 Ø26.77" x H23.43"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936317	Off white webbing polymer	 5 710441 274957	8.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W75 x D75 x H67 cm / 4,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø26,5 x H35,5 cm
 Ø10.43" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936320	Off white webbing polymer	 5 710441 274964	5.949,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø33 x H53 cm
 Ø12.99" x H20.87"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936323	Off white webbing polymer	 5 710441 274971	6.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON CIGAR BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø38 x H84 cm
 Ø14.96" x H33.07"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936326	Off white webbing polymer	 5 710441 274988	8.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H91 cm / 4,50 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø44,5 x H18 cm
 Ø17.52" x H7.09"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936335	Off white webbing polymer	 5 710441 275015	5.949,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H25,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø63,5 x H25,5 cm
 Ø25" x H10.04"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936338	Off white webbing polymer	 5 710441 275022	6.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H34 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER BUBBLE PENDANT / L

DESIGN George Nelson
SIZE Ø89 x H35,5 cm
 Ø35.04" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White. For L and XL: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936341	Off white webbing polymer	 5 710441 275039	9.099,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W73,5 x D73,5 x H34 cm / 7,00 kg
PRODUCT STATUS Stock Item

NELSON SAUCER CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø44,5 x H19 cm
 Ø17.52" x H7.48"



DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.

LIGHT SOURCE NOT INCLUDED

DIMMABLE Yes

SWITCH No

IP 20

CORD LENGTH 183 cm

SUPPLY 220-240V

SALES QTY. 1 pcs.

ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936365	Off white webbing polymer		6.399,00





PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W50 x D50 x H25,5 cm / 2,50 kg

NELSON SAUCER CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø63,5 x H24 cm
 Ø25" x H9.45"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936368	Off white webbing polymer	 5 710441 275121	7.349,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W73,5 x D73,5 x H34 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON BALL CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø32,5 x H30,5 cm
 Ø12.8" x H12.01"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936347	Off white webbing polymer	 5 710441 275053	6.399,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON BALL CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø48,5 x H39,5 cm
 Ø19.09" x H15.55"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936350	Off white webbing polymer	 5 710441 275060	7.999,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON CIGAR CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø26,5 x H35,5 cm
 Ø10.43" x H13.98"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936353	Off white webbing polymer	 5 710441 275077	6.399,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON CIGAR CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø33 x H53,5 cm
 Ø12.99" x H21.06"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936356	Off white webbing polymer	 5 710441 275084	7.999,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H62 cm / 3,00 kg
PRODUCT STATUS Stock Item

NELSON PEAR CRISSCROSS BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø33 x H32 cm
 Ø12.99" x H12.6"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936359	Off white webbing polymer	 5 710441 275091	7.049,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON PEAR CRISSCROSS BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø43 x H48,5 cm
 Ø16.93" x H19.09"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936362	Off white webbing polymer	 5 710441 275107	8.599,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H56 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON PEAR BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø33 x H32 cm
 Ø12.99" x H12.6"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.





ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936329	Off white webbing polymer	 5 710441 274995	6.399,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON PEAR BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø43 x H48,5 cm
 Ø16.93" x H19.09"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source for S: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White. For M: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936332	Off white webbing polymer	 5 710441 275008	7.699,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W50 x D50 x H56 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON APPLE BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø53,5 x H37 cm
 Ø21.06" x H14.57"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936371	Off white webbing polymer	 5 710441 275138	6.899,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 4,50 kg
PRODUCT STATUS Stock Item

NELSON PROPELLER BUBBLE PENDANT / M

DESIGN George Nelson
SIZE Ø52 x H38 cm
 Ø20.47" x H14.96"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A19) 10-13W, 1000-1500lm, 2700K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936380	Off white webbing polymer	 5 710441 275169	7.349,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W57,5 x D57,5 x H45,5 cm / 4,00 kg
PRODUCT STATUS Stock Item

NELSON LANTERN BUBBLE PENDANT / S

DESIGN George Nelson
SIZE Ø28 x H26,5 cm
 Ø11.02" x H10.43"
DETAILS Webbing polymer shade. Coated and brushed metal frame top and bottom ring. Cable with white PVC isolation. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 183 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936377	Off white webbing polymer	 5 710441 275152	5.799,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W40 x D40 x H45,5 cm / 2,50 kg
PRODUCT STATUS Stock Item

NELSON BALL WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W32,5 x D53,5 x H42,5 cm
 W12.8" x D21.06" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936383	Off white webbing polymer	 5 710441 275176	7.999,00


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W40,6 x D43,2 x H40,6 cm / 3,60 kg

NELSON CIGAR WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W26,5 x D50,5 x H42,5 cm
 W10.43" x D19.88" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936386	Off white webbing polymer	 5 710441 275183	7.999,00


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item


BOX DIMENSIONS AND WEIGHT 1 pcs. / W25,4 x D48,3 x H48,3 cm / 3,60 kg

NELSON SAUCER WALL SCONCE CABLED

/ S

DESIGN George Nelson
SIZE W44,5 x D59 x H42,5 cm
 W17.52" x D23.23" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936392	Off white webbing polymer	 5 710441 275206	7.999,00


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W25,4 x D48,3 x H48,3 cm / 3,60 kg

NELSON PEAR WALL SCONCE CABLED / S

DESIGN George Nelson
SIZE W33 x D53 x H42,5 cm
 W12.99" x D20.87" x H16.73"
DETAILS Shade in webbing polymer. Frame top and bottom ring in coated and brushed metal and nickel. Wallbracket in walnut. Arm in brushed nickel steel that extends approximately 36 cm. Recommended light source: LED E27 (A15) 5-8W, 500-800lm, 2700-3000K, Warm White.
LIGHT SOURCE NOT INCLUDED
DIMMABLE Yes
SWITCH PULL SWITCH
IP 20
CORD LENGTH 366 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936389	Off white webbing polymer	 5 710441 275190	8.899,00


PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W40,6 x D43,2 x H40,6 cm / 3,60 kg

NELSON FIXTURE FOR TRIPLE BUBBLE LAMP

DESIGN George Nelson
SIZE W36,8 x D36,8 cm
 W14.49" x D14.49"
DETAILS Ceiling Rose in brushed nickel-plated steel measuring 13,33 cm. Balls in walnut. Rods in metal. Distance between metal rods and walnut balls is 36,83 cm. Pendants should not exceed 48,25 diameters. Holds 3 small Bubble Pendants.
LIGHT SOURCE NOT INCLUDED
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
936395	Walnut and metal rods	 5 710441 275213	4.549,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W42 x D44,5 x H7,5 cm / 1,00 kg
PRODUCT STATUS Stock Item

CORD SET

DESIGN	HAY
SIZE	Ø10,5 x L400 cm Ø4.13" x L157.48"
DETAILS	Ceiling mounted textile cord set. Compatible with Bonbon shades, 30 Degrees shades and Rice Paper shades. Recommended light source LED E27 max. 15.
LIGHT SOURCE	NOT INCLUDED
DIMMABLE	Yes
SWITCH	No
IP	20
CORD LENGTH	400 cm
SUPPLY	220-240V
SALES QTY.	1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
418981	Black textured ABS	 5 710441 258575	389,00

PACKAGING	1 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W12,5 x D12,6 x H14,5 cm / 0,50 kg
PRODUCT STATUS	Stock Item		

CORD SET TABLE

SIZE Ø4 x L240 cm
 Ø1.57" x L94.49"

DETAILS Suitable for Bonbon Table Lamp. Features an in-line rocker switch. Recommended light source LED E27 max. 15.

LIGHT SOURCE NOT INCLUDED

DIMMABLE No


SWITCH INLINE SWITCH


IP 20

CORD LENGTH 240 cm

SUPPLY 220-240V

SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
418982	Black textured ABS	 5 710441 274131	389,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W7,5 x D7,5 x H33 cm / 0,50 kg

PRODUCT STATUS Stock Item

REFERENCE MATERIAL / LIGHTING

THE LED BULB



Incandescents are banned within EU CFL's will be phased out shortly (contains Mercury, a banned heavy metal)

Halogens are far less efficient than LED's, and are very hot, posing safety issues.

Quality and colour of light has improved in recent years

Energy efficiency is improving quickly (ie. Lumens per Watt value is improving)

Technology is developing quickly (ie. flexibility, more colour tones, intelligent lamps etc.)

Price is rapidly decreasing.

Average life span of 25,000 hours, that is roughly 8-10 years of reasonable use, before the efficiency decreases by more than 30% (NOT fails)

CE MARKING



The CE mark signifies that a product conforms to the requirements of relevant EEC directives.

The prime purpose of the mark is to show that the product is safe to the customer facilitating the free trading and movement of products within the EEC.

ELECTROMAGNETIC COMPATIBILITY DIRECTIVE (EMC)



The ElectroMagnetic Compatibility directive requires that the product are designed and operate so that they meet limits of electrical and magnetic interference by emission and conduction with other electrical devices.

WEEE DIRECTIVE



Waste electrical and electronic equipment (WEEE) defines requirements and responsibilities for the management of waste lighting equipment within the European Union. This places responsibility for managing waste on the producer, reseller (in cases of re-branded product) or importer of the product.

ROHS DIRECTIVE



The restriction of the use of certain hazardous substances in electrical and electronic equipment within the European Union. However certain exemptions exist including mercury in lamps, lead in the glass of fluorescent tubes and nickel cadmium in batteries for emergency lighting products.

REFERENCE MATERIAL / LIGHTING

INGRESS PROTECTION (IP) RATING

Connectors may be susceptible to ingress of foreign materials such as moisture or dust, particular in the unmated condition. The first digit defines the protection against the ingress of dust, the second digit defines the protection against the ingress of water. The table below shows IP ratings for electrical connectors.

IP67

FIRST DIGIT	SECOND DIGIT
0	No Protection against contact and ingress of objects
1	Protected against any large surface of the body, such as the back of a hand. Protected against solid objects greater than 50mm in size.
2	Protected against access to hazardous parts by a finger or similar object. Protected against solid objects greater than 12.5mm in size.
3	Protected against access to hazardous parts with a tool or thick wire. Protected against solid objects greater than 2.5mm in size.
4	Protected against access to hazardous parts with a wire, screw, etc. Protected against solid objects greater than 1mm in size.
5	Protected against access to hazardous parts. Dust protected.
6	Protected against access to hazardous parts. Dust-tight.
0	No Protection
1	Protected against water drops
2	Protected against water drops at a 15 degree angle
3	Protected against water spray at 60 degree angle
4	Protected against water splashing from any angle
5	Protected against water jets from any angle
6	Protected against powerful water jets and heavy seas
7	Protected against the effects of temporary submersion in water. Test requires 30 minutes at 1 meter depth.
8	Protected against the effects of temporary submersion. Customer specification applies and specific testing may be required.
9K	Protects against high pressures associated with steam cleaning.

INGRESS PROTECTION (IP) WET ZONES

