PRICE LIST 2024



FLEXIBILITY
DELIVERED



1

Table of Content

Chairs

40/4		4
Side chair		4
Side chair	- upholstered	5
Arm chair		6
Arm chair	- upholstered	7
Swivel		8
Swivel	- upholstered	9
Bar and Lounge	÷	10
Metal and Woo	pd	11
SixE		12
4-leg		12
4-leg on castors	3	13
Sled		14
Barstool		15
Swivel		16
Learn		17
AS100		18
Accessories for	chairs	19
Notes for chairs		25



26

Table of Content

Tables Moveo

Training	28
Meeting	29
Conference, modular	30
Conference, stand alone	31
Modesty panel	32
Simpla	33
Tables	33
Modesty panel	35
Tempest	36
Flip top	36
Flip top café	37
Flip top bar	38
Fold	39
Fix	40
Fix bar	41
Fix café and lounge	42
Modesty panel	43
Tutor	44
Usu	45
AS table series	46
AS400	46
AS500	47
Other accessories for tables	48
Notes for tables	51

28





40/4 side chair - polyamide

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 40 chairs on a dolly
 EN 15373 / ANSI/BIFMA X5.1 N7.1
- FSC/PEFC certified
- ISO 14025 EPD GreenTag^{CertTM}
- Health Product Declaration (HPD)
- Quick ship LINK



POLYAMIDE
(DPA)

		,
STANDARD FRAME COLOURS	PA200 • PA300	PA100 PA110 PA250 PA260
B1 B6 B7 B9 B10 B30		PA320 PA360
RAL K5 colours available at customer request	SEK	PA380 • PA370 • SEK
Non linking (RA) 6.5 kg		
## 193 mm	3051	3295
Brace linking (BA) 6.6 kg		
490 mm 530 mm 20.9"	3468	3712
Eye Hook linking (EA) 6,6kg	1	
490 mm 20.9" 530 mm 20.9"	3468	3712
Dining height (DA)* 6,5 kg		
# 19.3" 530 mm 20.9"	3341	3585
*Different seat angle compared to regular chair Side chair outdoor (DOARA) 6,5 kg	9	
## \$55 500 mm 530 mm 19.3" 530 mm 20.9"	4559	4803

Felt glides	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



40/4 side chair upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 25 chairs on a dolly
 EN 16139 / Ansi/Bifma X5.1
 FSC/PEFC certified

- ISO 14025 EPD

STANDARD FRAME COLOURS B1 B6 B7 B9 B10 B30 RAL K5 colours available at customer request SEK	• ISO 14025 EPD			I S S WAR	
STANDARD FRAME COLOURS B1 B6 B7 B9 B10 B30 PA300 PA100 PA300 PA300	• GreenTag ^{CertTM}		SEAT LIPH	OLSTERED	
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 526 5 5429 5580 660 COL 4895 5046 5417 6388 650 COL 4895 5046 5417 6388 640 COL 4895 5046 65417 6388 640 COL 4895 5046 65417 6388 640 655 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 COL 4875 5046 667 3 3 5209 5360 612- 2 4895 5 5847 5998 702: 2 185 COL 5313 5464 627 COL 5313 546	Quick ship - LINK				<
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 526 5 5429 5580 660 COL 4895 5046 5417 6388 650 COL 4895 5046 5417 6388 640 COL 4895 5046 65417 6388 640 COL 4895 5046 65417 6388 640 655 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 LIUCL 5904 6055 728 COL 4875 5046 667 3 3 5209 5360 612- 2 4895 5 5847 5998 702: 2 185 COL 5313 5464 627 COL 5313 546					
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 526 5 5 5429 5580 660 605 5 5129 5046 65417 6388 660 605 5 5129 5046 65417 6388 640 655 5 5129 5 5 649 5 5 649 5 65 6417 6388 640 655 728 11 4571 4722 520 4895 5 5646 65417 6388 680 660 660 660 660 660 660 660 660 6					Ω
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 526 5 5 5429 5580 660 605 5 5129 5046 65417 6388 660 605 5 5129 5046 65417 6388 640 655 5 5129 5 5 649 5 5 649 5 65 6417 6388 640 655 728 11 4571 4722 520 4895 5 5646 65417 6388 680 660 660 660 660 660 660 660 660 6	STANDARD FRAME COLOURS			1000	- H
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 526 5 5 5429 5580 660 605 5 5129 5046 65417 6388 660 605 5 5129 5046 65417 6388 640 655 5 5129 5 5 649 5 5 649 5 65 6417 6388 640 655 728 11 4571 4722 520 4895 5 5646 65417 6388 680 660 660 660 660 660 660 660 660 6		GROUE	PA300 🔘	PA110	STE
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 55 5429 5580 660 COL 4895 5046 5417 6388 640 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 640 640 655 728 11LL 5266 5417 6388 640 655 728 11LL 5266 6473 771 6584 6584 65835 680 COL 5313 5464 627 55847 5998 702 500 11LL 5884 6835 680 680 680 680 680 680 680 680 680 680		OKOOI		PA250	ᅵᅥ
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 55 5429 5580 660 COL 4895 5046 5417 6388 640 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 640 640 655 728 11LL 5266 5417 6388 640 655 728 11LL 5266 6473 771 6584 6584 65835 680 COL 5313 5464 627 55847 5998 702 500 11LL 5884 6835 680 680 680 680 680 680 680 680 680 680				PA260	높
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 55 5429 5580 660 COL 4895 5046 5417 6388 640 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 640 640 655 728 11LL 5266 5417 6388 640 655 728 11LL 5266 6473 771 6584 6584 65835 680 COL 5313 5464 627 55847 5998 702 500 11LL 5884 6835 680 680 680 680 680 680 680 680 680 680	R1 R4 R7 R9 R10 R30			PA320	ַ
RAL K5 colours available at customer request Non linking (RA) 6.3 kg COM 3909 4060 443 1 4153 4304 477 4628 524 4477 4628 524 4477 4628 524 55 5429 5580 660 COL 4895 5046 5417 6388 640 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 10LL 5266 5417 6388 640 640 655 728 11LL 5266 5417 6388 640 655 728 11LL 5266 6473 771 6584 6584 65835 680 COL 5313 5464 627 55847 5998 702 500 11LL 5884 6835 680 680 680 680 680 680 680 680 680 680	B1 B0 B7 B7 B10 B00			PA360	
SEK SEX				PA380	∄
Non linking (RA) 6.3 kg COM 3909 4060 443 4153 4304 4771 4942 569 4 5266 5173 530 mm 19.3" 530 mm 20.9" Liucl 5904 6.5 kg COM 4327 4478 4886 5200 6805 78847 5904 6805 5 5847 5908 7064 8722 520 4895 5046 511 4571 4722 520 COL 5313 5464 547 718 720.9" Eye Hook linking (EA) 6.5 kg COM 4327 4478 4866 5 5 8847 5998 7022 708 708 708 708 708 708 7	RAL K5 colours available at customer request			PA370	
1			SEK	SEK	SEK
1	Non linking (RA) 6,3 kg	COM	3909	4060	4431
## 190 mm 19.3" 1		1	4153	4304	4779
## 190 mm 19.3" 490 mm 530 mm 19.3" 55455 5696 6670	\$2000 UNANE \$3 VA	2	4477	4628	5243
Eye Hook linking (EA) Ago mm 19.3" 530 mm Liub 5266 5417 6380 1 1 1 1 1 1 1 1 1		3	4791	4942	5695
Eye Hook linking (EA) Ago mm 19.3" 530 mm Liub 5266 5417 6380 1 1 1 1 1 1 1 1 1		4	5266	5417	6380
Eye Hook linking (EA) Ago mm 19.3" 530 mm Liub 5266 5417 6380 1 1 1 1 1 1 1 1 1	1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2	5	5429	5580	6600
1	8 8 8	COL	4895	5046	5846
Brace linking (BA) 6,5 kg COM 4327 4478 4864 1 4571 4722 5204 2 4895 5046 5673 3 5209 5360 6124 4 5684 5835 6803 5 5847 5998 7029 COL 5313 5464 6273 COM 4327 4478 4866 6273 COL 5313 7482 9155 COM 4327 4478 4866 6273 LIUBL 5684 5835 6803 1 4571 4722 5208 2 4895 5046 6676 3 5209 5360 6124 4 5684 5835 6803 1 4571 4722 5208 2 4895 5046 5673 7714 7712 5209 2 4895 5046 5673 3 5209 5360 6124 4 5684 5835 6803 5 5847 5998 7029 2 4895 5046 5673 3 5209 5360 6124 5684 5835 6803 5 5847 5998 7029 2 4895 5046 5673 3 5209 5360 6124 5684 5835 6803 5 5847 5998 7029 2 4895 5046 5673 3 5209 5360 6124 5684 5835 6803 5 5847 5998 7029 2 4895 5046 5673 3 5209 5360 6124 5684 5835 6803 5063 5 5847 5998 7029 2 4895 5046 5673 3 5209 5360 6124 5684 5835 6803 5063 5 5847 5998 7029 2 4895 5046 6676 505 5708 5859 6896 505 5708 5859 6896 505 5708 5859 6896 505 5708 5859 6896 505 5774 5325 6136 6676 6676 55 5778 5859 6896 505 5774 5325 6136 6677 5545 5696 6677 5545 5696 6677 5545 5696 6677 5545 5696 6677 5555 5786 5696 6677 5556 5696 6677 5556 5696 6677 5556 5696 6677 5556 5696 6677 5556 5696 6677 5556 5696 6677 5556 5696 6677 5557 5696 6677 5697 569		LUBL	5266	5417	6380
Brace linking (BA) 6,5 kg COM 1 4327 4478 4866 1 4571 4722 5208 2 4895 5046 5677 3 5209 5360 6122 5 5847 5998 7029 COL 5313 5464 6273 LIUGL 6322 6473 7712 LIST 7331 7482 9155 5 5847 5998 7029 2 4895 5046 5677 3 5209 5360 6122 490 mm 19.3" Eye Hook linking (EA) 6,5 kg COM 4327 4478 4866 6,5 kg COM 4327 4478 4866 5 5847 5998 7029 2 4895 5046 5677 3 5209 5360 6122 2 4895 5046 5677 3 5209 5360 6122 2 4895 5046 5677 5 5847 5998 7029 5 5 5847 5998		LUCL	5904	6055	7285
1		LSL	6913	7064	8723
1	Brace linking (BA) 6.5 kg	сом	4327	4478	4860
## 190 mm 530 mm 19.3" 10.3 10.	2. a.	1	4571	4722	5208
## 19.3" ## 5684		2	4895	5046	5672
Eye Hook linking (EA) 6,5 kg COL LUBL 6322 6473 771- LISL 7331 7482 915- COL SSIS 6322 6473 771- LISL 7331 7482 915- COL SSIS 7400 mm 19.3" 6,5 kg COM 4327 4478 4866 567- 3 5209 5360 612- 2 4895 5 5847 5998 7025 COL SSIS 5 5847 5998 7025 COL SSIS TABLE FORM 1 4432 4564 6275 LUBL LUCL 6322 6473 771- LUBL 5684 5835 6805 5 5847 5998 7025 COL SSIS 7331 7482 915- COM 4188 4339 472- 1 4432 4583 5065 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 6676 6676		3	5209	5360	6124
Eye Hook linking (EA) 6,5 kg COL LUBL 6322 6473 771- LISL 7331 7482 915- COL SSIS 6322 6473 771- LISL 7331 7482 915- COL SSIS 7400 mm 19.3" 6,5 kg COM 4327 4478 4866 567- 3 5209 5360 612- 2 4895 5 5847 5998 7025 COL SSIS 5 5847 5998 7025 COL SSIS TABLE FORM 1 4432 4564 6275 LUBL LUCL 6322 6473 771- LUBL 5684 5835 6805 5 5847 5998 7025 COL SSIS 7331 7482 915- COM 4188 4339 472- 1 4432 4583 5065 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 6676 6676	E	4	5684	5835	6809
Eye Hook linking (EA) 6,5 kg COL LUBL 6322 6473 771- LISL 7331 7482 915- COL SSIS 6322 6473 771- LISL 7331 7482 915- COL SSIS 7400 mm 19.3" 6,5 kg COM 4327 4478 4866 567- 3 5209 5360 612- 2 4895 5 5847 5998 7025 COL SSIS 5 5847 5998 7025 COL SSIS TABLE FORM 1 4432 4564 6275 LUBL LUCL 6322 6473 771- LUBL 5684 5835 6805 5 5847 5998 7025 COL SSIS 7331 7482 915- COM 4188 4339 472- 1 4432 4583 5065 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 5 5708 5859 6896 6676 6676 6676	35.5	5	5847	5998	7029
Eye Hook linking (EA) 6,5 kg COM 4327 4478 486 567 530 mm 19.3" 6,5 kg COM 4327 4478 486 567 3 5209 530 mm 19.3" 6,3 kg COM 4327 4478 486 5684 5835 680 680 680 680 680 680 680 68	38.6	COL	5313	5464	6275
Eye Hook linking (EA) 6,5 kg COM 4327 4478 4860 1 4571 4722 5208 2 4895 5046 5673 3 5209 5360 6124 4 5684 5835 6809 5 5847 5998 7029 COL 5313 5464 6279 LUCL 6322 6473 7714 COL 5313 5464 6279 LUCL 6322 6473 7714 LUCL 6322 6473 7714 LUCL 6322 6473 7714 1 4432 4583 5684 5835 6809 5 5847 5998 7029 LUCL 6322 6473 7714 LUCL 6325 6473 7714 1 4432 4583 5069 4 5545 5 6696 6670 COL 5174 5325 6136 COL 5174 5325 6136 COL 5174 5325 6136 6670		LUBL	5684	5835	6809
Eye Hook linking (EA) 6,5 kg COM 4327 4478 4866 1	19.3" 330 11111	LUCL	6322	6473	7714
Eye Hook linking (EA) 6,5 kg COM 1 4327 4478 4866 1 4571 4722 5208 2 4895 5046 5677 3 5209 5360 6122 4 5684 5835 6806 5 5847 5998 7029 COL 1UBL 5684 5835 6806 1 LUCL 6322 6473 7771 1 4432 4583 5066 2 4756 4907 5533 3 5070 5221 5983 4 5545 5696 6676 5 5708 5859 6899 1 490 mm 530 mm 19,3" 530 mm 19,3" 1 1 4432 4583 5066 1 1 4432 4583 5066 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1770	LSL			9152
1 4571 4722 5208 2 4895 5046 5672 3 5209 5360 6122 4 5684 5835 6809 5 5 5847 5998 7029 COL 5313 5464 6273 COL 5313 5464 6273 LIUGL 6322 6473 7711 LISL 7331 7482 9153 1 4432 4583 5069 6,3 kg COM 4188 4339 472 1 4432 4583 5069 2 4756 4907 5533 3 5070 5221 5983 4 5545 5696 6670 5 5 5708 5859 6899 COL 5174 5325 6136 LUGL 6325 6474 5325 6136	Eve Hook linking (FA) 6.5 kg	сом			4860
3 5209 5360 6124 4 5684 5835 6803 5 5847 5998 7025 COL 5313 5464 6273 LUBL 5684 5835 6803 1 LUCL 6322 6473 7714 LIST 7331 7482 9155 Dining height (DA)* 6,3 kg COM 4188 4339 472 1 4432 4583 5063 2 4756 4907 5533 3 5070 5221 5983 4 5545 5696 6676 5 5708 5859 6890 COL 5174 5325 6136 LUBL 5545 5696 6676	Lyo Hook iii iking (Ly)		4571	4722	5208
3 5209 5360 6124 4 5684 5835 6803 5 5847 5998 7025 COL 5313 5464 6275 LUBL 5684 5835 6803 19.3" 20.9" LUBL 5684 5835 6803 10.6 322 6473 7714 LUL 6322 6473 7714 LUL 7331 7482 9155 LUL 6322 473 7714 LUL 7331 7482 9155 2 4756 4907 5533 3 5070 5221 5983 4 5545 5696 6676 5 5708 5859 6890 COL 5174 5325 6136 LUBL 5545 5696 6676	20 T 200	2	4895	5046	5672
COL 5313 5464 627: LUBL 5684 5835 680: LUCL 6322 6473 771: LUCL		3	5209	5360	6124
COL 5313 5464 627: LUBL 5684 5835 680: LUCL 6322 6473 771: LUCL		4	5684		6809
COL 5313 5464 627: LUBL 5684 5835 680: LUCL 6322 6473 771: LUCL		5		5998	7029
Dining height (DA)* 19.3" 530 mm LUBL 5684 5835 6803 6322 6473 7714 6322 6473 7714 6322 6473 7714 6322 6473 6474	38 8	COL	5313	5464	6275
Dining height (DA)* 6,3 kg COM 1 4432 4583 5069 2 4756 4907 553 490 mm 530 mm LUCL 6322 6473 7714 11 4432 4583 5069 4 5545 5696 6670 COL 5174 5325 6136 LUBL 5545 5696 6670					6809
Dining height (DA)* 6,3 kg COM 4188 4339 472 1 4432 4583 5069 2 4756 4907 553 3 5070 5221 598 4 5545 5696 6670 COL 5174 5325 6136 490 mm 530 mm 490 mm 530 mm	19.3" 300 mm	LUCL	6322	6473	7714
1 4432 4583 5069 2 4756 4907 5533 3 5070 5221 5983 4 5545 5696 6676 5 5708 5859 6890 490 mm 530 mm LUBL 5545 5696 6676		LSL	7331	7482	9152
1 4432 4583 5069 2 4756 4907 5533 3 5070 5221 5988 4 5545 5696 6670 5 5708 5859 6890 COL 5174 5325 6136 LUBL 5545 5696 6670	Dining height (DA)* 6.3 kg	сом	4188	4339	4721
3 5070 5221 5988 4 5545 5696 6670 5 5708 5859 6890 COL 5174 5325 6136 LUBL 5545 5696 6670	3 .5.3 (=. ,)	1	4432	4583	5069
490 mm 530 mm LUBL 5545 5696 6676		2	4756	4907	5533
COL 5174 5325 6136	E	3	5070	5221	5985
COL 5174 5325 6136		4	5545	5696	6670
490 mm 530 mm LUBL 5545 5696 6670	\$]_		5708	5859	6890
490 mm 530 mm LUBL 5545 5696 6670			5174	5325	6136
			5545	5696	6670
LUCL 6183 6334 7573	19.3" 20.9"	LUCL	6183	6334	7575
*Different seat angle compared to regular chair LSL 7192 7343 9013	*Different seat angle compared to regular chair	LSL	7192	7343	9013

Felt glides	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



40/4 armchair - polyamide

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 40 chairs on a dolly
 EN 15373 / ANSI/BIFMA X5.1 N7.1
- FSC/PEFC certified
- ISO 14025 EPD GreenTag^{CertTM}
- 27% recycled plastic
 Quick ship LINK



POLYAMIDE (DPB)

STANDARD FRAME COLOURS	PA200 • PA300	PA100 • PA110 •
B1 B6 B7 B9 B10 B30	17666	PA250 PA260 PA320 PA360 PA380 PA380
RAL K5 colours available at customer request	SEK	PA370 SEK
Non linking (RA) 7,7 kg	4222	4466
Dining height (DA)* 7,7 kg		
*Different seat angle compared to regular chair	4512	4756
Armlinking (J) 7,8 kg		
WE 08 1 20 20 20 20 20 20 20 20 20 20 20 20 20	4906	5150
Armchair outdoor (DOBRA) 7,7 kg		
www.gsg 252 mm 530 mm 500 mm 50	5730	5974

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Felt glides	128 SEK
Table surface protection	+120 SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550 SEK



40/4 armchair upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty
 Stacks 25 chairs on a dolly
 EN 15373 / ANSI/BIFMA X5.1 N7.1
- FSC/PEFC certified

- ISO 14025 EPD
 GreenTag^{CertTM}
 Quick ship LINK



STANDARD FRAME COLOURS GROUP PA100	Quick ship thin			POLY	AMIDE	UPF	IOLSTE	SED
RAL K5 colours available at customer request RAL K5 colours available at customer request SEK SEK SEK SEK SEK SEK SEK SE							(DUB)	
SEK SEX	B1 B6 B7 B9	B10 B30	GROUF	PA200	PA100 PA110 PA250 PA260 PA320 PA360 PA380	LACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	UPH. ARMRESTS
Non linking (RA) 7,6 kg COM 1	RAL K5 colours availd	able at customer request		CEN			CEN	CEN
1 5325 5476 5951 6415 6566 2 5649 58800 6415 6879 7134 3 5963 6114 6867 7331 7667 4 6438 6589 7552 8016 8422 5 6601 6752 7772 8236 8781 COL 6067 6218 7018 7482 7749 LUBL 6438 6589 7552 8016 8422 100ct 7076 7227 8457 8921 9710 LSL 8085 8236 9895 10359 11264 Dining height (DA)* 7,6 kg COM 5359 5510 5893 6357 6357 1 5603 5754 6241 6705 6856 2 5927 6078 6705 7169 7424 3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 LUBL 6716 6867 7842 8306 8712 LUBL 6716 6867 7842 8306 8712 LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair *Different seat angle compared to regular chair *Different seat angle compared to regular chair *T,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9445 COL 6751 6902 7702 8166 8433 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9445 COL 6751 6902 7702 8166 8433 1 120cL 7760 7911 9141 9605 10394	Non linking (DA)	7.4 kg	COM					
2 5649 5800 6415 6879 7134 3 5963 6114 6867 7331 7667 4 6438 6589 7552 8016 8422 5 6601 6752 7772 8236 8781 COL 6067 6218 7018 7482 7749 LUBL 6438 6589 7552 8016 8422 LUCL 7076 7227 8457 8921 9710 LSL 8085 8236 9895 10359 11264 COM 5359 5510 5893 6357 6357 1 5603 5754 6241 6705 6856 2 5927 6078 6705 7169 7424 3 625 mm 238" 20.9" LUBL 6416 6867 7842 8306 8712 COL 6345 6496 7308 7772 8039 LUBL 6716 6867 7842 8306 8712 LUBL 7754 7555 8747 9211 10000 *Different seat angle compared to regular chair LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair LUCL 7354 7505 8747 9211 10000	Non linking (RA)	7,6 Kg						
3 5963 6114 6867 7331 7667 4 6438 6589 7552 8016 8422								
## 6438 6589 7552 8016 8422 COL 6067 6218 7018 7482 7749								
Second S	-	1 1 1 7/E.						
### COL 606		25 E E E E E E E E E E E E E E E E E E E	5	6601			8236	8781
#Dining height (DA)* 7,6 kg COM 33.8" 7,6 kg COM 5359 5359 5359 5510 5893 6357 6357 6357 1 5603 5754 6241 6705 6856 2 5927 6078 6705 7169 7424 3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 COL 6345 6496 7308 7772 8039 *Different seat angle compared to regular chair Armlinking (J) 7,7 kg COM 530 mm 23.8" 530 mm 20.9" COL 6345 6496 7308 7772 8039 777 kg COM 5765 5916 6287 6271 605 mm 23.8" 530 mm 20.9" COL 6345 6496 7308 7772 8039 777 kg COM 5765 5916 6287 6751 777 kg COL 6357 777 kg COM 777 kg COM 777 kg COM 777 kg 778		18. 18.	COL	6067	6218	7018	7482	7749
Dining height (DA)* 7,6 kg COM 5359 5510 5893 6357 6357 15603 5754 6241 6705 6856 2 5927 6078 6705 7424 3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 7957 601 6345 6496 7308 7772 8039 COL 6345 6496 7308 7772 8039 *Different seat angle compared to regular chair LSL 8363 8514 10185 10359 10359 11264 1259 605 mm 20.9" COM 5765 5916 6287 6751 6751 6751 6751 6751 6751 6751 6751 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6778 7778 7820 7778 7830 7778 7789	1161	50 1000 Phillipping 10 (1997) 77	LUBL	6438	6589	7552	8016	8422
Dining height (DA)* 7,6 kg COM 5359 1 5603 5754 6241 6705 6856 2 5927 6078 6705 7169 7424 3 6241 6705 6856 2 5927 6078 6705 7169 7424 3 6241 6716 6867 7842 8306 8712 COL 6345 6496 7308 7772 8039 COL 6345 6496 7308 7772 8039 LIUBL 6716 6867 7842 8306 8712 LIUCL 7354 7505 8747 9211 10000 1SL 8363 8514 10185 10649 11554 Armlinking (J) 7,7 kg COM 7,7 kg COM 7,7 kg COM 7,7 kg 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 COL 6751 6902 7702 8166 8433 LIUBL 7122 7273 8236 8700 9106 1009 1000 100	7	23.8" 20.9"	LUCL	7076	7227	8457	8921	9710
1 5603 5754 6241 6705 6856 2 5927 6078 6705 7169 7424 3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 5 6879 7030 8062 8526 9071 COL 6345 6496 7308 7772 8039 LIUBL 6716 6867 7842 8306 8712 LIUCL 7354 7505 8747 9211 10000 LSL 8363 8514 10185 10649 11554 Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LIUBL 7122 7273 8236 8700 9106 LIUBL 7122 7273 8236 8700 9106 LIUBL 7122 7273 8236 8700 9106			LSL	8085	8236	9895	10359	11264
2 5927 6078 6705 7169 7424 3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 5 6879 7030 8062 8526 9071 COL 6345 6496 7308 7772 8039 LIUBL 7354 7505 8747 9211 10000 1 57,7 kg 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LIUBL 7122 7273 8236 8700 9106	Dining height (DA)*	7,6 kg	COM	5359	5510	5893	6357	6357
3 6241 6392 7157 7621 7957 4 6716 6867 7842 8306 8712 5 6879 7030 8062 8526 9071 COL 6345 6496 7308 7772 8039 LIUBL 6716 6867 7842 8306 8712 LISL 8363 8514 10185 10649 11554 Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LIUBL 7122 7273 8236 8700 9106			1					
#Different seat angle compared to regular chair T,7 kg COM 5765 5916 6287 6751 6751 6751 6751 8015 8351 8351 8351 8351 8351 8351 8351 83			2	5927	6078	6705	7169	7424
COL 6345 6496 7308 7772 8039 LUBL 6716 6867 7842 8306 8712 LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 COM 5765 5916 6287 6751 6751 LUBL 7122 7273 8236 8700 9106 COM 5716 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394	+		3	6241	6392	7157	7621	7957
COL 6345 6496 7308 7772 8039 LUBL 6716 6867 7842 8306 8712 LUCL 7354 7505 8747 9211 10000 *Different seat angle compared to regular chair Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 COM 5765 5916 6287 6751 6751 LUBL 7122 7273 8236 8700 9106 COM 5716 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394		E SEL SEL	4					
*Different seat angle compared to regular chair Armlinking (J) 7,7 kg COL 6345 6496 7308 7772 8039 *UBBL 6716 6867 7842 8306 8712 LUBL 7354 7505 8747 9211 10000 *LSL 8363 8514 10185 10649 11554 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUBL 7122 7273 8236 8700 9106 LUBL 7122 7273 8236 8700 9106		28. 28. 28. 28. 28. 28. 28. 28. 28. 28.						
#Different seat angle compared to regular chair LSL 8363 8514 10185 10649 11554 Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LIBL 7122 7273 8236 8700 9106 LIUCL 7760 7911 9141 9605 10394 COL 6751 6751 6751 6751 COL 6751 6751 6751 6751 COL 6751 6751 6751 6751 COL 6751 COL 6751 COL 6751 6751 COL 675		I 41 1 1 1 1			6496	7308	7772	8039
*Different seat angle compared to regular chair		605 mm 23.8" 530 mm						
Armlinking (J) 7,7 kg COM 5765 5916 6287 6751 6751 1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 COL 6751 605 mm 23.8" 530 mm 23.8" 20.9" LIUBL 7122 7273 8236 8700 9106 8433 LUBL 7122 7273 8236 8700 9106								
1 6009 6160 6635 7099 7250 2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 1 USL 7122 7273 8236 8700 9106 1 USL 7122 7273 8236 8700 9106 1 USL 7122 7273 8236 8700 9106								
2 6333 6484 7099 7563 7818 3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394	Armlinking (J)	7,7 kg						
3 6647 6798 7551 8015 8351 4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394								
4 7122 7273 8236 8700 9106 5 7285 7436 8456 8920 9465 COL 6751 6902 7702 8166 8433 LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394	200							
605 mm 23.8" 530 mm LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394	_	- Tr -71						
605 mm 23.8" 530 mm LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394		E s et						
605 mm 23.8" 530 mm LUBL 7122 7273 8236 8700 9106 LUCL 7760 7911 9141 9605 10394		28.2 30.3 30.0						
23.8" 20.9" LUCL 7760 7911 9141 9605 10394		2 4 5 1 1 L						
	6 16							
LSL 8769 8920 10579 11043 11948		23.8" 20.9"						
			LSL	8769	8920	10579	11043	11948

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Felt glides	128	SEK
Table surface protection	+120	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK
Fee per RAL K5 colour for veneer (for one colour if below 200 pcs)	+1160	SEK



40/4 swivel - polyamide

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
- FSC/PEFC certified
 GreenTag^{CertTM}
- 39% recycled plastic



, ,	(0	P)
STANDARD FRAME COLOURS	PA200	PA110
B1 B6 B7 B9 B10 B30	PA300 (PA110 PA250 PA260 PA320 PA320
RAL K5 colours available at customer request	SEK	PA360 PA380 PA370 SEK
Side chair (DPESS) 11,6 kg	5684	5928
Armchair (DPFSA) 12,4 kg 12,4 kg	6867	7111

Soft lane castors	128	SEK
Fee per RAL K5 colour for frames	+2550	SEK
(for one colour if below 200 pcs)	12330	JLK



40/4 swivel upholstered

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warrantyCastors or glides available
- Height adjustable
- Soft lane castor as an option
 FSC/PEFC certified
 ISO 14025 EPD
 GreenTag CertTM



Ç			AMIDE DS)	UPHOI	LSTERE	D (DU)
STANDARD FRAME COLOURS (1)	GROUF	PA200	PA100 PA110 PA250 PA260 PA320 PA360 PA380 PA370	BLACK POLYAMIDE ARMREST	BLACK STAINED VENEER ARMREST	W-W/O UPH. ARM
		SEK	SEK	SEK	SEK	SEK
Side chair (DUESS) 11,4 kg	COM	6542	6693	N/A	N/A	7076
, ,	1	6786	6937	N/A	N/A	7424
555	2	7110	7261	N/A	N/A	7888
	3	7424	7575	N/A	N/A	8340
8.5°-23.4° 18.5°-23.4° 20.5°-33.4°	4	7899	8050	N/A	N/A	9025
585.	5	8062	8213	N/A	N/A	9245
61% 6 8 8 8 8 8 EM	COL	7528	7679	N/A	N/A	8491
660 mm	LUBL	7899	8050	N/A	N/A	9025
26"	LUCL	8537	8688	N/A	N/A	9930
	LSL	9546	9697	N/A	N/A	11368
Armchair (DUFSA) 12,2 kg		7714	7865	8248	8712	8712
	1	7958	8109	8596	9060	9211
	2	8282	8433	9060	9524	9779
26800 mm 26.6°-31.5° 35"-23.4" 27-23.4" 27-500 mm	3	8596	8747	9512	9976	10312
675 - 800 mm 72.65 - 31.57 10 - 595 mm 18.57 - 23.4 **	4	9071	9222	10197	10661	11067
25.5.800 to 25.5.8	5	9234	9385	10417	10881	11426
878 578 2 m 3 62 4 9 5 512	COL	8700	8851	9663	10127	10394
660 mm	LUBL	9071	9222	10197	10661	11067
26"	LUCL	9709	9860	11102	11566	12355
	LSL	10718	10869	12540	13004	13909

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Soft lane castors	128 SI	EK
Fee per RAL K5 colour for frames (tor one colour it below 200 pcs)	+2550 SI	EK
Fee per RAL K5 colour for veneer (for one colour if below 200 pcs)	+1160 SI	EΚ



40/4 barstool and lounge chair

595 mm 23.4"

By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

- 10 year warranty Stacks 10 barstools
- Stacks 20 lounge chairs
- EN 15373 / ANSI/BIFMA X5.1

STANDARD FRAME COLOURS

Lounge chair (DVDRA)

Barstool (DPCAA)

B1 B6 B7 B9 B10 B30

RAL K5 colours available at customer request

- FSC/PEFC certified
- ISO 14025 EPD
 GreenTag^{CertTM}



			5	
	POLY	AMIDE		LLY STERED
est	PA200 PA300 SEK	PA100	GROUP	PRICE
6 kg	- ULIX	- ULIX	сом	6136
o kg			1	6484
			2	6948
7 T			3	7400
10 mm 28"	NI/A	N/A	4	8085
10 m 28"	N/A	IN/A	5	8305
7			COL	7551
			LUBL	8085
4			LUCL	8990
			LSL	10428
10,4 kg			COM	7006
			1	7354
			2	7818
			3	8270
075 mm 42.3"	5614	5858	4	8955
42	3011		5	9175
			COL	8421
n			LUBL	8955
			LUCL	9860
			LSL	11298

сом

2

3

LUBL

LUCL

LSL

7006

7354

7818

8270 8955

9175

8955

9860

11298

Was \$200 1475 mm 24.5 mm 21.5°	5614	5858
Barstool counter height (DPCCA) 8,2 475 mm 18,7" 540 mm 21.3"		5858
Barstool outdoor (DOCCA) 10,4	l kg	

Во 7134 7378

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Felt glides	128 SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550 SEK
Fee per RAL K5 colour for veneer (for one colour if below 200 pcs)	+1160 SEK



40/4 metal


By David Rowland

Most people see the 40/4 as a pioneering design that has stood the test of time. The 40/4 wood frame is an alternative to the original chair with its iconic steel rod sled frame

- 10 year warrantyStacks 25 chairs with wood frame
- Stacks 40 chairs in metal
- Wood frame also with seat upholstered
- EN 16139 (wood frame)
- FSC/PEFC certified
 GreenTag^{CertTM}



(DMA)



Price list 2024 - SEK excl. V.A.T. - Version 1.0

Felt glides	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



SixE 4-leg

By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.
- 10 year warranty
 SixE stacks up to 25 chairs on a dolly
 GreenTag^{CertTM}
 Quick ship LINK

- Shells from recycled plastic available



	POLYPR	OPYLENE	UPHOLSTERY				
	(FPAMA	(EPBMA)					
Standard frame colours:		PP100 🍵		SEAT	UPH.	FULLY	UPH.
B1 B6 B7 B9 B10 B30		PP300 PP310 PP270 PP120 PP340	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
Choose matching frame and shell colour without additional costs:		PP350 RECYCLED	OKOU				
DALKE	6514	PP100		CEK	CEK	CEI/	CEI/
RAL K5 colours available at customer request	SEK	SEK	2011	SEK	SEK	SEK	SEK
Sidechair (EPAMA) 5 kg			COM	3921	4211	6426	N/A
			1 2	4107	4397	7006 7598	N/A
			3	4315 4466	4605 4756	8062	N/A N/A
(E			4	4721	5011	8839	N/A N/A
38 mm 4.5 mm 38 mm 38 mm	2540	2830	5	4977	5267	9581	N/A
3038 3038 3038 3038 3038 3038 3038 3038			COL	4594	4884	N/A	N/A
			LUBL	4721	5011	N/A	N/A
520 mm 535 mm			LUCL	5336	5626	N/A	N/A
20.5" 21.1"			LSL	5997	6287	N/A	N/A
Cide ale sign ditte Onde Idia Idia an (EDAAAA D) Eks			COM	4385	4675	6890	N/A
Sidechair with Quicklinking (EPAMA-R) 5 kg			1	4503	4861	7470	N/A
550 mm 20.9"		3004 3294	2	4779	5069	8062	N/A
			3	4779	5220	8526	N/A N/A
			4	5185	5475	9303	-
	3004		5	5165	5731	10045	N/A N/A
			COL	5058	5348	N/A	N/A N/A
12 mm			LUBL	5185	5475	N/A	N/A
0.57			LUCL	5800	6090	N/A	-
1050 mm 41.3°			LSL	6461	6751	N/A	N/A N/A
4 '(EDD) 44)		_	COM	4733	5023	N/A	7169
Armchair (EPBMA) 5,7 kg	9				5209		
			1 2	4919 5127	5417	N/A N/A	7749 8341
			3	5278	5568	N/A	8805
			4	5533	5823	N/A	9582
27.7." 7.7." 30.9"	3294	3584	5	5789	6079	N/A	10324
885 m 27.4" 17.7" 3039			COL	5406	5696	N/A	N/A
/ / 1 41 / 1 1			LUBL	5533	5823	N/A	N/A
565 mm 22.2" 535 mm 21.1"			LUCL	6148	6438	N/A	N/A
22.2 21.1			LSL	6809	7099	N/A	N/A
Armchair with armlinking (EPBMA-Y) 5,7 kg	7		COM	4861	5151	N/A	7297
ATTICION WITH CHIMINING (EFDIVIA-1)	ا"		1	5047	5337	N/A	7877
22500			2	5255	5545	N/A	8469
570 mm - 72.4°			3	5406	5696	N/A	8933
	0.400	0710	4	5661	5951	N/A	9710
	3422	3712	5	5917	6207	N/A	10452
			COL	5534	5824	N/A	N/A
\$2 mm			LUBL	5661	5951	N/A	N/A
2°			LUCL	6276	6566	N/A	N/A
1000 mm 42.9"			LSL	6937	7227	N/A	N/A
						, , , , ,	

Felt glides	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



SixE 4-leg on castors

By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 15 chairs on a dolly
 GreenTag^{CertTM}
 Shells from recycled plastic available



	POLYPR	OPYLENE		UPHOLSTERY			
	(EPASE	3/EPBSD)					
Standard frame colours:	PP200	PP100 PP300		SEAT	UPH.	FULLY	UPH.
B1 B6 B7 B9 B10 B30 Choose matching frame and shell colour without additional costs:		PP300 PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
		RECYCLED PP100					
RAL K5 colours available at customer request	SEK	SEK		SEK	SEK	SEK	SEK
Sidechair (EPASB) 5,2 kg	9		COM	5464	5754	7830	N/A
			1	5650	5940	8410	N/A
			2	5858	6148	9002	N/A
785 mm 30.9"			3	6009	6299	9466	N/A
88.08	3956	4246	4	6264	6554	10243	N/A
185 mm 30.79	0700	7270	5	6520	6810	10985	N/A
			COL	6137	6427	N/A	N/A
520 mm 20.5" 535 mm 21.1"			LUBL	6264	6554	N/A	N/A
20.5" 21.1"			LUCL	6879	7169	N/A	N/A
			LSL	7540	7830	N/A	N/A
Armchair (EPBSD) 6,1 kg	9		COM	6276	6566	N/A	8584
(=: === /			1	6462	6752	N/A	9164
			2	6670	6960	N/A	9756
			3	6821	7111	N/A	10220
895 mm 27.4" 17.77" 30.9"	4/00	4000	4	7076	7366	N/A	10997
27.4" 27.4" 17.7" 30.9	4698	4988	5	7332	7622	N/A	11739
			COL	6949	7239	N/A	N/A
/' '\			LUBL	7076	7366	N/A	N/A
565 mm, 535 mm, 22.2" 21.1"			LUCL	7691	7981	N/A	N/A
22,2 21.1			LSL	8352	8642	N/A	N/A
						,	1911

Soft lane castors	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



SixE sled

By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 25 chairs on a dolly
 GreenTag^{CertTM}
 Quick ship LINK
 Shells from recycled plastic available



	POLYPR	POLYPROPYLENE UPHOLSTERY					
	(EPA	\/EPB)					
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY	UPH.
B1 B6 B7 B9 B10 B30 Choose matching frame and shell colour without additional costs:		PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EFA/ EFB)	COLOUR (EFA/ EFB)	NO ARM (EUA)	BLACK ARM (EUB)
RAL K5 colours available at customer request	SEK	RECYCLED PP100 • SEK		SEK	SEK	SEK	SEK
Sidechair (EPARB) 6 kg		JEK	СОМ	4536	4826	6972	N/A
Sidectidii (Li Akb)	'		1	4722	5012	7552	N/A
			2	4930	5220	8144	N/A
			3	5081	5371	8608	N/A
75.77.77.77.77.788.rmm 330.9°.	2007	227/	4	5336	5626	9385	N/A
30,9	3086	3376	5	5592	5882	10127	N/A
92 / /			COL	5209	5499	N/A	N/A
500 mm 545 mm			LUBL	5336	5626	N/A	N/A
19.7" 21.5"			LUCL	5951	6241	N/A	N/A
9000 1 9000000			LSL	6612	6902	N/A	N/A
Sidechair with bracelinking (EPABB) 6,2 k	a		СОМ	5034	5324	7447	N/A
land of the transfer of the tr	٦		1	5220	5510	8027	N/A
\$15 mm - 20.3"		3561 3851	2	5428	5718	8619	N/A
			3	5579	5869	9083	N/A
	25/1		4	5834	6124	9860	N/A
	3561		5	6090	6380	10602	N/A
			COL	5707	5997	N/A	N/A
12 mm 0.5			LUBL	5834	6124	N/A	N/A
1045 mm			LUCL	6449	6739	N/A	N/A
411"			LSL	7110	7400	N/A	N/A
Armchair (EPBRB) 7,3 k	a		СОМ	5348	5638	N/A	7714
7 THE FIGHT (ET BILD)	٦		1	5534	5824	N/A	8294
			2	5742	6032	N/A	8886
T TO T			3	5893	6183	N/A	9350
E	3840	4130	4	6148	6438	N/A	10127
27.4" SS mm 788 mm 788 mm 39.9"	3040	4130	5	6404	6694	N/A	10869
3 3 1			COL	6021	6311	N/A	N/A
565 mm , 545 mm ,			LUBL	6148	6438	N/A	N/A
22.2" 21.5"			LUCL	6763	7053	N/A	N/A
			LSL	7424	7714	N/A	N/A
Armchair with armlinking (EPBRB-Y) 7,3 k	a		COM	5476	5766	N/A	7842
	-1		1	5662	5952	N/A	8422
570 mm 22.4"			2	5870	6160	N/A	9014
	-1		3	6021	6311	N/A	9478
	3968	4258	4	6276	6566	N/A	10255
	3700	4230	5	6532	6822	N/A	10997
	-1		COL	6149	6439	N/A	N/A
70 mm 2.8°			LUBL	6276	6566	N/A	N/A
1075 mm	-1		LUCL	6891	7181	N/A	N/A
42.3"			LSL	7552	7842	N/A	N/A

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Felt glides 128 SEK Fee per RAL K5 colour for frames (for one colour if below 200 pcs) +2550 SEK



SixE barstool

By PearsonLloyd

No matter how you look at SixE, it presents itself as a perfectly bold move

- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 SixE stacks up to 10 chairs on a dolly
 GreenTag^{CertTM}
 Shells from recycled plastic available



	POLYPR	OPYLENE	UPHOLSTERY			
	(E	PC)				
Standard frame colours:	PP200 •	PP100 PP300		SEAT	UPH.	FULLY
B1 B6 B7 B9 B10 B30		PP310 PP270 PP120		BLACK (EFC)	COLOUR (EFC)	UPH. (EUC)
Choose matching frame and shell colour without additional costs:		PP340 PP350 RECYCLED	GROUP			
		PP100				
RAL K5 colours available at customer request	SEK	SEK		SEK	SEK	SEK
Barstool 4 Leg (EPCAO) 7,3 kg			COM	6148	6438	8468
79 (=: -: -)			1	6334	6624	9048
			2	6542	6832	9640
			3	6693	6983	10104
	4605	4895	4	6948	7238	10881
30.37 1105 mm	4000	10/0	5	7204	7494	11623
88			COL	6821	7111	N/A
			LUBL	6948	7238	N/A
550 mm 21.7" 1535 mm 21.1"			LUCL	7563	7853	N/A
			LSL	8224	8514	N/A
Barstool 4 Leg counter height (EPCAP) 5,2 kg	3		COW	6148	6438	8468
			1	6334	6624	9048
			2	6542	6832	9640
			3	6693	6983	10104
265 mm 38°	4605	4895	4	6948	7238	10881
24.8" 855 mm 965 m	1000	1070	5	7204	7494	11623
8 2 -			COL	6821	7111	N/A
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			LUBL	6948	7238	N/A
21.3" 535 mm			LUCL	7563	7853	N/A
			LSL	8224	8514	N/A
Barstool Sled frame (EPCAM) 9,5 kg	3		COM	6763	7053	9025
			1	6949	7239	9605
			2	7157	7447	10197
			3	7308	7598	10661
2033" 2033" 1105 mm	5150	5440	4	7563	7853	11438
30.3" 43.5 43.5	0.00	0.10	5	7819	8109	12180
88 -1 1-			COL	7436	7726	N/A
			LUBL	7563	7853	N/A
530 mm 20.9" 560 mm			LUCL	8178	8468	N/A
			LSL	8839	9129	N/A

Felt glides	128	SEK
Fee per RAL K5 colour for frames (for one colour if below 200 pcs)	+2550	SEK



SixE swivel

By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move.
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 10 year warranty
 Design for Disassembly
 GreenTag^{CertTM}
 Shells from recycled plastic available



				OPYLENE	UPHOLSTERY				
			(EPEES	/EPFES)					
Standard frame o	colours:		PP200	PP100 • PP300		SEAT	UPH.	FULLY	
B10 BAIN - HOWE Gre	У			PP310 PP270 PP120 PP340 PP350	GROUP	BLACK (EPO/ EPP)	COLOUR (EPO/ EPP)	UPH. (EFSES/ EFTES)	
			SEK	RECYCLED PP100 • SEK		SEK	SEK	SEK	
Sidechair		7,2 kg			COM	5069	5359	7470	
		_			1	5255	5545	8050	
		(7			2	5463	5753	8642	
	39.5.515.mm 15.6203.m 25.0 mm	765 - 885 mm, 30.1" - 34.8"	3596		3	5614	5904	9106	
				3886	4	5869	6159	9883	
					5	6125	6415	10625	
					COL	5742	6032	N/A	
					LUBL	5869 6484	6159 6774	N/A	
	23.2"				LUCL	7145	7435	N/A N/A	
		0.21			COM	5881	6171	8224	
Armchair		8,3 kg			1 1	6067	6357	8804	
					2	6275	6565	9396	
	5-	_ (E]:			3	6426	6716	9860	
		T E 8.	,,,,,	,,,,,	4	6681	6971	10637	
	515 mm 515 mm -20.3"	8 .	4338	4628	5	6937	7227	11379	
	24.4"-29.1" 24.4"-29.1" 58-515.mm 5.6"-20.3" 245-885.mm	30.1.08			COL	6554	6844	N/A	
		6 00 0 M			LUBL	6681	6971	N/A	
	590 mm				LUCL	7296	7586	N/A	
	23.2				LSL	7957	8247	N/A	

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Soft lane castors 128 SEK



SixE Learn

By PearsonLloyd

No matter how you look at SixE,

- it presents itself as a perfectly bold move
- bending the rules of how comfortable a simple polypropylene shell chair can be.

- 5 year warranty
 Design for Disassembly
 Chair for active learning environments, classrooms and higher education
 GreenTag^{CertTM}
 Shells from recycled plastic available



Shells from recycled plastic available		POLYPROPYLENE			UPHOLSTERY				
			(EPC)/EPP)					
Standard frame colours:			PP200 •	PP100			SEAT	UPH.	FULLY
BAIN - HOWE Grey				PP310 PP270 PP120 PP340 PP350		GROUP	BLACK (EFO/ EFP)	COLOUR (EFO/ EFP)	UPH. (EFQ/ EFR)
			SEK	RECYCLE PP100 SEK	D		SEK	SEK	SEK
Learn side chair		11,7 kg		ULIX	\neg	сом	8584	8828	10695
Ecan side criaii		,	1			1	8770	9014	11275
	26°-780 mm 26°-307" 15.6°-515 mm 15.6°-515 mm 15.6°-515 mm 15.6°-515 mm				2	8978	9222	11867	
		-				3	9129	9373	12331
		/000	7053	,	4	9384	9628	13108	
		6809		'	5	9640	9884	13850	
· ·					COL	9257	9501	N/A	
					LUBL	9384	9628	N/A	
					LUCL	9999	10243	N/A	
						LSL	10660	10904	N/A
Learn armchair		12,7 kg				COM	9396	9686	11438
						1	9582	9872	12018
						2	9790	10080	12610
	ET.	-				3	9941	10231	13074
	E.	, "	7563	7853	.	4	10196	10486	13851
	- 38 - 38 S	3	/ 363	/000	'	5	10452	10742	14593
	260 - 780 mm 261 - 30.77 395 - 515 mm 15.67 - 20.37 201 - 20.07 201 - 20.07 2					COL	10069	10359	N/A
	QT . 25	் 6 வ ப மே				LUBL	10196	10486	N/A
- 3 -	(7)	720 mm				LUCL	10811	11101	N/A
		20.3				LSL	11472	11762	N/A

Soft lane castors	128	SEK
Bag hook*	313	SEK
Cupholder	278	SEK




AS100

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warrantyLightweight and space-saving
- Easy to link multiple chairs for relocation
- Weight activated brake castors
- Stacks horizontally as many chairs as wanted
- FSC certified



LUCL LSL

.	15/18			
	18549			
	Soft castors for h	ard floors□	128	SEK



40/4 Writing tablet

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.

Writing tablet without or with cupholder	No.	Per Piece	
Writing tablet without cupholder 40/4 writing tablet, chrome frame, 10 mm compact laminate Left and right version is available		SEK	
No Cupholder Black	DAWS	2668	
No Cupholder White	DAWS	2668	
Cupholder Black	DAWS_Y	3016	
Cupholder White	DAWS_Y	3016	
40/4 and SixE Transporter for writing tablets			
Writing tablet dolly, up to 18 pcs. Dolly with 3 boxes, length: 410 mm, depth: 610 mm, height: 1400 mm. Writing tablet dolly, up to 36 pcs. Double dolly with 6 boxes, length: 810 mm, depth: 610 mm, height: 1400 mm.		Per Transporter	
		SEK	
18 Pcs 3 boxes	404WTDLY01	8120	
36 pcs 6 boxes	404WTDLY02	16240	•



40/4 Linking

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking Width between seats: 65 mm. Linking side chair to side chair; allows to link chairs in a straight line.	No.	Per Piece	
40/4 linking device LD1H in chrome	404ACCLD1H	464	
Width between seats: 125 mm. Linking: side chair to side chair; side chair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD2H in chrome	404ACCLD2H	580	· /
Width between seats: 185 mm. Linking: side chair to side chair; side chair to armchair; armchair to armchair; allows to link chairs in a straight line.			
40/4 linking device LD3H in chrome	404ACCLD3H	638	
Width between seats: 80 mm. Linking side chair to side chair; allows to form the arc of chairs; the radius is adjuastable, 0-12 degrees.			
40/4 radius linking device LD2RL in chrome	404ACCLD2R L	696	
Width between seats: 202 mm. Linking armchairs with writing tablets to armchairs with writing tablets; allows to link chairs in a straight line.			
40/4 linking device LD4\$ in chrome	404ACCLD4S	812	
Width between seats: 70 mm. Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.			
40/4 safety linking device LD5S in chrome	404ACCLD5S	696	7



40/4 Dolly and Glides

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.			
Dollies All accessories recommended for chrome frames only. Dollies suit side chairs and arm chairs in polyamide, veneer,	No.	Per Piece	
or full upholstery. For dollies to other versions of the 40/4 chair - please ask HOWE		SEK	
Hook/eye, fin linking or without linking	DLYSSAASF10	7099	
Brace linking or wood frame	DLYSSBCSF10	7099	
Double dolly	DLYSD*	17052	8
Triple dolly	DLYST*	23154	-
Quatro dolly	DLYSQ*	26529	
Extra glides with felt		Per Piece	
		SEK	
For hook/eye and fin-linking chairs on chrom	e frames		
Transparent female glides with felt with screws	02328WS	58	
Transparent male glides with felt with screws	02329WS	58	
Transparent regular glides with felt	02330	58	10
For non-linking chairs; for linking armchairs and for brac	e-linking side cl	nairs	
Transparent regular glides with felt for both chrome and painted frames	02330	58	
Transparent bar glides with felt for both chrome and painted frames	17330	58	
Extra glides without felt		Per Piece	
		SEK	THE A STATE OF THE
For hook/eye and fin-linking chairs on chrom	e frames		
Transparent female glides without felt with screws	02325WS	46	
Transparent male glides without felt with screws	02326WS	46	
Transparent regular glides without felt	02339	46	
For non-linking chairs; for linking armchairs and for brac	e-linking side cl	nairs	
Transparent regular glides without felt for chrome frames	02339	46	
Transparent regular glides without felt for painted frames	2327	46	
Transparent bar glides with felt for both chrome and painted frames	17327	46	



40/4 Linking items and book holders

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.

All accessories are recommended for chrome frames only.



LD linking continued	No.	Per Piece	
Width between seats: 70 mm. Linking side chair to side chair; allows to link chairs in a straight line. Recommended for public spaces where EN 14703 is a requirement.	NO.	SEK	
40/4 safety linking device LD5S	404ACCLD5S	696	
Cup holder for 40/4 safety linking device LD5\$	404ACCLD5S CUP	93	,
Numbering for 40/4 safety linking device LD5S	404ACCLD5S NUM	93	
Linking tool			
40/4 Linking tool In chrome. An aid to the linking/unlinking operation of side chairs with integrated linking.			
Linking tool (for side chairs with integrated linking)	404ACC0300 101	580	W. C
Row spacer bar In HOWE grey powdercoating with rubber lock, allows a 350 mm aisle between rows.			
Row spacer bar for armchairs, 350 mm distance between the rows	404ACC027A 350	754	
Row spacer bar for side chairs, 350 mm distance between the rows	04ACC027\$35	754	
Bookholders			
40/4 book rack in chrome			
Book rack (for side chairs and armchairs)	404ACC0290 101	1392	
Hymn book holder In chrome, 120 mm high and 175 mm long; 154 mm wide (distance between front legs of chairs) with integrated linking. Note! Hymn book holder does not work with the writing tablet.			
Hymn book holder (for side chairs and armchairs, non-linking)	404ACC0280 101	812	



40/4 Numbering tag

Most people see the 40/4 as a pioneering design that has stood the test of time. We like to think of it as a legacy that continues to move you in new ways.


All accessories are recommended for chrome frames only.

Chiome names only.			
Numbering tags for row and seat	No.	Per Piece	
The price of one numbering tag. The start-up fee is 300 SEK.		SEK	
40/4 Row/seat numbering tag	404SN1120	464	



SixE Writing tablet and Dolly

No matter how you look at SixE, it presents itself as a perfectly bold move – bending the rules of how comfortable a simple polypropylene shell chair can be.





Notes for chairs

Price list 2024 - SEK excl. V.A.T. - Version 1.0

General

HOWE standard delivery times in EU are usually: Chairs 4-6 weeks, Tables 5-7 weeks.

In case of large quantities and/or customized products delivery time will be determined on a case-by-case basis.

The following products may have a slightly longer lead time so please ask HOWE:

- 40/4: Slim Armchairs, Dining height, Barstools, Veneer (other than Walnut/Oak/Black Stained), Xtra, Lounge, Wood
- SixE: 4-leg on castors, Brace-linking, Barstools
- AS100 upholstered

For chairs with upholstery, the lead time starts being counted once fabric reaches the production line.

We recommend linking only for chrome frames.

Frame colours from RAL K5 colour card are available. For quantities < 200 chairs the colour fee is 2550 SEK per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impressions of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Stained veneer is possible with RAL colours from RAL K5 colour card. For quantities < 200 chairs the colour fee is 1160 SEK per RAL colour. For quantities ≥ 200 chairs there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

We recommend only stacking chairs with chrome frame.

Veneer is a natural material - differences in structure and colour may occur.

Upholstered armrests are as standard in the same fabric/leather type and colour as the seat and the back.

Soft castors are recommended for hard floors, hard castors are recommended for soft floors.

40/4

Table surface protection protects the table surface when the chairs are hung up; it may be used only for non-linking chairs.

Please be aware that extra glides are not available for wooden frames.

40/4 can be stacked on a single, double, triple or quarto dolly. Double, triple, and quarto can only be used with hook/eye linking.

As standard chair top frame and its swivel base are of the same colour but be aware that they are always matched by the chrome gas lift.

Glides for linking side chairs; the whole set for one linking side chair comprises of one male glide and one female glide at the front part of the frame (reinforcing the linking in the front part of the chair frame) plus two regular glides at the rear part of the frame; whether these are glides with or without felt depends only on customer's needs.

Regular glides are suitable for non-linking side chairs, for all types of armchairs and for lounge chairs; the whole set comprises of four clear regular glides per chair.

Glides for barstool with both chrome and painted frames; the whole set comprises of four regular glides per chair.

SixE

Bag hook is recommended only for polypropylene backs.

Fabric suitability

Standard collection of the carefully selected fabrics suitable for the HOWE products. They were all thoroughly tested, therefore we can guarantee these textiles meet our highest standards. Please check here which fabrics are dedicated to each of our product. If you're looking for a solution that reaches beyond standard options, please contact HOWE Customer Service.



Cabriel Cura link V V V V I										
Gabriel Event link √ √ √ √ √ 1 Gabriel Fighter link √ X X 1 Camira Main Line Plus link √ X √ √ √ 1 Camira Oceanic link √ √ √ X 1 Camira Rivet link √ √ √ X 1 Gabriel Step link √ √ X √ X 1 Camira Main Line Flax link √ √ √ X √ 2 Gabriel Crisp link √ ✓ X √ X ✓ 3 Gabriel Fame link √ X ✓ X ✓ X ✓ 3		is illoon.	rabric's name	fabric coller's	TO 4	Munko	Six	, Jongi	45700	Pice Of: Sweden
Gabriel Fighter link ✓ X X 1 Camira Main Line Plus link ✓ X ✓ ✓ 1 Camira Oceanic link ✓ ✓ ✓ X 1 Camira Rivet link ✓ ✓ ✓ X 1 Gabriel Step link ✓ X ✓ X X 1 Gabriel Step Melange link ✓ ✓ X ✓ X ✓ 1 Camira Main Line Flax link ✓	Gabriel	Cura	link	√	/	√	√		1	1
Camira Main Line Plus link ✓ X ✓ ✓ I Camira Oceanic link ✓ ✓ ✓ X 1 Camira Rivet link ✓ ✓ ✓ X 1 Gabriel Step link ✓ X ✓ X X 1 Gabriel Step Melange link ✓ ✓ X ✓ 1 Camira Main Line Flax link ✓ ✓ ✓ ✓ Z Gabriel Crisp link ✓ X ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓ 3	Gabriel	Event	link	✓	✓	✓	✓	✓	1	1
Camira Oceanic link J J J X 1 Camira Rivet link J J X 1 Gabriel Step link J X X X 1 Gabriel Step Melange link J X J X 1 Camira Main Line Flax link J J J X J 2 Gabriel Crisp link J X J X J 3 Gabriel Fame link J X J X J 3	Gabriel	Fighter	link	✓	Х		Х		1	1
Camira Rivet link ✓ ✓ ✓ X 1 Gabriel Step link ✓ X ✓ X X 1 Gabriel Step Melange link ✓ ✓ X ✓ 1 Camira Main Line Flax link ✓ ✓ ✓ ✓ ✓ 2 Gabriel Crisp link ✓ ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓ 3	Camira	Main Line Plus	link	✓	Х	✓	✓	✓	1]
Gabriel Step link ✓ X ✓ X X 1 Gabriel Step Melange link ✓ ✓ X ✓ 1 Camira Main Line Flax link ✓ ✓ ✓ ✓ ✓ ✓ Gabriel Crisp link ✓ ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓ 3	Camira	Oceanic	link	✓	✓	✓	✓	Х	1	
Gabriel Step Melange link ✓ ✓ X ✓ 1 Camira Main Line Flax link ✓ ✓ ✓ ✓ ✓ 2 Gabriel Crisp link ✓ ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓ 3	Camira	Rivet	link	✓	✓	✓	✓	X	1	
Camira Main Line Flax link ✓ ✓ ✓ ✓ 2 Gabriel Crisp link ✓ ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓	Gabriel	Step	link	✓	X	✓	X	X	1	
Gabriel Crisp link ✓ ✓ X ✓ 3 Gabriel Fame link ✓ X ✓ X ✓ 3	Gabriel	Step Melange	link	✓	✓	✓	Х	✓	1	
Gabriel Fame link √ X √ X √ 3	Camira	Main Line Flax	link	√	✓	✓	✓	✓	2	
	Gabriel	Crisp	link	✓		✓	Х	✓	3	
Kvadrat Steelcut Trio 3 link \(\sqrt{X} \sqrt{X} \sqrt{S} \)	Gabriel	Fame	link	√	X	✓	Х	✓	3	
	Kvadrat	Steelcut Trio 3	link	√	Х	✓	Х	✓	5	

^{√ -} fabric suitable for the product

X - fabric not suitable for the product

blank window - fabric requires testing

Fabric suitability

Standard collection of the carefully selected fabrics suitable for the HOWE products. They were all thoroughly tested, therefore we can guarantee these textiles meet our highest standards. Please check here which fabrics are dedicated to each of our product. If you're looking for a solution that reaches beyond standard options, please contact HOWE Customer Service.



				,			/\/\$	<u> </u>	/	
	Supplies 1	Soprice Sopries	"oojijoo	Monii	Flow	Ado Milit	Flommobii oon	M Allin M Allin M		9/90405
				\angle	\angle	\angle			\angle	\angle
Gabriel	Cura	98% post-consumer recycled polyester, 2% polyester	100000	YES	NO	NO	60-74°C	YES	✓	√
Gabriel	Event	100% polyester	100000	YES	NO	NO	60°C	YES	✓	✓
Gabriel	Fighter	100% recyclable polyester	130 000	YES	NO	NO	YES	only dry	NO	✓
Camira	Main Line Plus	67% Wool, 20% Flame Retardant Viscose, 13% Viscose	≥50,000	NO	YES	NO	YES	YES	NO	✓
Camira	Oceanic	100% post-consumer recycled polyester	≥100,000	YES	NO	NO	60°C	YES	✓	✓
Camira	Rivet	100% post-consumer recycled polyester	≥80,000	YES	NO	NO	60°C	YES	✓	NO
Gabriel	Step	100% Trevira cs	100 000	YES	YES	M1	60-74°C	YES	✓	√
Gabriel	Step Melange	100% Trevira cs	100 000	YES	YES	M1	60-74°C	YES	√	✓
Camira	Main Line Flax	70% Virgin Wool, 30% Flax	≥50,000	YES	NO	NO	NO	YES	√	NO
Gabriel	Crisp	93% wool, 7% polyamide	200 000	YES	NO	M1	NO	YES	√	√
Gabriel	Fame	95% wool, 5% polyamide	200 000	YES	NO	NO	NO	only dry	√	√
Kvadrat	Steelcut Trio 3	90% New wool, 10% Nylon	100 000	YES	NO	NO	NO	only dry	√	NO

Moveo Training

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- FSC certified



PEFC certified C-leg style							
Flip top table systems33% recycled ma			Laminate (MB2)	Linoleum (MB4)	Veneer (MB3)	Stained veneer (MB3)	
Table top thickness Melamine is 25mm. Laminate, Linoleum B6 B51 B52	ABS edge. ching hardwood edge. :		L42 L43 L50 L55 L310 L420 L110 L600 L500 L210 SEK	FL200 •	V1 V2 V3 V5 V12 V13 V15	LW17 • LW25 • LW30 ○	Linking
	1200 mm *48°			960 n 37.8	nm.	450 mm	
Rectangular	1200x600mm (32AA)		15741	18026	19604	22666	
Rectangular	1400x700mm (43AD)		16414	18803	20439	23501	
Rectangular	1500X600mm (34AL)		16599	19012	20671	23733	1833
Rectangular	1500x750mm (44AE)		16982	19453	21158	24220	
Rectangular	1800x600mm (36AM)		17075	19546	21263	24325	
	7	0	960 mm 37.8"	450 r	740 mm 29.1"		
V-shape	1200x600mm (22BO)		16414	18803	20439	23501	
V-shape	1400x700mm (73BP)		16901	19360	21054	24116	1833
V-shape	1500x750mm (74BQ)		17075	19546	21263	24325	

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Moveo Training - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops **Rectangle:** width 450-899mm | length 800-2000mm

V-shape: 900x450mm - 1600x800mm




Moveo Meeting

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- GreenTag^{CertTM}
- FSC certified
- PEFC certified
- Inverted T-leg style
- Flip top table system





Melamine, Laminate and Linoleum	L42	0	FL200	•	V1	9	LW17		
are with matching ABS edge.	L43	0			V2	0	LW25	0	
Veneer is with matching hardwood edge.	L50	0			V3	0	LW30	0	
Table top thickness:	L55	0			V5	0			
Melamine is 25mm.	L310	0			V12	0			Linking
Laminate, Linoleum and veneer is 24mm.	L420	0			V13	0			LITIKITIS
	L110				V15				
	L600	0							
B6 B51 B52	L500								
50 501 502	L210								
Standard frame* with castors with breaks	SEk	(SEK	(SE	<	SE	K	SEK











16437	18827	20462	23524	
			20024	
17005	19477	21170	24232	
17597	20161	21912	24974	1833
N/A	N/A	N/A	N/A	1033
N/A	N/A	N/A	N/A	
18305	20973	22794	25856	
	17597 N/A N/A	17597 20161 N/A N/A N/A N/A	17597 20161 21912 N/A N/A N/A N/A N/A N/A	17597 20161 21912 24974 N/A N/A N/A N/A N/A N/A N/A N/A N/A









Half-round	1500X750mm (12BC)	17597	20161	21912	24974	916
Half-round	1600x800mm (35BR)	17980	20602	22388	25450	710
		1260 mr 49.6"	n	570 mm 22.5"	740 mm	

V-Shape	1500x750mm (34BQ)	17075	19558	21262	24324
V-Shape	1600x800mm (35BR)	17783	20370	22132	25194

1833

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Moveo Meeting - custom size ranges


Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 600-900mm | length 800-2400mm

Half-round: 1300x650mm - 1800x900mm **V-shape:** 1200x600mm - 1600x800mm



Moveo Conference modular



Price list 2024 - SEK excl. V.A.T. - Version 1.0


Moveo Conference Modular - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 900-1200mm | length 800-2200mm **Half-boat:** width 800-1200mm | length 1000-2400mm



Moveo Conference stand alone



Price list 2024 - SEK excl. V.A.T. - Version 1.0

Moveo Conference Stand alone - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 900-1200mm | length 1200-2400mm **Full boat:** width 800-1200mm | length 1200-2400mm



Moveo modesty panel

By Justus Kolberg & Erik Simonsen

Easy to move thanks to a light frame, Moveo is even more flexible than your calendar. Optimum mobility is ensured by the perfectly designed wheels.

- 10 year warranty
- FSC certified



		Laminate	Linoleum	Veneer
۸	MODESTY PANEL	L42 L43 L50	FL200	V1 V2 V3
Moveo modesty pa high, MDF core, mod	nel 9 mm thick and 250mm unted on hooks.	L55 L310 L420 L110 L600 L500 L210	SEK	V5 V12 V13 V15
Beam lenght	975 mm (GCGC)	3399	4675	4802
Beam lenght	1175 mm (GDGD)	3701	5093	5220
Beam lenght	1275 mm (GEGE)	4002	5510	5660
Beam lenght	1375 mm (GFGF)	4002	5510	5660
Beam lenght	1575 mm (GGGG)	4002	5510	5660
Beam lenght	1775 mm (GHGH)	4304	5928	6090



Simpla

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- PEFC certified
- FSC certified
- Up to 8 stacked tables on a transporter
- 5 year warranty



· , · · · · · · · · · · · · · · · · · ·		Laminate	Linoleum	Veneer	Stained Veneer	
		(SG2)	(SG4)	(SG3)	(SG3)	
with matching ABS ed Veneer is standard w Table top thickness is	vith matching hardwood edge. 18mm glides - optional to get glides	L42 L43 L50 L55 L310 L420 L110 L600 L500 L210	FL200	V1 V2 V3 V5 V12 V13 V15	LW17	Linking
B1 B7 B9 B10 B30	0	SEK	SEK	SEK	SEK	SEK
Rectangular	1200x600mm (AAAA)	14454	16576	18049	21204	
Rectangular	1400x700mm (ADAD)	15173	17412	18954	22109	
Rectangular	1500x750mm (AEAE)	15602	17899	19476	22631	255
Rectangular	1600x795mm (SGSG)	N/A	N/A	N/A	N/A	255
Rectangular	1600x800mm (AFAF)	16217	18583	20230	23385	
Rectangular	1800x900mm (AIAI)	17249	19801	21541	24696	
	,1800 mm *72"	36°	, 1720 mm		820 mm 32.3"	730 mm 28.7"
Square	750x750mm (BZBZ)	13955	16008	17423	20578	255
		750 mm	750 mm *30"	670 mm 26.4"	28.7"	
Half-round	1400x700mm (BBBB)	16356	18769	20427	23582	
Half-round	1500x750mm (BCBC)	16727	19186	20880	24035	255
Half-round	1600x800mm (BDBD)	17075	19581	21309	24464	
Price list 2024 - SEK excl.	V.A.T Version 1.0	2 alidos ar	ad 2 castor	70		100

Simpla - custom size ranges Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 300-1000mm | length 600-2000mm square: 610x610mm - 1200x1200mm

Half-round: 1200x600mm - 2000x1000mm

Bar height is NOT available. Reinforcement applied when the length is 1650mm or more



2 glides and 2 castors

128 SEK

Simpla

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.

- Lift off top
- Unique flat folding frame
- PEFC certified
- FSC certified
- 5 year warranty



		Laminate	Linoleum	Veneer	Stained Veneer
		(SG2)	(SG4)	(SG3)	(SG3)
Melamine, Lamin	ate and Linoleum are standard	L42 @	FL200	V1	LW17
with matching AB	S edge.	L43 @		V2	LW25
	d with matching hardwood edge.	L50		V3 (8)	LW30
Table top thickne		L55		V5 🌑	
	vith glides - optional to get glides	L310		V12	
and castors. Linkii	ng is incl. 2 brackets	L420		V13	
		L110		V15	
		L600 @			
		L500			
B1 B7 B9 B1	0 B30	L210 • SEK	SEK	SEK	SEK
Trapezoid	1500x750mm (BEBE)	15846	18177	19789	22944
Trapezoid	1600x800mm (BFBF)	16217	18583	20230	23385
	1600 mm	1480	mm		∃ T
					730 mm
	800 mm	740	mm	610 mm	4
V-Shaped	1500x750mm (BQBQ)	17122	19639	21367	24522
	1.500 mm				
		36			28.7
	750 mm 750 mm - 30"		20 mm 55.9"	670 mm 26.4"	
Round	Ø1050mm (BUBU)	16611	19047	20729	23884
Round	Ø1200mm (BVBV)	17841	20462	22272	25427
Price list 2024 - SEK e	xcl V A T - Version 1.0				

Price list 2024 - SEK excl. V.A.T. - Version 1.0

2 glides and 2 castors 128 SEK

<u>Simpla - custom size ranges</u>

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Round: Ø850mm - Ø1200mm Trapezoid, v-shaped - ask CS Bar height is NOT available.

Reinforcement applied when the length is 1650mm or more



Simpla modesty panel

By John Bollen

The unqiue folding system makes Simpla radically different. In addition to a minimalist and elegant silhouette, the two-piece table is flexible and space-saving.



Simpla modesty po 250 mm high, with i hooks to hang it on	Steel		
Simpla modesty po 250 mm high, made mounted on the ho	SEK		
Rectangular	1200 mm (DEDEGHY)		3596
Rectangular	1400 mm (DGDGGHY)		3596
Rectangular	1500 mm (DHDHGHY)		4199
Rectangular	4199		
Rectangular	4199		



Tempest flip top

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- World's leading flip-top table system
- Nesting depth of 130 mm
- 6 tables can be stacked on table transporter
- Elegant elliptical leg-design



• GreenTag ^{CertTM}				B. C.		
FSC certifiedISO 14025 EPD		Laminate	Linoleum	Veneer	Stained veneer	
• Quick ship - LINK		(TP2)	(TP4)	(TP3)	(TP3)	
matching ABS edg Veneer is with mat Other RAL colours B1 B6 B7 B9 B Table top thickness Melamine is 25mm	ching hardwood edge. available - ASK HOWE 10 B30 s:	L42 L43 L50 L55 L310 L420 L110 L600 L500	FL200	V1 V2 V3 V5 V12 V13 V15	LW17 • LW25 • LW30	Linking
	n and veneer is 27mm. th glides and castors	L210 SEK	SEK	SEK	SEK	SEK
	1105/1305 mm 43.5/51.4"	705/900 mm 27.8/35.4"	,30	ME 88	mm.	
Rectangular	1200x600mm (02AA)	16170	18316	20207	23200	
Rectangular	1200x750mm (02AB)	16738	18966	20915	23908	
Rectangular	1200x800mm (02AC)	16831	19058	21031	24024	
Rectangular	1400x700mm (02AD)	16936	19174	21158	24151	
Rectangular	1500x750mm (02AE)	17504	19824	21866	24859	
Rectangular	1600x795mm (02SG)	N/A	N/A	N/A	N/A	
Rectangular	1600x800mm (02AF)	17875	20253	22341	25334	1833
Rectangular	1800x750mm (03AG)	18258	20682	22817	25810	
Rectangular	1800x795mm (03TA)	N/A	N/A	N/A	N/A	
Rectangular	1800x800mm (03AH)	18641	21112	23293	26286	
Rectangular	1800x900mm (03AI)	19128	21668	23896	26889	
Rectangular	2000x795mm (03OZ)	N/A	N/A	N/A	N/A	
Rectangular	2000x1000mm (03AJ)	20729	23478	25903	28896	
	700	5/900 mm 7.8/35.4"	*750 mm	550 mm 21.7"		
V-Shape	1500x750mm (02BQ)	19975	22620	24951	27944	N/A

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectangle: width 550-1000mm | length 800-2000mm

Bar height NOT available.



Tempest flip top

By KOMPLOT Design Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world. • 10 year warranty • World's leading flip-top table system • Nesting depth of 130 mm • 6 tables can be stacked on table transporter • Elegant elliptical leg-design • GreenTag^{CertTM} • FSC certified Stained Laminate Linoleum Veneer • ISO 14025 EPD veneer (TP2) (TP4) (TP3) (TP3) Melamine, laminate and linoleum are with L42 FL200 V1 LW17 matching ABS edge. V2 L43 0 LW25 0 Veneer is with matching hardwood edge. L50 0 V3 0 LW30 0 Other RAL colours available - ASK HOWE L55 ٧5 0 V12 L310 Linking V13 1420 B1 B6 B7 B9 B10 B30 L110 V15 Table top thickness: L600 L500 Melamine is 25mm. Laminate, linoleum and veneer is 27mm. L210 Standard frame with glides and castors SEK SEK SEK Crescent 1200x750mm (02AW) 31169 22538 25543 28176 1400x700mm (02AY) Crescent 23698 26854 29615 32608 1833 Crescent 1500x750mm (02AZ) 24615 30763 27886 33756 Crescent 1600x800mm (03BA) 26239 29730 32793 35786 550 mm Trapezoid 1500x750mm (01BE) 18072 20474 22585 25578 N/A Trapezoid 1600x800mm (01BF) 18536 20996 23165 26158 Half-round 1400x700mm (01BB) 17504 19824 21866 24859 Half-round 1500x750mm (01BC) 916 17875 20253 22341 25334 Half-round 1600x800mm (02BD) 18397 20845 22991 25984

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest flip T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Halt-round: 1200x600mm – 1900x800mm

Crescent, trapezoid - ask CS Bar height NOT available.



Tempest fold

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
 Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter
- FSC certified



		Laminate	Linoleum	Veneer	Stained veneer	
		(TD2/TA2)	(TD4/TA4)	(TD3/TA3)	(TD3/TA3)	
Melamine, laminate a matching ABS edge. Veneer is with matchin Other RAL colours ava 1 1 8 8 87 89 810 8 Table top thickness: Melamine is 25mm.	ng hardwood edge. ilable - ASK HOWE	L42 L43 L50 L55 L310 L420 L110 L600 L500 L210	FL200	V1 V2 V3 V5 V12 V13 V15	LW17	Linking
Laminate, linoleum an	d veneer is 27mm.	SEK	SEK	SEK	SEK	SEK
	*1600 mm			115 mm 4.54	210 mm 47.6"	
Rectangular	1200x600mm (04AA)	19488	22086	24360	27701	
Rectangular	1200x750mm (04AB)	20161	22852	25207	28548	
Rectangular	1200x800mm (04AC)	20300	23002	25369	28710	
Rectangular	1400x700mm (04AD)	20416	23130	25520	28861	
Rectangular	1500x750mm (05AE)	21089	23896	26355	29696	
Rectangular	1600x795mm (05SG)	N/A	N/A	N/A	N/A	1833
Rectangular	1600x800mm (05AF)	21553	24429	26935	30276	
Rectangular	1800x750mm (05AG)	22017	24951	27515	N/A	
Rectangular	1800x795mm (05TA)	N/A	N/A	N/A	N/A	
Rectangular	1800x800mm (05AH)	22481	25473	28095	N/A	
Rectangular	1800x900mm (05AI)	23038	26111	28791	32132	
7000 mm 947 1 g g g g g g g g g g g g g g g g g g						
Rectangular conf.	2000x1000mm (05AJ)	28002	31726	34997	41122	1000
Rectangular conf.	2400x1200mm (05AK)	30948	35067	38686	44811	1833
Price list 2024 - SEK excl. V.A.T Version 1.0						

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Rectanale: Width 550-1200mm | I lenath 1005-2400mm | Bar height - NO1 available.



Tempest fold

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty

- 5 tables can be stacked on table transporter
- FSC certified



	Laminate	Linoleum	Veneer	Stained veneer	
	(TD2)	(TD4)	(TD3)	(TD3)	
Melamine, laminate and linoleum are with matching ABS edge. Veneer is with matching hardwood edge. Other RAL colours available - ASK HOWE (1) 6 87 89 810 830 Table top thickness: Melamine is 25mm.	L42 L43 L50 L55 L310 L420 L110 L600 L500 L210	FL200 •	V1 V2 V3 V5 V12 V13 V15	LW17	Linking
Laminate, linoleum and veneer is 27mm.	SEK	SEK	SEK	SEK	SEK
	-	115 mm 24.54	1210 mm 47.6"		
Crescent 1200x750mm (04AW)	27156	30786	33953	37294	
Crescent 1400x700mm (04AY)	28548	32352	35682	39023	1000
Crescent 1500x750mm (05AZ)	29673	33628	37085	40426	1833
Crescent 1600x800mm (05BA)	31633	35855	39544	42885	
1210 mm 47.6°					
Trapezoid 1500x750mm (05BE)	21785	24684	27225	30566	N1/A
Trapezoid 1600x800mm (05BF)	22458	25450	28072	31413	N/A

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest fold T/TT legs - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Crescent & trapezoid - ask CS Bar height - NOT available.




Tempest fold

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concealed wheel + adjustable glides
- 5 tables can be stacked on table transporter



Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest fold T/TT legs- custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Half-round: 1400x700mm – 2400x1200mm

V-shape - ask CS

Bar height - NOT available.



Tempest fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
- Legs: concedled wheel + adjustable glides
 GreenTag^{CertTM}
- FSC certified



• ISO 14025 EPD						
		Laminate	Linoleum	Veneer	Stained veneer	
		(T12)	(TI4)	(TI3)	(TI3)	
matching ABS edge Veneer is with matc Other RAL colours of B1 B6 B7 B9 B1 Table top thickness	ching hardwood edge. available - ASK HOWE 0 B30	L43 L50 L55 L310 L420 L110 L600 L500	FL200	V1 V2 V3 V5 V12 V13 V15	LW17 LW25 LW30	Linking
Melamine is 25mm. Laminate, linoleum	and veneer is 27mm.	L210 SEK	SEK	SEK	SEK	SEK
		*800 mm	550 mm			
Rectangular	1200x600mm (06AA)	14442	16368	18050	21043	
Rectangular	1200x750mm (06AB)	14964	16960	18700	21693	
Rectangular	1200x800mm (06AC)	15034	17029	18781	21774	
Rectangular	1400x700mm (06AD)	15138	17145	18908	21901	
Rectangular	1500x750mm (06AE)	15648	17737	19558	22551	
Rectangular	1600x795mm (06SG)	N/A	N/A	N/A	N/A	1833
Rectangular	1600x800mm (06AF)	15985	18108	19976	22969	
Rectangular	1800x750mm (06AG)	16310	18479	20382	23375	
Rectangular	1800x795mm (06TA)	N/A	N/A	N/A	N/A	
Rectangular	1800x800mm (06AH)	16658	18874	20811	23804	
Rectangular	1800x900mm (06AI)	17087	19361	21356	24349	
			550 mm 21.7"			
Half-round	1400x700mm (06BB)	15648	17737	19558	22551	
Half-round	1500x750mm (06BC)	15985	18108	19976	22969	916
Half-round	1600x800mm (06BD)	16426	18618	20532	23525	
Price list 2024 - SFK exc	J V A T Version 1.0					

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Tempest fix T/TT legs- custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 550-1400mm | length 800-2400mm *Note depending on finish and overall size e.g. width 1400 works with max 2000 length

Half-round: 1200x600mm – 2400x1200mm

Bar height - NOT available.



Tempest fix

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty
- Inverted elliptical T-leg style
 Legs: concealed wheel + adjustable glides
 GreenTag^{CertTM}
 FSC certified

- ISO 14025 EPD



 ISO 14025 EPD 						
		Laminate	Linoleum	Veneer	Stained veneer	
		(T12)	(TI4)	(TI3)	(TI3)	
matching ABS edge Veneer is with matc	hing hardwood edge. vailable - ASK HOWE	L42 L43 L50 L55 L310 L420 L110 L600 L550	FL200	V1 V2 V3 V5 V12 V13 V15	LW17 LW25 LW30	Linking
Melamine is 25mm.	and veneer is 27mm.	L210 SEK	SEK	SEK	SEK	SEK
			550 mm 21.7"			
Crescent	1200x750mm (06AW)	20138	22829	25172	28165	
Crescent	1400x700mm (06AY)	21158	23978	26448	29441	1000
Crescent	1500x750mm (06AZ)	21970	24906	27458	30451	1833
Crescent	1600x800mm (06BA)	23444	26564	29302	32295	
			550	mm J		
Trapezoid	1500x750mm (06BE)	16147	18305	20184	23177	
Trapezoid	1600x800mm (06BF)	16565	18781	20706	23699	N/A
				550 mm 21.7"	1	
V-Shape	1500x750mm (06BQ)	17829	20208	22284	25277	N/A
Price list 2024 - SEK excl	. V.A.T Version 1.0					

Tempest fix T/TT legs- custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops Crescent, trapezoid, v-shape - ask CS Bar height - NOT available.



Tempest modesty panel

By KOMPLOT Design

Detail is everything. It is why the Tempest flips, rolls and unfolds possibilities like no other table system in the world.

- 10 year warranty FSC certified




		Laminate	Linoleum	Veneer
		9 mm	9 mm	9 mm
panel height 250 m	sty panel, on hooks, ım. yular flip-top or fixed tables.	L43 L50 L55 L310 L420 L110 L600 L500 L210	FL200 •	V1 V2 V3 V5 V12 V13 V15
Rectangular	700 mm (FMFM)	3097	SEK 4257	SEK 4373
Rectangular	750 mm (FNFN)	3097	4257	4373
Rectangular	800 mm (DADA)	3097	4257	4373
Rectangular	1200 mm (DEDE)	3399	4675	4791
Rectangular	1400 mm (DGDG)	3700	5092	5231
Rectangular	1500 mm (DHDH)	4002	5510	5661
Rectangular	1600 mm (DIDI)	4002	5510	5661
Rectangular	1800 mm (DKDK)	4002	5510	5661
panel height 250 m	sty panel, on hooks, ım. yular flip-top or fixed tables.	Laminate	Linoleum 20 mm	Veneer
Rectangular	700 mm (FMFM)	2250	4199	4269
Rectangular	750 mm (FNFN)	3352		
Rectangular	800 mm (DADA)	3352	4199	4269
Rectangular	1200 mm (DEDE)	3352	4617	4269 4687
Rectangular	1400 mm (DGDG)	3804	4767	4861
Rectangular	1500 mm (DHDH)	3920	4918	5011
Rectangular	1600 mm (DIDI)	3920	4918	5011
Rectangular	1800 mm (DKDK)	4060	5069	5162



Tutor





Net price: RAL K5 colours for frame - see notes

<u>Tutor - custom size ranges</u>

Rough, reference information - please verify custom sizes with CS 600-1390mm

Usu

By HOWE in-house design team

Usu is a study of simplicity in both form and function. The intuitive folding mechanism and transporter, with room for ten rectangular and square tables, make Usu easy to move.

- 5 year warranty
- Up to 10 rectangular and square tables stacked on a transporter
- Stylish round 4-leg design
- FSC certified
- Design for disassembly



		Laminale
		(UF2)
Table top thickness is	2 glides and 2 castors.	L310
B1** B7*	*Due to the technological process, the black may slightly differ in terms of its gloss.	L210 • SEK
	1400 mm 55.1" E 500 mm 23.3"	72 mm 11 28°
Rectangular	1200x600mm (AAAA)	9442
Rectangular	1400x700mm (ADAD)	10393
Rectangular	1600x800mm (AFAF)	10753
Rectangular	1800x800mm (AHAH)	11020
Rectangular	1800x900mm (AIAI)	12064
Square	800x800mm (CACA)	9442
Round	Ø1200mm (BVBV)	12191
Price list 2024 - SEK excl.	V.A.T Version 1.0	

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Linking	93 SEK
** Chrome base	719 SEK

<u>Usu</u> - custom size ranges

Rough, reference information - please verify custom sizes with CS, especially for non-rectangular tabletops

Rectangle: width 500-900mm | length 800-1800mm

Round: Ø1100- Ø1200mm

Square - ask CS

AS400

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Café height tablesUnbelievably easy to manoeuvre
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables
- Rubber bumper protects tables from scratches
- An infinite number of tables can then be nested together





together	(AB2	2)	(Al	34)	()	AB3)
Laminate are with	L42	0	FL200	•	V2	(6)
matching ABS edge.	L43				V3	400
Linoleum and veneer are with non-matching,	L310	0				
transparent lacquer.	L420					
	L110					
	L600	0				
Other RAL colours available - ASK HOWE	L500					
Standard base colours:	L210	•				
B6 B7 B31 B51	SEK	,	SE	ΕK		SEK









Sauare 640 x 640 mm (tiny pre-drills in the top; possibility to order linking later)	10034	13700	14883
Square with link 640 x 640 mm	10660	14326	15509
			,









			735mn	34) di
. [.		830 mm 32.7"	745 mm 29.3"	160 mm	n
Round	Ø830mm		10034	13700	14883
Concave with link	Ø830mm		10858	14593	15834

Transparent lacquer on plywood core for laminate or	2332 SEK
nano-laminate	2552 3LK

Soft lane castors	139 SFK

By Andreas Störiko

The AS series is highly inspired and highly functional. Combining elegance and utility with true mobility, the family of nesting chairs and tables leaves room for all imaginable purposes.

- 10 year warranty
- Bar height tables
- Unbelievably easy to manoeuvre
- Intuitive flip-top mechanism
- Special handle allows to lift the AS tables
- Smart elastic cord firmly joins concave tables
- Rubber bumper protects tables from scratches

	\	

An infinite number of tables can then be nested together	Laminate (AD2)	Linoleum (AD4)	Veneer (AD3)
Laminate are with matching ABS edge.	L42	FL200	V2 6 V3 6
Linoleum and veneer are with non-matching, transparent lacquer.	L310		
Other RAL colours available - ASK HOWE Standard base colours:	L500 L210		
B6 B7 B31 B51	SEK	SEK	SEK
23.6"	45 mm	160 mm 6.3°	
Sauare 600 x 600 mm (tiny pre-drills in the top; possibility to order linking later)	10753	14523	15776
Square with link 600 x 600 mm	11379	15149	16402
	1100 mm 43.3		

10753

14523

15776

Price list 2024 - SEK excl. V.A.T. - Version 1.0

Round

Transparent lacquer on plywood core for laminate or nano-laminate	2332 SEK
Soft lane castors	139 SEK


Ø700 mm



Accesories

Tables' transporters

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.





Accessories

Tables' transporters cont.

HOWE combines simplicity and functionality with a focus on timeless originality. In every moving detail. This is why our furniture stacks, folds, rolls and creates flexible solutions like no other designs in the world.





Accessories

AS tables privacy screens

Aesthetically pleasing, the innovative felt privacy screen creates enclosure to spaces during work, education, and meeting areas.

It gives flexibility to produce boundaries, as well as visual privacy.



Privacy screen Privacy screen for AS round and round concave tables. 1188x350 mm; 12 mm thick; light grey felt	No.	Per Piece	
Screen	66091001	4640	

Notes for tables

Price list 2024 - SEK excl. V.A.T. - Version 1.0

General

HOWE standard delivery times in EU are usually: Chairs 4-6 weeks, Tables 5-7 weeks.

In case of large quantities and/or customized products delivery time will be determined on a case-by-case basis.

The following products may have a slightly longer lead time so please ask HOWE:

- Simpla: Trapezoidal
- Tutor: 1390 mm double table (for armchairs and swivel chairs), F200 black tabletop

In case of using any electrification, accessories, or making configurations, the lead time starts being counted once technical drawings are approved by the customer.

Linking is recommended to ensure strong connection and levelling. Please use for both temporary and lasting tables' arrangements.

Veneer is a natural material - differences in structure and colour may occur.

Linoleum is a natural material - the variation of colours may appear due to a natural phenomenon called "drying room yellowing". In such case, please expose the top to either natural or artificial light to allow the tint to disappear.

Crescent shape – the inside curve of top may be exchanged for straight edge, especially if Modesty panels are needed – ask Customer Service for details.

Table ranges are estimates, mostly for rectangular tops. For non-rectangular tables or questions for sizes outside of the ranges, please contact your local Customer Service (CS) representative. If chamfered edges are requested, minimum size increases - check with CS.

Moveo

Moveo linking for rectangular and V-shaped tables includes 4 brackets and 4 fittings. Moveo linking for half-round and half-boat tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Here you also get 4 brackets and 4 fittings for rectangular and V-shape tables as well as 2 brackets and 2 fitting for half-round and half-boat tables.

All RAL colours from RAL K5 colour card available. For quantities < 20 tables the colour fee is 2780 SEK per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Simpla

Please note that Simpla linking does not need any pre-drills and may be ordered at any time as a separate accessory.

Please note that Modesty panels for Simpla are just hanged on the frame and may be ordered at any time as a separate accessory.

All RAL colours from RAL K5 colour card available. For quantities < 50 tables the colour fee is 2780 SEK per RAL colour. For quantities ≥ 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Tempest

Tempest linking for rectangular, crescent, and square tables includes 4 brackets and 4 fittings. Tempest linking for half-round tables includes 2 brackets and 2 fittings. This type of linking is available for tables with straight edges only. Another linking type is available for tables with chamfered edges. Please contact HOWE for options.

All RAL colours from RAL K5 colour card available. For quantities < 20 tables the colour fee is 2780 SEK per RAL colour. For quantities ≥ 20 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.

Usu

Please note that Usu linking may be ordered at any time as a separate accessory.

Tutor

All RAL colours from RAL K5 colour card available. For quantities < 50 tables the colour fee is 2780 SEK per RAL colour. For quantities \ge 50 tables there is no fee. Visual impression of particular RAL may differ on various surfaces. Preparing product's sample(s) is compulsory. Lead time to be confirmed by HOWE CS.



MN1 Backs Natural wood veneers / stains







V3 - oak

LW17 - black stain

LW25 - walnut stain

40/4 SIXE Frames Steel





B7 - black



B9 - alu grey

B1 - chrome

B30 - white

B6 - satin black

All RAL colours available based upon customer sample

SIXE ONLY











SIXE SWIVEL SIXE LEARN Base Polyamide



PA100 - Howe grey

SIXE SWIVEL SIXE LEARN*

Swing arm* Gas lift



B10 - Howe grey

MN1 Bases







B51 - polished alu


AS100 Bases / seat frames







B51 - polished alu



AS TABLES MOVEO SIMPLA **TEMPEST**

Tops Natural wood veneers / Stains



V1 - maple



V2 - beech



V3 - oak

AS tables standard: V2 beech, V3 oak ONLY



V5 - cherry



V12 - ash



V13 - birch



V15 - walnut







All RAL colours available based upon customer sample

AS TABLES MOVEO SIMPLA **TEMPEST**

Tops Wood grain



L42 - beech



LW17 - black stain LW25 - walnut stain LW30 - white stain

L43 - oak



L55 - walnut



L50 - grey oak

AS tables standard: L42 beech, L43 oak ONLY

AS TABLES MOVEO SIMPLA **TEMPEST** USU

Tops Coloured laminates



L310 - white

L500 - metal slate



L420 - grey



L600 - stone grey





L110 - Howe grey



Any coloured laminates*



L210 - black

*Any coloured laminates does not apply to Usu



AS TABLES MOVEO SIMPLA TEMPEST

Tops Coloured nano laminates



NL350-eggshell white NL450-warm grey





NL200 - black







TABLES EMEA





AS TABLES MOVEO SIMPLA TEMPEST Tops Linoleums











SIMPLA **TUTOR** Bases Steel





B9 - alu grey



B30 - white

TEMPEST Bases Steel













USU Bases Steel



MOVEO Bases Aluminum







B51 - polished alu B52 - anodized alu

AS TABLES Bases



B7 - black



- columns only



B51 - polished alu - bases only



COLOUR REFERENCE ONLY Variations in colours and structures may occur.

Subject to ongoing changes and adjustments.

JANUARY 2024

howe.com

General conditions of sales

Price list 2024 - SEK excl. V.A.T. - Version 1.1

General

These general conditions of sale and terms of delivery shall apply to all agreements concluded between HOWE A/S (hereinafter HOWE) and its customers (hereinafter the Buyer), unless otherwise specifically agreed in writing between the Parties.

Conclusion of agreements, etc.

An agreement has not been concluded until HOWE has accepted an offer made by the Buyer by issuing an order acknowledgement, an invoice or other such written agreement based on the terms and conditions specified in this document. All prices stated in price lists and catalogues include packaging, such as pallets and transport containers, and exclude taxes, VAT, and any other charges. HOWE reserves the right to adjust the prices stated without prior warning in case of an increase in the price of raw materials, production costs, transport costs, packaging, or other sudden changes in the cost level. All agreements are thus concluded on the basis of the prices in force at the time when the order is received.

The agreement basis is thus the information, including information relating to price, materials, qualities, etc., that is stated in the order acknowledgement, invoice, or other such agreement, since other information shall be deemed to be for guidance only and may be corrected up until but not later than the time when the agreement is concluded. Unless otherwise explicitly agreed in writing, the goods have been sold for normal, standard use for the intended purpose.

Payment, etc.

Payment terms are subject to credit insurance at Coface. In case a customer cannot be insured a prepayment, or a bank guarantee will be required. If credit payment terms can be granted, payment shall be made in accordance with the terms of payment stated on the invoice, which basically means that payment shall be made in cash not later than 30 days after the date of invoice ("net 30 days"), unless otherwise explicitly agreed. The Buyer shall not be entitled to withhold any part of his payment and cannot meet his obligations through offsetting or similar. If payment is delayed, HOWE shall be entitled to charge interest at 0.75 % per month or part thereof and depending on the circumstances HOWE shall also be entitled to fully or partially withhold subsequent deliveries, specify special terms of payment, or – if necessary – cancel agreements with the Buyer in question. HOWE is entitled to charge a fee of 110 SEK for each reminder on late payment. All invoices will be sent by e-mail. Invoices sent by paper will be added an invoice fee of 44 SEK.

Property reservation

HOWE shall retain property in all the goods stated in the order acknowledgement or other such written agreement until the full purchase sum has been paid. The Buyer shall keep the goods fully insured until such time as the purchase sum has been paid and during this period the Buyer shall be responsible towards HOWE for any all and any damage suffered by the goods. HOWE has the right to inspect the goods at any time.

Delivery

DELIVERY CHARGES

Unless otherwise agreed, delivery in EU, United Kingdom, Norway, and Switzerland shall be made to the Buyer's warehouse situated on the ground floor at no cost to the Buyer.

Standard deliveries are made between 8:00-18:00. If the warehouse has different opening hours, the information should be provided to HOWE when placing the order. Please note, the warehouse must be opened for a minimum of 4 hours continuously in the above-mentioned period.

Outside the EU, United Kingdom, Norway and Switzerland, Buyer is responsible for organizing collection of goods from HOWE warehouse on Buyers cost and risk. HOWE is responsible for loading the goods on the transport vehicle designated by Buyer and organizing export customs clearance. Buyer has 10 days from receiving information about goods availability for collection to arrange transport from HOWE warehouse. Later, a supplementary charge of 109 SEK per pallet shall be made per each started month, although with a minimum charge of 435 SEK per month or part thereof. The deadline for storing the goods in HOWE warehouse is 60 days. After this period, additionally to storage fee, a fine of 16 SEK for each day will be imposed.

On Buyer request, HOWE forwarder offers free of charge delivery notification or delivery date agreement by text message or email. If Buyer requests phone call to agree on delivery date with Forwarder, a supplementary fee of 163 SEK will be added.

For prepaid orders, if the payment is not done prior to the planned and confirmed time of dispatch, a supplementary charge of 109 SEK per pallet shall be made per each started month, although with a minimum charge of 435 SEK per month or part thereof. The deadline for storing the goods in HOWE warehouse is 60 days. After this period, additionally to storage fee, a fine of 16 SEK for each day will be imposed.

Additional Fees for deliveries that do not meet the above HOWE's delivery standards:

- For orders without fix delivery date but with short opening hours (less than 4 hours continuously or other delivery hours than 8:00-18:00 2720 SEK freight charge
- Orders below net 5440 SEK 1088 SEK freight charge
- Fix delivery date to warehouse 5440 SEK fee
- Fix delivery date and 2 hour time slot: 5440 SEK + 1088 SEK for time slot fee
- delivery to Buyer directly (fill out template): 5440 SEK fee
- Delivery to customer's site 5440 SEK

If Buyer requests direct delivery to Buyer's site is obligated to fill "Direct delivery" form with all information necessary to organize dedicated transport.

ORDER CHANGES/AMENDMENTS

Buyer may request change of the delivery address to another facility that meets HOWE delivery requirements

If the change is made 8 days prior to shipment date it is free of charge

If the change is made within a week till shipment date, a change of 1088 SEK will be added to sales order

If the change is made after the shipment date, Buyer will need to cover all the extra costs incurred by the carrier, but not less than 1632 SEK.

Address change to another facility that meets HOWE requirements	Cost
within 8 days prior to agreed shipment date	Free of charge
The same week as shipment	1088 SEK
After shipment date	All extra cost but not less than 1632 SEK

Buyer may request postponement of shipment:

- If the change is made within 10 days from receiving order confirmation from HOWE it is free of charge
- If the change is made not later than 8 days before previously agreed shipment date a supplementary charge of 109 SEK per pallet shall be made per month or part thereof, although with a minimum charge of 435 SEK per month or part thereof. The fee will be calculated from the first day after original shipment date.
- No changes can be made afterwards

The deadline for storing the goods in HOWE warehouse is 60 days. After this period, additionally to storage fee, a fine of 16 SEK for each day will be imposed.

Shipment date change	Cost
Within 10 days from OC sent to Buyer	Free of charge
Not later than 8 days before shipment	109 SEK per pallet per each started month, not less than 435 SEK monthly

Within 7 days prior to shipment date	NO CHANGES ARE POSSIBLE

DAMAGES

Regardless of whether the Buyer is present at the time of the delivery, all risks in relation to the goods shall pass to the Buyer upon delivery to the agreed location.

Visible damages must be noted on the Forwarder's Consignment Note immediately on delivery. Damages are to be stated in detail. A written complaint must then be sent immediately within 7 days from receipt of the goods to us and to the Forwarder. Non-visible damages must be reported in writing within 7 days from receipt of goods to HOWE and to the Forwarder.

Any complaints submitted after this period will not be accepted.

Any deviation from the terms of delivery shall be deemed to constitute one joint deviation from the above, in which case the Buyer shall take over the risk in relation to the goods at the earlier time when the goods were collected or could have been collected in accordance with the agreement made.

HOWEs standard delivery times in EU are usually: Chairs 4-6 weeks, Tables 5-7 weeks. In case of large quantities and/or customized products delivery time will be determined on a case-to-case basis.

Fee and MOQ for non-standard choices

For any non-standard product there is a 5440 SEK fee. In most cases there is also a minimum order quantity (MOQ).

Buyers cancellation of contract

The Buyer shall be entitled to cancel the contract up until forty-eight (48) hours after the order confirmation has been issued, provided that the manufacture/dispatch/delivery of the goods has not yet commenced at this time, in return for a payment of 5% of the purchase sum and any extra loss incurred by HOWE as a consequence of the cancellation. In the event that more than five days have passed since the order confirmation was issued, the contract may only be cancelled until 4 (four) weeks before confirmed shipment in return for payment of 50% of the purchase sum plus transport and administration costs and any extra loss incurred by HOWE as a consequence of the cancellation. Hereafter the contract cannot be cancelled.

Delays

The confirmed time of delivery is only an estimated deadline since HOWE shall be entitled to make changes to or temporarily postpone deliveries in order to be able to organise its goods deliveries and administration appropriately. HOWE cannot be held liable for any loss suffered by the Buyer as a result of a changed or postponed time of delivery. Furthermore, HOWE does not automatically offer loan furniture in these situations.

Deficiencies, etc.

HOWE shall only be liable for deficiencies in the goods sold if such deficiencies are the result of matters relating to the materials used or the craftsmanship applied. In particular, HOWE shall not be liable for matters resulting from wrong or abnormal use or storage, including in relation to climate and temperature conditions, or any other aspects related to HOWE's instructions.

When the risks in relation to the goods have passed to the Buyer, HOWE can only be held liable for faults and deficiencies to the extent specified in this provision.

The Buyer shall be obliged to carry out a detailed examination of the consignment immediately upon receipt. Complaints regarding deficiencies and/or visible transport damage which are – or should have been – discovered in this examination shall be written on the consignment note, which must be returned immediately, so as to inform HOWE at once. Any complaints regarding "non-visible" transport damage must reach HOWE not later than seven (7) days after the date of delivery and any complaints regarding any deficiencies ascertained must in each case be forwarded not later than seven (7) days after they were – or should have been – discovered. If the complaint is not made within these deadlines, the Buyer's access to advance claims in relation to any such deficiencies shall be forfeited.

A complaint shall be in writing and shall contain a specific description of the deficiencies with accompanying photo documentation or, alternatively, the deficient component/product shall be forwarded with the complaint.

In case of deficiencies for which HOWE is liable, the Buyer shall not be entitled to invoke any other rights than the right to have the goods replaced, which shall be done at no cost to the Buyer. In particular, the Buyer shall thus not be entitled to cancel the transaction or ask for a proportional rebate, compensation, or repayment, unless the deficiency ascertained is the result of gross negligence or intent on the part of HOWE. However, HOWE can under no circumstances be held liable for operating loss, loss of profit, time loss or other such indirect loss suffered by the Buyer.

The deficient goods belong to HOWE and shall be returned to HOWE upon request. Basically, the Buyer shall bear the costs and risk of such transport. Unless HOWE has explicitly undertaken to guarantee for the object sold for a longer period, HOWE shall under no circumstances be held liable for faults or deficiencies for which no written complaint has been sent within two years of the hand-over to the Buyer.

Product liability

The Buyer shall compensate and reimburse HOWE for all, and any compensation claims made by third parties on account of damage or injury for which HOWE is not liable towards the Buyer. HOWE shall be liable for damage or injury resulting from defective products in pursuance of the provisions of Act No. 371 of 7 June 1989 (the Danish Product Liability Act). Such liability cannot exceed DKK 50,000 and HOWE can under no circumstances be held liable for operating loss, loss of profit, time loss or any other such indirect loss. The Buyer shall immediately inform HOWE of any cases in which a third-party file a lawsuit or otherwise advances claims on account of damage or injury caused by products manufactured by HOWE.

Design alterations

HOWE reserves the right at all times to make such changes to product design, etc., as HOWE deems to be necessary. In such case, information about significant alterations shall be forwarded to the Buyer prior to delivery.

Invocation of rights

If HOWE fails to exercise or claim one of the rights enjoyed by HOWE under these general conditions, such failure shall not be deemed to constitute a waiver of such right on the part of HOWE. Likewise, such failure shall not prevent such right in being invoked or claimed at a later point in time.

Disputes, applicable law

Any dispute arising in connection with the performance of agreements in relation to these conditions of sale and terms of delivery, as well as any other matters relating thereto shall be decided by the Maritime and Commercial Court of Copenhagen. Any dispute shall be settled in accordance with Danish law, with the provisions of Act No. 237 of 28 March 2003 (the Danish Sale of Goods Act) to the extent said Act has not been deviated from in the above.

Be advised that HOWE A/S reserves the right to correct any printing errors, inaccuracies, or omissions.

Warranties

Price list 2024 - SEK excl. V.A.T. - Version 1.1

General

At HOWE A/S (hereinafter HOWE) we recognize the value of products that can stand up to continuous use, and we know by experience that good material combined with true craftsmanship and thorough design provides sturdy and durable furniture.

Our high and uniform quality policy secures that our products are always tested to the highest level of international standards and legislations. We constantly strive to optimise our products and services to maintain the high level of quality and durability that is expected of a HOWE product.

HOWE warrants its products against defects in materials and workmanship as follows:

10-year warranty

As of January 1st, 1992, HOWE offers on all chairs of its David Rowland 40/4 chair collection a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance. Only exception is the 40/4 wood frame, which has a 5 (five) year guarantee.

As of July 6th, 2012, HOWE offers on Moveo and Tempest table systems and SixE chairs a 10 (ten) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

As of 1st of May 2021 HOWE offers on MN1 chairs a 10 (ten) year guarantee against weld breakages, defective material, workmanship, and performance. For gas lifts, turn / tilt mechanism, and castors 5 (five) year.

As of 15th of June 2021 HOWE offers on AS chairs and AS table series a 10 (ten) year guarantee against weld breakages, defective material, workmanship, and performance. For folding adaptors, gas lifts and castors it is a 5 (five) year guarantee.

5-year warranty

As of January 1st, 1992, HOWE offers on all other furniture products a 5 (five) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

2-year warranty

On all power and data solutions we refer to our sub supplier. Their warranty period is 2 (two) years. The HOWE guarantee period runs from the date of shipment.

As of July 1st, 2022, HOWE offers on AS privacy screens a 2 (two) year guarantee under normal use against weld breakages, defective material, workmanship, and performance.

Exclusions

This warranty does not apply to product failure resulting from:

- Normal wear and tear
- o Abuse, misuse, accidents, or repeated knocks
- o Improper handling/usage or improper cleaning/maintenance
- Alteration or modification of the product

In addition, HOWE does not warrant:

- Changes in surface finishes due to aging, scratches, markings, stains, or other damage due to normal wear and tear, or due to contact with sharp or hard objects
- o Changes in surface finishes due to exposure to light
- Oxidizing of outdoor treated frames
- Natural variations in wood grain or the presence of character marks. This includes matching of grains, colours, or textures of natural materials
- o Customers own fabrics and leather (COL & COM)
- o All service parts (meaning all moving and mechanical parts)
- Customised solutions
- o Marks in fabric/leather after stacking of chairs

For leather: Marks as scars, insect bites, fat creases and neck wrinkles. This is beauty marks that reflect the normal life
of an animal.

HOWE recommends chromium plated steel frames on all 40/4 chairs where repeated handling is intended. Please, be aware that constant impacts from handling of painted linking chairs are likely to cause scratches and flaking over time. This is considered normal wear and tear and therefore not covered by the HOWE Warranty.

Original spare parts delivery guarantee

Furniture programmes from HOWE are designed with focus on durability and timeless design. In case a product should be discontinued all original spare parts are available for 5 (five) years from the date the discontinuation has been carried through. If a component to a discontinued product for some reason is not available, a corresponding product is offered instead.

In case David Rowlands 40/4 chair should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through. In case the Tempest and Moveo table systems or the SixE chair family should be discontinued all original spare parts are available for 10 (ten) years from the date the discontinuation has been carried through.

The guarantee does not apply to product and component modifications and enhancements.